

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 May 2001 (17.05.2001)

PCT

(10) International Publication Number
WO 01/34802 A2

(51) International Patent Classification⁷: **C12N 15/12**,
15/62, 15/11, 1/21, 5/10, C07K 14/47, 16/18, 19/00, A61K
38/17, 31/70, 39/395, 48/00, G01N 33/68, C12Q 1/68

(21) International Application Number: PCT/US00/30904

(22) International Filing Date:
9 November 2000 (09.11.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/439,313 12 November 1999 (12.11.1999) US
09/443,686 18 November 1999 (18.11.1999) US

(71) Applicant (for all designated States except US): **CORIXA CORPORATION** [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **XU, Jiangchun** [US/US]; 15805 SE 43rd Place, Bellevue, WA 98006


(US). **DILLON, Davin, C.** [US/US]; 18112 NW Montreux Drive, Issaquah, WA 98027 (US). **MITCHAM, Jennifer, L.** [US/US]; 16677 NE 88th Street, Redmond, WA 98052 (US). **HARLOCKER, Susan, L.** [US/US]; 7522 - 13th Avenue W., Seattle, WA 98117 (US). **JIANG, Yuqiu** [CN/US]; 5001 South 232nd Street, Kent, WA 98032 (US). **REED, Steven, G.** [US/US]; 2843 - 122nd Place NE, Bellevue, WA 98005 (US). **KALOS, Michael, D.** [US/US]; 8116 Dayton Ave. N., Seattle, WA 98103 (US). **REITER, Marc, W.** [US/US]; 33402 NE 43rd Place, Carnation, WA 98014 (US). **STOLK, John, A.** [US/US]; 7436 Northeast 144th Place, Bothell, WA 98011 (US). **DAY, Craig, H.** [US/US]; 11501 Stone Ave. N., C122, Seattle, WA 98133-8317 (US). **SKEIKY, Yasir, A.W.** [CA/US]; 15106 SE 47th Place, Bellevue, WA 98006 (US). **WANG, Aijun** [CN/US]; 3106 213th Place SE, Issaquah, WA 98029 (US).

(74) Agents: **POTTER, Jane, E., R.**; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 et al. (US).

(81) Designated States (national): AE, AG, AI, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,

[Continued on next page]

(54) Title: COMPOSITIONS AND METHODS FOR THE THERAPY AND DIAGNOSIS OF PROSTATE CANCER



(57) Abstract: Compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer, are disclosed. Compositions may comprise one or more prostate-specific proteins, immunogenic portions thereof, or polynucleotides that encode such portions. Alternatively, a therapeutic composition may comprise an antigen presenting cell that expresses a prostate-specific protein, or a T cell that is specific for cells expressing such a protein. Such compositions may be used, for example, for the prevention and treatment of diseases such as prostate cancer. Diagnostic methods based on detecting a prostate-specific protein, or mRNA encoding such a protein, in a sample are also provided.

WO 01/34802 A2



DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— Without international search report and to be republished upon receipt of that report.

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

COMPOSITIONS AND METHODS FOR THE THERAPY AND DIAGNOSIS OF PROSTATE CANCER

5 TECHNICAL FIELD

The present invention relates generally to therapy and diagnosis of cancer, such as prostate cancer. The invention is more specifically related to polypeptides comprising at least a portion of a prostate-specific protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for
10 prevention and treatment of prostate cancer, and for the diagnosis and monitoring of such cancers.

BACKGROUND OF THE INVENTION

Prostate cancer is the most common form of cancer among males, with an estimated incidence of 30% in men over the age of 50. Overwhelming clinical evidence shows that human prostate cancer has the propensity to metastasize to bone, and the disease appears to progress
15 inevitably from androgen dependent to androgen refractory status, leading to increased patient mortality. This prevalent disease is currently the second leading cause of cancer death among men in the U.S.

In spite of considerable research into therapies for the disease, prostate cancer remains difficult to treat. Commonly, treatment is based on surgery and/or radiation therapy, but
20 these methods are ineffective in a significant percentage of cases. Two previously identified prostate specific proteins - prostate specific antigen (PSA) and prostatic acid phosphatase (PAP) - have limited therapeutic and diagnostic potential. For example, PSA levels do not always correlate well with the presence of prostate cancer, being positive in a percentage of non-prostate cancer cases, including benign prostatic hyperplasia (BPH). Furthermore, PSA measurements correlate
25 with prostate volume, and do not indicate the level of metastasis.

In spite of considerable research into therapies for these and other cancers, prostate cancer remains difficult to diagnose and treat effectively. Accordingly, there is a need in the art for improved methods for detecting and treating such cancers. The present invention fulfills these needs and further provides other related advantages.

30 SUMMARY OF THE INVENTION

Briefly stated, the present invention provides compositions and methods for the

diagnosis and therapy of cancer, such as prostate cancer. In one aspect, the present invention provides polypeptides comprising at least a portion of a prostate-specific protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises at least an immunogenic portion of a prostate-specific protein, or a variant thereof, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382, 384-476, 524, 526, 530, 531, 533, 535 and 536; (b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and (c) complements of any of the sequence of (a) or (b). In certain specific embodiments, such a polypeptide comprises at least a portion, or variant thereof, of a protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534, 537-550.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a prostate-specific protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines for prophylactic or therapeutic use are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and an immunostimulant.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a prostate-specific protein; and (b) a physiologically acceptable carrier. In certain embodiments, the present invention provides monoclonal antibodies that specifically bind to an amino acid sequence selected from the group consisting of SEQ ID NO: 496, 504, 505, 509-517, 522 and 541-550, together with monoclonal antibodies comprising a complementarity determining region selected from the group consisting of SEQ ID NO: 502, 503 and 506-508.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

5 Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) an immunostimulant.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

10 Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with an immunostimulant.

15 Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that
20 specifically react with a prostate-specific protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described
25 above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a prostate-specific protein, comprising contacting T cells with one or more of:
(i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii)
30 an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Isolated T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a prostate-specific protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

10 Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be prostate cancer.

15

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

20

25

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate-specific protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain

30

embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that
5 hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate-specific protein; (b)
10 detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as
15 monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed
20 herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE IDENTIFIERS

Figure 1 illustrates the ability of T cells to kill fibroblasts expressing the representative prostate-specific polypeptide P502S, as compared to control fibroblasts. The
25 percentage lysis is shown as a series of effector:target ratios, as indicated.

Figures 2A and 2B illustrate the ability of T cells to recognize cells expressing the representative prostate-specific polypeptide P502S. In each case, the number of γ -interferon spots is shown for different numbers of responders. In Figure 2A, data is presented for fibroblasts pulsed with the P2S-12 peptide, as compared to fibroblasts pulsed with a control E75 peptide. In Figure
30 2B, data is presented for fibroblasts expressing P502S, as compared to fibroblasts expressing HER-2/neu.

Figure 3 represents a peptide competition binding assay showing that the P1S#10 peptide, derived from P501S, binds HLA-A2. Peptide P1S#10 inhibits HLA-A2 restricted presentation of fluM58 peptide to CTL clone D150M58 in TNF release bioassay. D150M58 CTL is specific for the HLA-A2 binding influenza matrix peptide fluM58.

5 Figure 4 illustrates the ability of T cell lines generated from P1S#10 immunized mice to specifically lyse P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat A2Kb targets, as compared to EGFP-transduced Jurkat A2Kb. The percent lysis is shown as a series of effector to target ratios, as indicated.

Figure 5 illustrates the ability of a T cell clone to recognize and specifically lyse
10 Jurkat A2Kb cells expressing the representative prostate-specific polypeptide P501S, thereby demonstrating that the P1S#10 peptide may be a naturally processed epitope of the P501S polypeptide.

Figures 6A and 6B are graphs illustrating the specificity of a CD8⁺ cell line (3A-1) for a representative prostate-specific antigen (P501S). Figure 6A shows the results of a ⁵¹Cr release
15 assay. The percent specific lysis is shown as a series of effector:target ratios, as indicated. Figure 6B shows the production of interferon-gamma by 3A-1 cells stimulated with autologous B-LCL transduced with P501S, at varying effector:target ratios as indicated.

Figure 7 is a Western blot showing the expression of P501S in baculovirus.

Figure 8 illustrates the results of epitope mapping studies on P501S.

20 Figure 9 is a schematic representation of the P501S protein showing the location of transmembrane domains and predicted intracellular and extracellular domains.

Figure 10 is a genomic map showing the location of the prostate genes P775P, P704P, B305D, P712P and P774P within the Cat Eye Syndrome region of chromosome 22q11.2

Figure 11 shows the results of an ELISA assay of antibody specificity to P501S
25 peptides.

SEQ ID NO: 1 is the determined cDNA sequence for F1-13

SEQ ID NO: 2 is the determined 3' cDNA sequence for F1-12

SEQ ID NO: 3 is the determined 5' cDNA sequence for F1-12

SEQ ID NO: 4 is the determined 3' cDNA sequence for F1-16

30 SEQ ID NO: 5 is the determined 3' cDNA sequence for H1-1

SEQ ID NO: 6 is the determined 3' cDNA sequence for H1-9

SEQ ID NO: 7 is the determined 3' cDNA sequence for H1-4

- SEQ ID NO: 8 is the determined 3' cDNA sequence for J1-17
SEQ ID NO: 9 is the determined 5' cDNA sequence for J1-17
SEQ ID NO: 10 is the determined 3' cDNA sequence for L1-12
SEQ ID NO: 11 is the determined 5' cDNA sequence for L1-12
5 SEQ ID NO: 12 is the determined 3' cDNA sequence for N1-1862
SEQ ID NO: 13 is the determined 5' cDNA sequence for N1-1862
SEQ ID NO: 14 is the determined 3' cDNA sequence for J1-13
SEQ ID NO: 15 is the determined 5' cDNA sequence for J1-13
SEQ ID NO: 16 is the determined 3' cDNA sequence for J1-19
10 SEQ ID NO: 17 is the determined 5' cDNA sequence for J1-19
SEQ ID NO: 18 is the determined 3' cDNA sequence for J1-25
SEQ ID NO: 19 is the determined 5' cDNA sequence for J1-25
SEQ ID NO: 20 is the determined 5' cDNA sequence for J1-24
SEQ ID NO: 21 is the determined 3' cDNA sequence for J1-24
15 SEQ ID NO: 22 is the determined 5' cDNA sequence for K1-58
SEQ ID NO: 23 is the determined 3' cDNA sequence for K1-58
SEQ ID NO: 24 is the determined 5' cDNA sequence for K1-63
SEQ ID NO: 25 is the determined 3' cDNA sequence for K1-63
SEQ ID NO: 26 is the determined 5' cDNA sequence for L1-4
20 SEQ ID NO: 27 is the determined 3' cDNA sequence for L1-4
SEQ ID NO: 28 is the determined 5' cDNA sequence for L1-14
SEQ ID NO: 29 is the determined 3' cDNA sequence for L1-14
SEQ ID NO: 30 is the determined 3' cDNA sequence for J1-12
SEQ ID NO: 31 is the determined 3' cDNA sequence for J1-16
25 SEQ ID NO: 32 is the determined 3' cDNA sequence for J1-21
SEQ ID NO: 33 is the determined 3' cDNA sequence for K1-48
SEQ ID NO: 34 is the determined 3' cDNA sequence for K1-55
SEQ ID NO: 35 is the determined 3' cDNA sequence for L1-2
SEQ ID NO: 36 is the determined 3' cDNA sequence for L1-6
30 SEQ ID NO: 37 is the determined 3' cDNA sequence for N1-1858
SEQ ID NO: 38 is the determined 3' cDNA sequence for N1-1860
SEQ ID NO: 39 is the determined 3' cDNA sequence for N1-1861

- SEQ ID NO: 40 is the determined 3' cDNA sequence for N1-1864
- SEQ ID NO: 41 is the determined cDNA sequence for P5
- SEQ ID NO: 42 is the determined cDNA sequence for P8
- SEQ ID NO: 43 is the determined cDNA sequence for P9
- 5 SEQ ID NO: 44 is the determined cDNA sequence for P18
- SEQ ID NO: 45 is the determined cDNA sequence for P20
- SEQ ID NO: 46 is the determined cDNA sequence for P29
- SEQ ID NO: 47 is the determined cDNA sequence for P30
- SEQ ID NO: 48 is the determined cDNA sequence for P34
- 10 SEQ ID NO: 49 is the determined cDNA sequence for P36
- SEQ ID NO: 50 is the determined cDNA sequence for P38
- SEQ ID NO: 51 is the determined cDNA sequence for P39
- SEQ ID NO: 52 is the determined cDNA sequence for P42
- SEQ ID NO: 53 is the determined cDNA sequence for P47
- 15 SEQ ID NO: 54 is the determined cDNA sequence for P49
- SEQ ID NO: 55 is the determined cDNA sequence for P50
- SEQ ID NO: 56 is the determined cDNA sequence for P53
- SEQ ID NO: 57 is the determined cDNA sequence for P55
- SEQ ID NO: 58 is the determined cDNA sequence for P60
- 20 SEQ ID NO: 59 is the determined cDNA sequence for P64
- SEQ ID NO: 60 is the determined cDNA sequence for P65
- SEQ ID NO: 61 is the determined cDNA sequence for P73
- SEQ ID NO: 62 is the determined cDNA sequence for P75
- SEQ ID NO: 63 is the determined cDNA sequence for P76
- 25 SEQ ID NO: 64 is the determined cDNA sequence for P79
- SEQ ID NO: 65 is the determined cDNA sequence for P84
- SEQ ID NO: 66 is the determined cDNA sequence for P68
- SEQ ID NO: 67 is the determined cDNA sequence for P80
- SEQ ID NO: 68 is the determined cDNA sequence for P82
- 30 SEQ ID NO: 69 is the determined cDNA sequence for U1-3064
- SEQ ID NO: 70 is the determined cDNA sequence for U1-3065
- SEQ ID NO: 71 is the determined cDNA sequence for V1-3692

- SEQ ID NO: 72 is the determined cDNA sequence for 1A-3905
SEQ ID NO: 73 is the determined cDNA sequence for V1-3686
SEQ ID NO: 74 is the determined cDNA sequence for R1-2330
SEQ ID NO: 75 is the determined cDNA sequence for 1B-3976
5 SEQ ID NO: 76 is the determined cDNA sequence for V1-3679
SEQ ID NO: 77 is the determined cDNA sequence for 1G-4736
SEQ ID NO: 78 is the determined cDNA sequence for 1G-4738
SEQ ID NO: 79 is the determined cDNA sequence for 1G-4741
SEQ ID NO: 80 is the determined cDNA sequence for 1G-4744
10 SEQ ID NO: 81 is the determined cDNA sequence for 1G-4734
SEQ ID NO: 82 is the determined cDNA sequence for 1H-4774
SEQ ID NO: 83 is the determined cDNA sequence for 1H-4781
SEQ ID NO: 84 is the determined cDNA sequence for 1H-4785
SEQ ID NO: 85 is the determined cDNA sequence for 1H-4787
15 SEQ ID NO: 86 is the determined cDNA sequence for 1H-4796
SEQ ID NO: 87 is the determined cDNA sequence for 1I-4807
SEQ ID NO: 88 is the determined cDNA sequence for 1I-4810
SEQ ID NO: 89 is the determined cDNA sequence for 1I-4811
SEQ ID NO: 90 is the determined cDNA sequence for 1J-4876
20 SEQ ID NO: 91 is the determined cDNA sequence for 1K-4884
SEQ ID NO: 92 is the determined cDNA sequence for 1K-4896
SEQ ID NO: 93 is the determined cDNA sequence for 1G-4761
SEQ ID NO: 94 is the determined cDNA sequence for 1G-4762
SEQ ID NO: 95 is the determined cDNA sequence for 1H-4766
25 SEQ ID NO: 96 is the determined cDNA sequence for 1H-4770
SEQ ID NO: 97 is the determined cDNA sequence for 1H-4771
SEQ ID NO: 98 is the determined cDNA sequence for 1H-4772
SEQ ID NO: 99 is the determined cDNA sequence for 1D-4297
SEQ ID NO: 100 is the determined cDNA sequence for 1D-4309
30 SEQ ID NO: 101 is the determined cDNA sequence for 1D-4278
SEQ ID NO: 102 is the determined cDNA sequence for 1D-4288
SEQ ID NO: 103 is the determined cDNA sequence for 1D-4283

SEQ ID NO: 104 is the determined cDNA sequence for 1D-4304

SEQ ID NO: 105 is the determined cDNA sequence for 1D-4296

SEQ ID NO: 106 is the determined cDNA sequence for 1D-4280

SEQ ID NO: 107 is the determined full length cDNA sequence for F1-12 (also referred to as P504S)

5

SEQ ID NO: 108 is the predicted amino acid sequence for F1-12

SEQ ID NO: 109 is the determined full length cDNA sequence for J1-17

SEQ ID NO: 110 is the determined full length cDNA sequence for L1-12 (also referred to as P501S)

SEQ ID NO: 111 is the determined full length cDNA sequence for N1-1862 (also referred to as

10 P503S)

SEQ ID NO: 112 is the predicted amino acid sequence for J1-17

SEQ ID NO: 113 is the predicted amino acid sequence for L1-12 (also referred to as P501S)

SEQ ID NO: 114 is the predicted amino acid sequence for N1-1862 (also referred to as P503S)

SEQ ID NO: 115 is the determined cDNA sequence for P89

15 SEQ ID NO: 116 is the determined cDNA sequence for P90

SEQ ID NO: 117 is the determined cDNA sequence for P92

SEQ ID NO: 118 is the determined cDNA sequence for P95

SEQ ID NO: 119 is the determined cDNA sequence for P98

SEQ ID NO: 120 is the determined cDNA sequence for P102

20 SEQ ID NO: 121 is the determined cDNA sequence for P110

SEQ ID NO: 122 is the determined cDNA sequence for P111

SEQ ID NO: 123 is the determined cDNA sequence for P114

SEQ ID NO: 124 is the determined cDNA sequence for P115

SEQ ID NO: 125 is the determined cDNA sequence for P116

25 SEQ ID NO: 126 is the determined cDNA sequence for P124

SEQ ID NO: 127 is the determined cDNA sequence for P126

SEQ ID NO: 128 is the determined cDNA sequence for P130

SEQ ID NO: 129 is the determined cDNA sequence for P133

SEQ ID NO: 130 is the determined cDNA sequence for P138

30 SEQ ID NO: 131 is the determined cDNA sequence for P143

SEQ ID NO: 132 is the determined cDNA sequence for P151

SEQ ID NO: 133 is the determined cDNA sequence for P156

- SEQ ID NO: 134 is the determined cDNA sequence for P157
SEQ ID NO: 135 is the determined cDNA sequence for P166
SEQ ID NO: 136 is the determined cDNA sequence for P176
SEQ ID NO: 137 is the determined cDNA sequence for P178
5 SEQ ID NO: 138 is the determined cDNA sequence for P179
SEQ ID NO: 139 is the determined cDNA sequence for P185
SEQ ID NO: 140 is the determined cDNA sequence for P192
SEQ ID NO: 141 is the determined cDNA sequence for P201
SEQ ID NO: 142 is the determined cDNA sequence for P204
10 SEQ ID NO: 143 is the determined cDNA sequence for P208
SEQ ID NO: 144 is the determined cDNA sequence for P211
SEQ ID NO: 145 is the determined cDNA sequence for P213
SEQ ID NO: 146 is the determined cDNA sequence for P219
SEQ ID NO: 147 is the determined cDNA sequence for P237
15 SEQ ID NO: 148 is the determined cDNA sequence for P239
SEQ ID NO: 149 is the determined cDNA sequence for P248
SEQ ID NO: 150 is the determined cDNA sequence for P251
SEQ ID NO: 151 is the determined cDNA sequence for P255
SEQ ID NO: 152 is the determined cDNA sequence for P256
20 SEQ ID NO: 153 is the determined cDNA sequence for P259
SEQ ID NO: 154 is the determined cDNA sequence for P260
SEQ ID NO: 155 is the determined cDNA sequence for P263
SEQ ID NO: 156 is the determined cDNA sequence for P264
SEQ ID NO: 157 is the determined cDNA sequence for P266
25 SEQ ID NO: 158 is the determined cDNA sequence for P270
SEQ ID NO: 159 is the determined cDNA sequence for P272
SEQ ID NO: 160 is the determined cDNA sequence for P278
SEQ ID NO: 161 is the determined cDNA sequence for P105
SEQ ID NO: 162 is the determined cDNA sequence for P107
30 SEQ ID NO: 163 is the determined cDNA sequence for P137
SEQ ID NO: 164 is the determined cDNA sequence for P194
SEQ ID NO: 165 is the determined cDNA sequence for P195

- SEQ ID NO: 166 is the determined cDNA sequence for P196
SEQ ID NO: 167 is the determined cDNA sequence for P220
SEQ ID NO: 168 is the determined cDNA sequence for P234
SEQ ID NO: 169 is the determined cDNA sequence for P235
5 SEQ ID NO: 170 is the determined cDNA sequence for P243
SEQ ID NO: 171 is the determined cDNA sequence for P703P-DE1
SEQ ID NO: 172 is the predicted amino acid sequence for P703P-DE1
SEQ ID NO: 173 is the determined cDNA sequence for P703P-DE2
SEQ ID NO: 174 is the determined cDNA sequence for P703P-DE6
10 SEQ ID NO: 175 is the determined cDNA sequence for P703P-DE13
SEQ ID NO: 176 is the predicted amino acid sequence for P703P-DE13
SEQ ID NO: 177 is the determined cDNA sequence for P703P-DE14
SEQ ID NO: 178 is the predicted amino acid sequence for P703P-DE14
SEQ ID NO: 179 is the determined extended cDNA sequence for 1G-4736
15 SEQ ID NO: 180 is the determined extended cDNA sequence for 1G-4738
SEQ ID NO: 181 is the determined extended cDNA sequence for 1G-4741
SEQ ID NO: 182 is the determined extended cDNA sequence for 1G-4744
SEQ ID NO: 183 is the determined extended cDNA sequence for 1H-4774
SEQ ID NO: 184 is the determined extended cDNA sequence for 1H-4781
20 SEQ ID NO: 185 is the determined extended cDNA sequence for 1H-4785
SEQ ID NO: 186 is the determined extended cDNA sequence for 1H-4787
SEQ ID NO: 187 is the determined extended cDNA sequence for 1H-4796
SEQ ID NO: 188 is the determined extended cDNA sequence for 1I-4807
SEQ ID NO: 189 is the determined 3' cDNA sequence for 1I-4810
25 SEQ ID NO: 190 is the determined 3' cDNA sequence for 1I-4811
SEQ ID NO: 191 is the determined extended cDNA sequence for 1J-4876
SEQ ID NO: 192 is the determined extended cDNA sequence for 1K-4884
SEQ ID NO: 193 is the determined extended cDNA sequence for 1K-4896
SEQ ID NO: 194 is the determined extended cDNA sequence for 1G-4761
30 SEQ ID NO: 195 is the determined extended cDNA sequence for 1G-4762
SEQ ID NO: 196 is the determined extended cDNA sequence for 1H-4766
SEQ ID NO: 197 is the determined 3' cDNA sequence for 1H-4770

- SEQ ID NO: 198 is the determined 3' cDNA sequence for 1H-4771
- SEQ ID NO: 199 is the determined extended cDNA sequence for 1H-4772
- SEQ ID NO: 200 is the determined extended cDNA sequence for 1D-4309
- SEQ ID NO: 201 is the determined extended cDNA sequence for 1D.1-4278
- 5 SEQ ID NO: 202 is the determined extended cDNA sequence for 1D-4288
- SEQ ID NO: 203 is the determined extended cDNA sequence for 1D-4283
- SEQ ID NO: 204 is the determined extended cDNA sequence for 1D-4304
- SEQ ID NO: 205 is the determined extended cDNA sequence for 1D-4296
- SEQ ID NO: 206 is the determined extended cDNA sequence for 1D-4280
- 10 SEQ ID NO: 207 is the determined cDNA sequence for 10-d8fwd
- SEQ ID NO: 208 is the determined cDNA sequence for 10-H10con
- SEQ ID NO: 209 is the determined cDNA sequence for 11-C8rev
- SEQ ID NO: 210 is the determined cDNA sequence for 7.g6fwd
- SEQ ID NO: 211 is the determined cDNA sequence for 7.g6rev
- 15 SEQ ID NO: 212 is the determined cDNA sequence for 8-b5fwd
- SEQ ID NO: 213 is the determined cDNA sequence for 8-b5rev
- SEQ ID NO: 214 is the determined cDNA sequence for 8-b6fwd
- SEQ ID NO: 215 is the determined cDNA sequence for 8-b6 rev
- SEQ ID NO: 216 is the determined cDNA sequence for 8-d4fwd
- 20 SEQ ID NO: 217 is the determined cDNA sequence for 8-d9rev
- SEQ ID NO: 218 is the determined cDNA sequence for 8-g3fwd
- SEQ ID NO: 219 is the determined cDNA sequence for 8-g3rev
- SEQ ID NO: 220 is the determined cDNA sequence for 8-h11rev
- SEQ ID NO: 221 is the determined cDNA sequence for g-f12fwd
- 25 SEQ ID NO: 222 is the determined cDNA sequence for g-f3rev
- SEQ ID NO: 223 is the determined cDNA sequence for P509S
- SEQ ID NO: 224 is the determined cDNA sequence for P510S
- SEQ ID NO: 225 is the determined cDNA sequence for P703DE5
- SEQ ID NO: 226 is the determined cDNA sequence for 9-A11
- 30 SEQ ID NO: 227 is the determined cDNA sequence for 8-C6
- SEQ ID NO: 228 is the determined cDNA sequence for 8-H7
- SEQ ID NO: 229 is the determined cDNA sequence for JPTPN13

- SEQ ID NO: 230 is the determined cDNA sequence for JPTPN14
SEQ ID NO: 231 is the determined cDNA sequence for JPTPN23
SEQ ID NO: 232 is the determined cDNA sequence for JPTPN24
SEQ ID NO: 233 is the determined cDNA sequence for JPTPN25
5 SEQ ID NO: 234 is the determined cDNA sequence for JPTPN30
SEQ ID NO: 235 is the determined cDNA sequence for JPTPN34
SEQ ID NO: 236 is the determined cDNA sequence for PTPN35
SEQ ID NO: 237 is the determined cDNA sequence for JPTPN36
SEQ ID NO: 238 is the determined cDNA sequence for JPTPN38
10 SEQ ID NO: 239 is the determined cDNA sequence for JPTPN39
SEQ ID NO: 240 is the determined cDNA sequence for JPTPN40
SEQ ID NO: 241 is the determined cDNA sequence for JPTPN41
SEQ ID NO: 242 is the determined cDNA sequence for JPTPN42
SEQ ID NO: 243 is the determined cDNA sequence for JPTPN45
15 SEQ ID NO: 244 is the determined cDNA sequence for JPTPN46
SEQ ID NO: 245 is the determined cDNA sequence for JPTPN51
SEQ ID NO: 246 is the determined cDNA sequence for JPTPN56
SEQ ID NO: 247 is the determined cDNA sequence for PTPN64
SEQ ID NO: 248 is the determined cDNA sequence for JPTPN65
20 SEQ ID NO: 249 is the determined cDNA sequence for JPTPN67
SEQ ID NO: 250 is the determined cDNA sequence for JPTPN76
SEQ ID NO: 251 is the determined cDNA sequence for JPTPN84
SEQ ID NO: 252 is the determined cDNA sequence for JPTPN85
SEQ ID NO: 253 is the determined cDNA sequence for JPTPN86
25 SEQ ID NO: 254 is the determined cDNA sequence for JPTPN87
SEQ ID NO: 255 is the determined cDNA sequence for JPTPN88
SEQ ID NO: 256 is the determined cDNA sequence for JP1F1
SEQ ID NO: 257 is the determined cDNA sequence for JP1F2
SEQ ID NO: 258 is the determined cDNA sequence for JP1C2
30 SEQ ID NO: 259 is the determined cDNA sequence for JP1B1
SEQ ID NO: 260 is the determined cDNA sequence for JP1B2
SEQ ID NO: 261 is the determined cDNA sequence for JP1D3

- SEQ ID NO: 262 is the determined cDNA sequence for JP1A4
SEQ ID NO: 263 is the determined cDNA sequence for JP1F5
SEQ ID NO: 264 is the determined cDNA sequence for JP1E6
SEQ ID NO: 265 is the determined cDNA sequence for JP1D6
5 SEQ ID NO: 266 is the determined cDNA sequence for JP1B5
SEQ ID NO: 267 is the determined cDNA sequence for JP1A6
SEQ ID NO: 268 is the determined cDNA sequence for JP1E8
SEQ ID NO: 269 is the determined cDNA sequence for JP1D7
SEQ ID NO: 270 is the determined cDNA sequence for JP1D9
10 SEQ ID NO: 271 is the determined cDNA sequence for JP1C10
SEQ ID NO: 272 is the determined cDNA sequence for JP1A9
SEQ ID NO: 273 is the determined cDNA sequence for JP1F12
SEQ ID NO: 274 is the determined cDNA sequence for JP1E12
SEQ ID NO: 275 is the determined cDNA sequence for JP1D11
15 SEQ ID NO: 276 is the determined cDNA sequence for JP1C11
SEQ ID NO: 277 is the determined cDNA sequence for JP1C12
SEQ ID NO: 278 is the determined cDNA sequence for JP1B12
SEQ ID NO: 279 is the determined cDNA sequence for JP1A12
SEQ ID NO: 280 is the determined cDNA sequence for JP8G2
20 SEQ ID NO: 281 is the determined cDNA sequence for JP8H1
SEQ ID NO: 282 is the determined cDNA sequence for JP8H2
SEQ ID NO: 283 is the determined cDNA sequence for JP8A3
SEQ ID NO: 284 is the determined cDNA sequence for JP8A4
SEQ ID NO: 285 is the determined cDNA sequence for JP8C3
25 SEQ ID NO: 286 is the determined cDNA sequence for JP8G4
SEQ ID NO: 287 is the determined cDNA sequence for JP8B6
SEQ ID NO: 288 is the determined cDNA sequence for JP8D6
SEQ ID NO: 289 is the determined cDNA sequence for JP8F5
SEQ ID NO: 290 is the determined cDNA sequence for JP8A8
30 SEQ ID NO: 291 is the determined cDNA sequence for JP8C7
SEQ ID NO: 292 is the determined cDNA sequence for JP8D7
SEQ ID NO: 293 is the determined cDNA sequence for P8D8

- SEQ ID NO: 294 is the determined cDNA sequence for JP8E7
SEQ ID NO: 295 is the determined cDNA sequence for JP8F8
SEQ ID NO: 296 is the determined cDNA sequence for JP8G8
SEQ ID NO: 297 is the determined cDNA sequence for JP8B10
5 SEQ ID NO: 298 is the determined cDNA sequence for JP8C10
SEQ ID NO: 299 is the determined cDNA sequence for JP8E9
SEQ ID NO: 300 is the determined cDNA sequence for JP8E10
SEQ ID NO: 301 is the determined cDNA sequence for JP8F9
SEQ ID NO: 302 is the determined cDNA sequence for JP8H9
10 SEQ ID NO: 303 is the determined cDNA sequence for JP8C12
SEQ ID NO: 304 is the determined cDNA sequence for JP8E11
SEQ ID NO: 305 is the determined cDNA sequence for JP8E12
SEQ ID NO: 306 is the amino acid sequence for the peptide PS2#12
SEQ ID NO: 307 is the determined cDNA sequence for P711P
15 SEQ ID NO: 308 is the determined cDNA sequence for P712P
SEQ ID NO: 309 is the determined cDNA sequence for CLONE23
SEQ ID NO: 310 is the determined cDNA sequence for P774P
SEQ ID NO: 311 is the determined cDNA sequence for P775P
SEQ ID NO: 312 is the determined cDNA sequence for P715P
20 SEQ ID NO: 313 is the determined cDNA sequence for P710P
SEQ ID NO: 314 is the determined cDNA sequence for P767P
SEQ ID NO: 315 is the determined cDNA sequence for P768P
SEQ ID NO: 316-325 are the determined cDNA sequences of previously isolated genes
SEQ ID NO: 326 is the determined cDNA sequence for P703PDE5
25 SEQ ID NO: 327 is the predicted amino acid sequence for P703PDE5
SEQ ID NO: 328 is the determined cDNA sequence for P703P6.26
SEQ ID NO: 329 is the predicted amino acid sequence for P703P6.26
SEQ ID NO: 330 is the determined cDNA sequence for P703PX-23
SEQ ID NO: 331 is the predicted amino acid sequence for P703PX-23
30 SEQ ID NO: 332 is the determined full length cDNA sequence for P509S
SEQ ID NO: 333 is the determined extended cDNA sequence for P707P (also referred to as 11-C9)
SEQ ID NO: 334 is the determined cDNA sequence for P714P

- SEQ ID NO: 335 is the determined cDNA sequence for P705P (also referred to as 9-F3)
- SEQ ID NO: 336 is the predicted amino acid sequence for P705P
- SEQ ID NO: 337 is the amino acid sequence of the peptide P1S#10
- SEQ ID NO: 338 is the amino acid sequence of the peptide p5
- 5 SEQ ID NO: 339 is the predicted amino acid sequence of P509S
- SEQ ID NO: 340 is the determined cDNA sequence for P778P
- SEQ ID NO: 341 is the determined cDNA sequence for P786P
- SEQ ID NO: 342 is the determined cDNA sequence for P789P
- SEQ ID NO: 343 is the determined cDNA sequence for a clone showing homology to Homo
- 10 sapiens MM46 mRNA
- SEQ ID NO: 344 is the determined cDNA sequence for a clone showing homology to Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA
- SEQ ID NO: 345 is the determined cDNA sequence for a clone showing homology to Homo sapiens mRNA for E-cadherin
- 15 SEQ ID NO: 346 is the determined cDNA sequence for a clone showing homology to Human nuclear-encoded mitochondrial serine hydroxymethyltransferase (SHMT)
- SEQ ID NO: 347 is the determined cDNA sequence for a clone showing homology to Homo sapiens natural resistance-associated macrophage protein2 (NRAMP2)
- SEQ ID NO: 348 is the determined cDNA sequence for a clone showing homology to Homo
- 20 sapiens phosphoglucomutase-related protein (PGMRP)
- SEQ ID NO: 349 is the determined cDNA sequence for a clone showing homology to Human mRNA for proteosome subunit p40
- SEQ ID NO: 350 is the determined cDNA sequence for P777P
- SEQ ID NO: 351 is the determined cDNA sequence for P779P
- 25 SEQ ID NO: 352 is the determined cDNA sequence for P790P
- SEQ ID NO: 353 is the determined cDNA sequence for P784P
- SEQ ID NO: 354 is the determined cDNA sequence for P776P
- SEQ ID NO: 355 is the determined cDNA sequence for P780P
- SEQ ID NO: 356 is the determined cDNA sequence for P544S
- 30 SEQ ID NO: 357 is the determined cDNA sequence for P745S
- SEQ ID NO: 358 is the determined cDNA sequence for P782P
- SEQ ID NO: 359 is the determined cDNA sequence for P783P

- SEQ ID NO: 360 is the determined cDNA sequence for unknown 17984
- SEQ ID NO: 361 is the determined cDNA sequence for P787P
- SEQ ID NO: 362 is the determined cDNA sequence for P788P
- SEQ ID NO: 363 is the determined cDNA sequence for unknown 17994
- 5 SEQ ID NO: 364 is the determined cDNA sequence for P781P
- SEQ ID NO: 365 is the determined cDNA sequence for P785P
- SEQ ID NO: 366-375 are the determined cDNA sequences for splice variants of B305D.
- SEQ ID NO: 376 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 366.
- 10 SEQ ID NO: 377 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 372.
- SEQ ID NO: 378 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 373.
- SEQ ID NO: 379 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 374.
- 15 SEQ ID NO: 380 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 375.
- SEQ ID NO: 381 is the determined cDNA sequence for B716P.
- SEQ ID NO: 382 is the determined full-length cDNA sequence for P711P.
- 20 SEQ ID NO: 383 is the predicted amino acid sequence for P711P.
- SEQ ID NO: 384 is the cDNA sequence for P1000C.
- SEQ ID NO: 385 is the cDNA sequence for CGI-82.
- SEQ ID NO: 386 is the cDNA sequence for 23320.
- SEQ ID NO: 387 is the cDNA sequence for CGI-69.
- 25 SEQ ID NO: 388 is the cDNA sequence for L-iditol-2-dehydrogenase.
- SEQ ID NO: 389 is the cDNA sequence for 23379.
- SEQ ID NO: 390 is the cDNA sequence for 23381.
- SEQ ID NO: 391 is the cDNA sequence for KIAA0122.
- SEQ ID NO: 392 is the cDNA sequence for 23399.
- 30 SEQ ID NO: 393 is the cDNA sequence for a previously identified gene.
- SEQ ID NO: 394 is the cDNA sequence for HCLBP.
- SEQ ID NO: 395 is the cDNA sequence for transglutaminase.

SEQ ID NO:396 is the cDNA sequence for a previously identified gene.

SEQ ID NO:397 is the cDNA sequence for PAP.

SEQ ID NO:398 is the cDNA sequence for Ets transcription factor PDEF.

SEQ ID NO:399 is the cDNA sequence for hTGR.

5 SEQ ID NO:400 is the cDNA sequence for KIAA0295.

SEQ ID NO:401 is the cDNA sequence for 22545.

SEQ ID NO:402 is the cDNA sequence for 22547.

SEQ ID NO:403 is the cDNA sequence for 22548.

SEQ ID NO:404 is the cDNA sequence for 22550.

10 SEQ ID NO:405 is the cDNA sequence for 22551.

SEQ ID NO:406 is the cDNA sequence for 22552.

SEQ ID NO:407 is the cDNA sequence for 22553.

SEQ ID NO:408 is the cDNA sequence for 22558.

SEQ ID NO:409 is the cDNA sequence for 22562.

15 SEQ ID NO:410 is the cDNA sequence for 22565.

SEQ ID NO:411 is the cDNA sequence for 22567.

SEQ ID NO:412 is the cDNA sequence for 22568.

SEQ ID NO:413 is the cDNA sequence for 22570.

SEQ ID NO:414 is the cDNA sequence for 22571.

20 SEQ ID NO:415 is the cDNA sequence for 22572.

SEQ ID NO:416 is the cDNA sequence for 22573.

SEQ ID NO:417 is the cDNA sequence for 22573.

SEQ ID NO:418 is the cDNA sequence for 22575.

SEQ ID NO:419 is the cDNA sequence for 22580.

25 SEQ ID NO:420 is the cDNA sequence for 22581.

SEQ ID NO:421 is the cDNA sequence for 22582.

SEQ ID NO:422 is the cDNA sequence for 22583.

SEQ ID NO:423 is the cDNA sequence for 22584.

SEQ ID NO:424 is the cDNA sequence for 22585.

30 SEQ ID NO:425 is the cDNA sequence for 22586.

SEQ ID NO:426 is the cDNA sequence for 22587.

SEQ ID NO:427 is the cDNA sequence for 22588.

- SEQ ID NO:428 is the cDNA sequence for 22589.
SEQ ID NO:429 is the cDNA sequence for 22590.
SEQ ID NO:430 is the cDNA sequence for 22591.
SEQ ID NO:431 is the cDNA sequence for 22592.
5 SEQ ID NO:432 is the cDNA sequence for 22593.
SEQ ID NO:433 is the cDNA sequence for 22594.
SEQ ID NO:434 is the cDNA sequence for 22595.
SEQ ID NO:435 is the cDNA sequence for 22596.
SEQ ID NO:436 is the cDNA sequence for 22847.
10 SEQ ID NO:437 is the cDNA sequence for 22848.
SEQ ID NO:438 is the cDNA sequence for 22849.
SEQ ID NO:439 is the cDNA sequence for 22851.
SEQ ID NO:440 is the cDNA sequence for 22852.
SEQ ID NO:441 is the cDNA sequence for 22853.
15 SEQ ID NO:442 is the cDNA sequence for 22854.
SEQ ID NO:443 is the cDNA sequence for 22855.
SEQ ID NO:444 is the cDNA sequence for 22856.
SEQ ID NO:445 is the cDNA sequence for 22857.
SEQ ID NO:446 is the cDNA sequence for 23601.
20 SEQ ID NO:447 is the cDNA sequence for 23602.
SEQ ID NO:448 is the cDNA sequence for 23605.
SEQ ID NO:449 is the cDNA sequence for 23606.
SEQ ID NO:450 is the cDNA sequence for 23612.
SEQ ID NO:451 is the cDNA sequence for 23614.
25 SEQ ID NO:452 is the cDNA sequence for 23618.
SEQ ID NO:453 is the cDNA sequence for 23622.
SEQ ID NO:454 is the cDNA sequence for folate hydrolase.
SEQ ID NO:455 is the cDNA sequence for LIM protein.
SEQ ID NO:456 is the cDNA sequence for a known gene.
30 SEQ ID NO:457 is the cDNA sequence for a known gene.
SEQ ID NO:458 is the cDNA sequence for a previously identified gene.
SEQ ID NO:459 is the cDNA sequence for 23045.

SEQ ID NO:460 is the cDNA sequence for 23032.

SEQ ID NO:461 is the cDNA sequence for 23054.

SEQ ID NO:462-467 are cDNA sequences for known genes.

SEQ ID NO:468-471 are cDNA sequences for P710P.

5 SEQ ID NO:472 is a cDNA sequence for P1001C.

SEQ ID NO: 473 is the determined cDNA sequence for a first splice variant of P775P (referred to as 27505).

SEQ ID NO: 474 is the determined cDNA sequence for a second splice variant of P775P (referred to as 19947).

10 SEQ ID NO: 475 is the determined cDNA sequence for a third splice variant of P775P (referred to as 19941).

SEQ ID NO: 476 is the determined cDNA sequence for a fourth splice variant of P775P (referred to as 19937).

SEQ ID NO: 477 is a first predicted amino acid sequence encoded by the sequence of SEQ ID NO:
15 474.

SEQ ID NO: 478 is a second predicted amino acid sequence encoded by the sequence of SEQ ID NO: 474.

SEQ ID NO: 479 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 475.

20 SEQ ID NO: 480 is a first predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.

SEQ ID NO: 481 is a second predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.

SEQ ID NO: 482 is a third predicted amino acid sequence encoded by the sequence of SEQ ID NO:
25 473.

SEQ ID NO: 483 is a fourth predicted amino acid sequence encoded by the sequence of SEQ ID NO: 473.

SEQ ID NO: 484 is the first 30 amino acids of the *M. tuberculosis* antigen Ra12.

SEQ ID NO: 485 is the PCR primer AW025.

30 SEQ ID NO: 486 is the PCR primer AW003.

SEQ ID NO: 487 is the PCR primer AW027.

SEQ ID NO: 488 is the PCR primer AW026.

- SEQ ID NO: 489-501 are peptides employed in epitope mapping studies.
- SEQ ID NO: 502 is the determined cDNA sequence of the complementarity determining region for the anti-P503S monoclonal antibody 20D4.
- SEQ ID NO: 503 is the determined cDNA sequence of the complementarity determining region for the anti-P503S monoclonal antibody JA1.
- SEQ ID NO: 504 & 505 are peptides employed in epitope mapping studies.
- SEQ ID NO: 506 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 8H2.
- SEQ ID NO: 507 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 7H8.
- SEQ ID NO: 508 is the determined cDNA sequence of the complementarity determining region for the anti-P703P monoclonal antibody 2D4.
- SEQ ID NO: 509-522 are peptides employed in epitope mapping studies.
- SEQ ID NO: 523 is a mature form of P703P used to raise antibodies against P703P. SEQ ID NO: 524 is the putative full-length cDNA sequence of P703P.
- SEQ ID NO: 525 is the predicted amino acid sequence encoded by SEQ ID NO: 524.
- SEQ ID NO: 526 is the full-length cDNA sequence for P790P.
- SEQ ID NO: 527 is the predicted amino acid sequence for P790P.
- SEQ ID NO: 528 & 529 are PCR primers.
- SEQ ID NO: 530 is the cDNA sequence of a splice variant of SEQ ID NO: 366.
- SEQ ID NO: 531 is the cDNA sequence of the open reading frame of SEQ ID NO: 530.
- SEQ ID NO: 532 is the predicted amino acid encoded by the sequence of SEQ ID NO: 531.
- SEQ ID NO: 533 is the DNA sequence of a putative ORF of P775P.
- SEQ ID NO: 534 is the predicted amino acid sequence encoded by SEQ ID NO: 533.
- SEQ ID NO: 535 is a first full-length cDNA sequence for P510S.
- SEQ ID NO: 536 is a second full-length cDNA sequence for P510S.
- SEQ ID NO: 537 is the predicted amino acid sequence encoded by SEQ ID NO: 535.
- SEQ ID NO: 538 is the predicted amino acid sequence encoded by SEQ ID NO: 536.
- SEQ ID NO: 539 is the peptide P501S-370.
- SEQ ID NO: 540 is the peptide P501S-376.
- SEQ ID NO: 541-550 are epitopes of P501S.
- SEQ ID NO: 551 corresponds to amino acids 543-553 of P501S.

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer. The compositions described herein may include prostate-specific polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (e.g., T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic portion) of a prostate-specific protein or a variant thereof. A "prostate-specific protein" is a protein that is expressed in normal prostate and/or prostate tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a non-prostate normal tissue, as determined using a representative assay provided herein. Certain prostate-specific proteins are proteins that react detectably (within an immunoassay, such as an ELISA or Western blot) with antisera of a patient afflicted with prostate cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery of human prostate-specific proteins. Sequences of polynucleotides encoding certain prostate-specific proteins, or portions thereof, are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382, 384-476, 524, 526, 530, 531, 533, 535 and 536. Sequences of polypeptides comprising at least a portion of a prostate-specific protein are provided in SEQ ID NOs:112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534 and 537-550.

PROSTATE-SPECIFIC PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a prostate-specific protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred

polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a prostate-specific protein. More preferably, a polynucleotide encodes an immunogenic portion of a prostate-specific protein. Polynucleotides complementary to any such sequences are also
5 encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the
10 present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a prostate-specific protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions
15 and/or insertions such that the immunogenicity of the encoded polypeptide is not diminished, relative to a native protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native prostate-specific protein or a portion thereof. The
20 term "variants" also encompasses homologous genes of xenogenic origin.

Two polynucleotide or polypeptide sequences are said to be "identical" if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local
25 regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the
30 Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices

for detecting distant relationships. In Dayhoff, M.O. (ed.) Atlas of Protein Sequence and Structure, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenesis pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy - the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad., Sci. USA* 80:726-730.

Preferably, the "percentage of sequence identity" is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (*i.e.*, gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native prostate-specific protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such

as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least five fold greater in a prostate-specific than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as prostate-specific cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (*e.g.*, a prostate-specific cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (*e.g.*, by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (*see* Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into

a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments; using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids. Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (e.g., NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence. Full length DNA sequences may also be obtained by analysis of genomic fragments.

Certain nucleic acid sequences of cDNA molecules encoding at least a portion of a prostate-specific protein are provided in SEQ ID NO:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382, 384-476, 524, 526, 530, 531, 533, 535 and 536.

Isolation of these polynucleotides is described below. Each of these prostate-specific proteins was overexpressed in prostate tumor tissue.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a prostate-specific protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (*e.g.*, by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a prostate-specific polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In Huber and Carr, Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (*e.g.*, promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3'

ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl- methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

5 Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector
10 will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for
15 therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (*e.g.*, avian pox virus). The polynucleotides may also be administered as naked plasmid vectors.
20 Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary
25 skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane
30 vesicle). The preparation and use of such systems is well known in the art.

PROSTATE-SPECIFIC POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a prostate-specific protein or a variant thereof, as described herein. As noted above, a "prostate-specific protein" is a protein that is expressed by normal prostate and/or prostate tumor cells. Proteins that are prostate-specific proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with prostate cancer. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a prostate-specific protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may contain a small N- and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native prostate-specific protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the

immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ^{125}I -labeled Protein A.

As noted above, a composition may comprise a variant of a native prostate-specific protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native prostate-specific protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein. Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino

acids that have minimal influence on the immunogenicity, secondary structure and hydrophobic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis,
5 purification or identification of the polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques.
10 Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast, higher eukaryotic and plant cells.
15 Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed
20 to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase
25 synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that
30 comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known prostate-specific protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner),

preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are

located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see, for example, Stoute et al. New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its

original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector
5 that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a prostate-specific protein. As used herein, an
10 antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a prostate-specific protein if it reacts at a detectable level (within, for example, an ELISA) with a prostate-specific protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding
15 constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about 10^3 L/mol. The binding constant may be determined using methods well known in the art.

20 Binding agents may be further capable of differentiating between patients with and without a cancer, such as prostate cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a prostate-specific protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals
25 without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (e.g., blood, sera, urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the
30 above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Most preferably, antibodies employed in the inventive methods have the ability to induce lysis of tumor cells by activation of complement and mediation of antibody-dependent cellular cytotoxicity (ADCC). Antibodies of different classes and subclasses differ in these properties. For example, mouse antibodies of the IgG2a and IgG3 classes are capable of activating serum complement upon binding to target cells which express the antigen against which the antibodies were raised, and can mediate ADCC.

Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (e.g., mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (i.e., reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells

and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are
5 selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse.
10 Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

The preparation of mouse and rabbit monoclonal antibodies that specifically bind to
15 polypeptides of the present invention is described in detail below. However, the antibodies of the present invention are not limited to those derived from mice. Human antibodies may also be employed in the inventive methods and may prove to be preferable. Such antibodies can be obtained using human hybridomas as described by Cote *et al.* (Monoclonal Antibodies and Cancer Therapy, Alan R. Lisa, p. 77, 1985). The present invention also encompasses antibodies made by
20 recombinant means such as chimeric antibodies, wherein the variable region and constant region are derived from different species, and CDR-grafted antibodies, wherein the complementarity determining region is derived from a different species, as described in US Patents 4,816,567 and 5,225,539. Chimeric antibodies may be prepared by splicing genes for a mouse antibody molecule having a desired antigen specificity together with genes for a human antibody molecule having the
25 desired biological activity, such as activation of human complement and mediation of ADCC (Morrison *et al. Proc. Natl. Acad. Sci. USA* 81:6851, 1984; Neuberger *et al. Nature* 312:604, 1984; Takeda *et al. Nature* 314:452, 1985).

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard
30 techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane, *Antibodies: A Laboratory Manual*,

Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to

Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

5 It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or
10 linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

 A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent
15 No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating
20 compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

 A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of
25 a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

T CELLS

30 Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a prostate-specific protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral

blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the ISOLEX™ system, available from Nexell Therapeutics Inc., Irvine, CA (see also U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated
5 humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a prostate-specific polypeptide, polynucleotide encoding a prostate-specific polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a prostate-specific
10 polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a prostate-specific polypeptide if the T cells specifically proliferate, secrete cytokines or kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a
15 variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell
20 proliferation can be detected by measuring an increased rate of DNA synthesis (e.g., by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a prostate-specific polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of
25 the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (e.g., TNF or IFN-γ) is indicative of T cell activation (see Coligan et al., *Current Protocols in Immunology*, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a prostate-specific polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Prostate-specific protein-specific T cells may be expanded using
30 standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a prostate-specific polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a prostate-specific polypeptide, or a short peptide
5 corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a prostate-specific polypeptide. Alternatively, one or more T cells that proliferate in the presence of a prostate-specific protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

10

PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds
15 and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and an immunostimulant. An immunostimulant may be any substance that enhances an immune response to an exogenous antigen. Examples of immunostimulants include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally
20 described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the
25 composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression
30 systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression

in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (*e.g.*, vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (*e.g.*, polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (*e.g.*, neutral buffered saline or phosphate buffered saline), carbohydrates (*e.g.*, glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA

or glutathione, adjuvants (e.g., aluminum hydroxide) and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of immunostimulants may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- γ , TNF α , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6 and IL-10) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT; see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example,

an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent
5 adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release
10 formulation (*i.e.*, a formulation such as a capsule, sponge or gel (composed of polysaccharides for example) that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix
15 and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical
20 compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the
25 antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or
30 progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy,

Ann. Rev. Med. 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take-up, process and present antigens with high efficiency, and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface
5 receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (see Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone
10 marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into
15 dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this
20 nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor and mannose receptor. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II
25 MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80, CD86 and 4-1BB).

APCs may generally be transfected with a polynucleotide encoding a prostate-specific protein (or portion or other variant thereof) such that the prostate-specific polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex*
30 *vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection

that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells
5 with the prostate-specific polypeptide, DNA (naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of
10 the polypeptide.

CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as prostate cancer. Within such methods, pharmaceutical
15 compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor.
20 Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react
25 against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not
30 necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer

cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate
5 antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in*
10 *vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte,
15 fibroblast or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies
20 have shown that cultured effector cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see*, for example, Cheever et al., *Immunological Reviews* 157:177, 1997).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back
25 into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established
30 using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered

over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50%
5 above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-
10 vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 25 μ g to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active
15 compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a prostate-specific protein generally correlate with an improved clinical outcome. Such immune responses may generally be
20 evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or
25 more prostate-specific proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as prostate cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the
30 agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer.

In general, a prostate tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. *See, e.g., Harlow and Lane, Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length prostate-specific proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a

membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of
5 binding agent ranging from about 10 ng to about 10 μ g, and preferably about 100 ng to about 1 μ g, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the
10 binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.*, Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may
15 be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The
20 amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween
25 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with prostate cancer.
30 Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by

assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains
5 a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of
10 time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group
15 (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as prostate cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a
20 signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is
25 determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest
30 to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along

the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent. Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use prostate-specific polypeptides to detect antibodies that bind to such polypeptides in a biological sample. The detection of such prostate-specific protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a prostate-specific protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a prostate-specific polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that

expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may
5 be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with prostate-specific polypeptide (*e.g.*, 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of prostate-specific polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater
10 and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a prostate-specific protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to
15 amplify a portion of a prostate-specific cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (*i.e.*, hybridizes to) a polynucleotide encoding the prostate-specific protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a prostate-specific protein may be used in a hybridization
20 assay to detect the presence of polynucleotide encoding the protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%, preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a prostate-specific protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in
25 length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15
30 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382, 384-476, 524, 526, 530, 531, 533, 535 and 536. Techniques for both PCR based assays and hybridization assays

are well known in the art (*see, for example, Mullis et al., Cold Spring Harbor Symp. Quant. Biol., 51:263, 1987; Erlich ed., PCR Technology, Stockton Press, NY, 1989*).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor. One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple prostate-specific protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for proteins provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For
5 example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a prostate-specific protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or
10 indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a prostate-specific protein in a biological sample. Such kits generally comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a prostate-specific protein. Such an oligonucleotide may be used, for example, within a PCR or
15 hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a prostate-specific protein.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLES

EXAMPLE 1

5 ISOLATION AND CHARACTERIZATION OF PROSTATE-SPECIFIC POLYPEPTIDES

This Example describes the isolation of certain prostate-specific polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library was constructed from prostate
10 tumor poly A⁺ RNA using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning
kit (BRL Life Technologies, Gaithersburg, MD 20897) following the manufacturer's protocol.
Specifically, prostate tumor tissues were homogenized with polytron (Kinematica, Switzerland) and
total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the
manufacturer. The poly A⁺ RNA was then purified using a Qiagen oligotex spin column mRNA
15 purification kit (Qiagen, Santa Clarita, CA 91355) according to the manufacturer's protocol. First-
strand cDNA was synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was
synthesized, ligated with EcoRI/BAXI adaptors (Invitrogen, San Diego, CA) and digested with
NotI. Following size fractionation with Chroma Spin-1000 columns (Clontech, Palo Alto, CA), the
cDNA was ligated into the EcoRI/NotI site of pCDNA3.1 (Invitrogen) and transformed into
20 ElectroMax *E. coli* DH10B cells (BRL Life Technologies) by electroporation.

Using the same procedure, a normal human pancreas cDNA expression library was
prepared from a pool of six tissue specimens (Clontech). The cDNA libraries were characterized by
determining the number of independent colonies, the percentage of clones that carried insert, the
average insert size and by sequence analysis. The prostate tumor library contained 1.64×10^7
25 independent colonies, with 70% of clones having an insert and the average insert size being 1745
base pairs. The normal pancreas cDNA library contained 3.3×10^6 independent colonies, with 69%
of clones having inserts and the average insert size being 1120 base pairs. For both libraries,
sequence analysis showed that the majority of clones had a full length cDNA sequence and were
synthesized from mRNA, with minimal rRNA and mitochondrial DNA contamination.

30 cDNA library subtraction was performed using the above prostate tumor and normal
pancreas cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some
modifications. Specifically, a prostate tumor-specific subtracted cDNA library was generated as

follows. Normal pancreas cDNA library (70 µg) was digested with EcoRI, NotI, and SfuI, followed by a filling-in reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 100 µl of H₂O, heat-denatured and mixed with 100 µl (100 µg) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As
5 recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (50 µl) was added and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 µl H₂O to form the driver DNA.

To form the tracer DNA, 10 µg prostate tumor cDNA library was digested with
10 BamHI and XhoI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech). Following ethanol precipitation, the tracer DNA was dissolved in 5 µl H₂O. Tracer DNA was mixed with 15 µl driver DNA and 20 µl of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and
15 incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 µl H₂O, mixed with 8 µl driver DNA and 20 µl of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After removal of biotinylated double-stranded DNA, subtracted cDNA
20 was ligated into BamHI/XhoI site of chloramphenicol resistant pBCSK⁺ (Stratagene, La Jolla, CA 92037) and transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a prostate tumor specific subtracted cDNA library (referred to as "prostate subtraction 1").

To analyze the subtracted cDNA library, plasmid DNA was prepared from 100 independent clones, randomly picked from the subtracted prostate tumor specific library and
25 grouped based on insert size. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A (Foster City, CA). Six cDNA clones, hereinafter referred to as F1-13, F1-12, F1-16, H1-1, H1-9 and H1-4, were shown to be abundant in the subtracted prostate-specific cDNA library. The determined 3' and 5' cDNA sequences for F1-12 are provided in SEQ ID NO: 2 and 3, respectively,
30 with determined 3' cDNA sequences for F1-13, F1-16, H1-1, H1-9 and H1-4 being provided in SEQ ID NO: 1 and 4-7, respectively.

The cDNA sequences for the isolated clones were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). Four of the prostate tumor cDNA clones, F1-13, F1-16, H1-1, and H1-4, were determined to encode the following previously identified proteins: prostate specific antigen (PSA), human glandular kallikrein, human tumor expression enhanced gene, and mitochondria cytochrome C oxidase subunit II. H1-9 was found to be identical to a previously identified human autonomously replicating sequence. No significant homologies to the cDNA sequence for F1-12 were found.

Subsequent studies led to the isolation of a full-length cDNA sequence for F1-12. This sequence is provided in SEQ ID NO: 107, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 108.

To clone less abundant prostate tumor specific genes, cDNA library subtraction was performed by subtracting the prostate tumor cDNA library described above with the normal pancreas cDNA library and with the three most abundant genes in the previously subtracted prostate tumor specific cDNA library: human glandular kallikrein, prostate specific antigen (PSA), and mitochondria cytochrome C oxidase subunit II. Specifically, 1 µg each of human glandular kallikrein, PSA and mitochondria cytochrome C oxidase subunit II cDNAs in pCDNA3.1 were added to the driver DNA and subtraction was performed as described above to provide a second subtracted cDNA library hereinafter referred to as the "subtracted prostate tumor specific cDNA library with spike".

Twenty-two cDNA clones were isolated from the subtracted prostate tumor specific cDNA library with spike. The determined 3' and 5' cDNA sequences for the clones referred to as J1-17, L1-12, N1-1862, J1-13, J1-19, J1-25, J1-24, K1-58, K1-63, L1-4 and L1-14 are provided in SEQ ID NOS: 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-21, 22-23, 24-25, 26-27 and 28-29, respectively. The determined 3' cDNA sequences for the clones referred to as J1-12, J1-16, J1-21, K1-48, K1-55, L1-2, L1-6, N1-1858, N1-1860, N1-1861, N1-1864 are provided in SEQ ID NOS: 30-40, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to three of the five most abundant DNA species, (J1-17, L1-12 and N1-1862; SEQ ID NOS: 8-9, 10-11 and 12-13, respectively). Of the remaining two most abundant species, one (J1-12; SEQ ID NO:30) was found to be identical to the previously identified human pulmonary surfactant-associated protein, and the other (K1-48; SEQ ID NO:33) was determined to have some homology to *R. norvegicus* mRNA for 2-arylpropionyl-CoA epimerase. Of the 17 less abundant cDNA clones isolated from the subtracted prostate tumor specific cDNA

library with spike, four (J1-16, K1-55, L1-6 and N1-1864; SEQ ID NOS:31, 34, 36 and 40, respectively) were found to be identical to previously identified sequences, two (J1-21 and N1-1860; SEQ ID NOS: 32 and 38, respectively) were found to show some homology to non-human sequences, and two (L1-2 and N1-1861; SEQ ID NOS: 35 and 39, respectively) were found to show
5 some homology to known human sequences. No significant homologies were found to the polypeptides J1-13, J1-19, J1-24, J1-25, K1-58, K1-63, L1-4, L1-14 (SEQ ID NOS: 14-15, 16-17, 20-21, 18-19, 22-23, 24-25, 26-27, 28-29, respectively).

Subsequent studies led to the isolation of full length cDNA sequences for J1-17, L1-12 and N1-1862 (SEQ ID NOS: 109-111, respectively). The corresponding predicted amino acid
10 sequences are provided in SEQ ID NOS: 112-114. L1-12 is also referred to as P501S.

In a further experiment, four additional clones were identified by subtracting a prostate tumor cDNA library with normal prostate cDNA prepared from a pool of three normal prostate poly A+ RNA (referred to as "prostate subtraction 2"). The determined cDNA sequences for these clones, hereinafter referred to as U1-3064, U1-3065, V1-3692 and 1A-3905, are provided
15 in SEQ ID NO: 69-72, respectively. Comparison of the determined sequences with those in the gene bank revealed no significant homologies to U1-3065.

A second subtraction with spike (referred to as "prostate subtraction spike 2") was performed by subtracting a prostate tumor specific cDNA library with spike with normal pancreas cDNA library and further spiked with PSA, J1-17, pulmonary surfactant-associated protein,
20 mitochondrial DNA, cytochrome c oxidase subunit II, N1-1862, autonomously replicating sequence, L1-12 and tumor expression enhanced gene. Four additional clones, hereinafter referred to as V1-3686, R1-2330, 1B-3976 and V1-3679, were isolated. The determined cDNA sequences for these clones are provided in SEQ ID NO:73-76, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to V1-3686 and R1-2330.

Further analysis of the three prostate subtractions described above (prostate subtraction 2, subtracted prostate tumor specific cDNA library with spike, and prostate subtraction spike 2) resulted in the identification of sixteen additional clones, referred to as 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1G-4734, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4810, 1I-4811, 1J-4876, 1K-4884 and 1K-4896. The determined cDNA sequences for these clones are provided in
30 SEQ ID NOS: 77-92, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to 1G-4741, 1G-4734, 1I-4807, 1J-4876 and 1K-4896 (SEQ ID NOS: 79, 81, 87, 90 and 92, respectively). Further analysis of the isolated

clones led to the determination of extended cDNA sequences for 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4807, 1J-4876, 1K-4884 and 1K-4896, provided in SEQ ID NOS: 179-188 and 191-193, respectively, and to the determination of additional partial cDNA sequences for 1I-4810 and 1I-4811, provided in SEQ ID NOS: 189 and 190, respectively.

Additional studies with prostate subtraction spike 2 resulted in the isolation of three more clones. Their sequences were determined as described above and compared to the most recent GenBank. All three clones were found to have homology to known genes, which are Cysteine-rich protein, KIAA0242, and KIAA0280 (SEQ ID NO: 317, 319, and 320, respectively). Further analysis of these clones by Synteni microarray (Synteni, Palo Alto, CA) demonstrated that all three clones were over-expressed in most prostate tumors and prostate BPH, as well as in the majority of normal prostate tissues tested, but low expression in all other normal tissues.

An additional subtraction was performed by subtracting a normal prostate cDNA library with normal pancreas cDNA (referred to as "prostate subtraction 3"). This led to the identification of six additional clones referred to as 1G-4761, 1G-4762, 1H-4766, 1H-4770, 1H-4771 and 1H-4772 (SEQ ID NOS: 93-98). Comparison of these sequences with those in the gene bank revealed no significant homologies to 1G-4761 and 1H-4771 (SEQ ID NOS: 93 and 97, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4761, 1G-4762, 1H-4766 and 1H-4772 provided in SEQ ID NOS: 194-196 and 199, respectively, and to the determination of additional partial cDNA sequences for 1H-4770 and 1H-4771, provided in SEQ ID NOS: 197 and 198, respectively.

Subtraction of a prostate tumor cDNA library, prepared from a pool of polyA+ RNA from three prostate cancer patients, with a normal pancreas cDNA library (prostate subtraction 4) led to the identification of eight clones, referred to as 1D-4297, 1D-4309, 1D.1-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280 (SEQ ID NOS: 99-107). These sequences were compared to those in the gene bank as described above. No significant homologies were found to 1D-4283 and 1D-4304 (SEQ ID NOS: 103 and 104, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1D-4309, 1D.1-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280, provided in SEQ ID NOS: 200-206, respectively.

cDNA clones isolated in prostate subtraction 1 and prostate subtraction 2, described above, were colony PCR amplified and their mRNA expression levels in prostate tumor, normal prostate and in various other normal tissues were determined using microarray technology (Synteni,

Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Two clones (referred to as P509S and P510S) were found to be over-expressed in prostate tumor and normal prostate and expressed at low levels in all other normal tissues tested (liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon). The determined cDNA sequences for P509S and P510S are provided in SEQ ID NO: 223 and 224, respectively. Comparison of these sequences with those in the gene bank as described above, revealed some homology to previously identified ESTs.

Additional studies led to the isolation of the full-length cDNA sequence for P509S. This sequence is provided in SEQ ID NO: 332, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 339. Two variant full-length cDNA sequences for P510S are provided in SEQ ID NO: 535 and 536, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 537 and 538, respectively.

EXAMPLE 2

DETERMINATION OF TISSUE SPECIFICITY OF PROSTATE-SPECIFIC POLYPEPTIDES

Using gene specific primers, mRNA expression levels for the representative prostate-specific polypeptides F1-16, H1-1, J1-17 (also referred to as P502S), L1-12 (also referred to as P501S), F1-12 (also referred to as P504S) and N1-1862 (also referred to as P503S) were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 1-2 μ g of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR, β -actin was used as an internal control for each of the tissues examined. First, serial dilutions of the first strand cDNAs were prepared and RT-PCR assays were performed using β -actin specific primers. A dilution was then chosen that enabled the linear range amplification of the β -actin template and which was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the β -actin levels were determined for each

reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in four different types of tumor tissue (prostate tumor from 2 patients, breast tumor from 3 patients, colon tumor, lung tumor), and sixteen different normal tissues, including prostate, colon, kidney, liver, lung, ovary, pancreas, skeletal muscle, skin, stomach, testes, bone marrow and brain. F1-16 was found to be expressed at high levels in prostate tumor tissue, colon tumor and normal prostate, and at lower levels in normal liver, skin and testes, with expression being undetectable in the other tissues examined. H1-1 was found to be expressed at high levels in prostate tumor, lung tumor, breast tumor, normal prostate, normal colon and normal brain, at much lower levels in normal lung, pancreas, skeletal muscle, skin, small intestine, bone marrow, and was not detected in the other tissues tested. J1-17 (P502S) and L1-12 (P501S) appear to be specifically over-expressed in prostate, with both genes being expressed at high levels in prostate tumor and normal prostate but at low to undetectable levels in all the other tissues examined. N1-1862 (P503S) was found to be over-expressed in 60% of prostate tumors and detectable in normal colon and kidney. The RT-PCR results thus indicate that F1-16, H1-1, J1-17 (P502S), N1-1862 (P503S) and L1-12 (P501S) are either prostate specific or are expressed at significantly elevated levels in prostate.

Further RT-PCR studies showed that F1-12 (P504S) is over-expressed in 60% of prostate tumors, detectable in normal kidney but not detectable in all other tissues tested. Similarly, R1-2330 was shown to be over-expressed in 40% of prostate tumors, detectable in normal kidney and liver, but not detectable in all other tissues tested. U1-3064 was found to be over-expressed in 60% of prostate tumors, and also expressed in breast and colon tumors, but was not detectable in normal tissues.

RT-PCR characterization of R1-2330, U1-3064 and 1D-4279 showed that these three antigens are over-expressed in prostate and/or prostate tumors.

Northern analysis with four prostate tumors, two normal prostate samples, two BPH prostates, and normal colon, kidney, liver, lung, pancreas, skeletal muscle, brain, stomach, testes, small intestine and bone marrow, showed that L1-12 (P501S) is over-expressed in prostate tumors and normal prostate, while being undetectable in other normal tissues tested. J1-17 (P502S) was detected in two prostate tumors and not in the other tissues tested. N1-1862 (P503S) was found to be over-expressed in three prostate tumors and to be expressed in normal prostate, colon and kidney,

but not in other tissues tested. F1-12 (P504S) was found to be highly expressed in two prostate tumors and to be undetectable in all other tissues tested.

The microarray technology described above was used to determine the expression levels of representative antigens described herein in prostate tumor, breast tumor and the following normal tissues: prostate, liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon. L1-12 (P501S) was found to be over-expressed in normal prostate and prostate tumor, with some expression being detected in normal skeletal muscle. Both J1-12 and F1-12 (P504S) were found to be over-expressed in prostate tumor, with expression being lower or undetectable in all other tissues tested. N1-1862 (P503S) was found to be expressed at high levels in prostate tumor and normal prostate, and at low levels in normal large intestine and normal colon, with expression being undetectable in all other tissues tested. R1-2330 was found to be over-expressed in prostate tumor and normal prostate, and to be expressed at lower levels in all other tissues tested. 1D-4279 was found to be over-expressed in prostate tumor and normal prostate, expressed at lower levels in normal spinal cord, and to be undetectable in all other tissues tested.

Further microarray analysis to specifically address the extent to which P501S (SEQ ID NO: 110) was expressed in breast tumor revealed moderate over-expression not only in breast tumor, but also in metastatic breast tumor (2/31), with negligible to low expression in normal tissues. This data suggests that P501S may be over-expressed in various breast tumors as well as in prostate tumors.

The expression levels of 32 ESTs (expressed sequence tags) described by Vasmatzis *et al.* (*Proc. Natl. Acad. Sci. USA* 95:300-304, 1998) in a variety of tumor and normal tissues were examined by microarray technology as described above. Two of these clones (referred to as P1000C and P1001C) were found to be over-expressed in prostate tumor and normal prostate, and expressed at low to undetectable levels in all other tissues tested (normal aorta, thymus, resting and activated PBMC, epithelial cells, spinal cord, adrenal gland, fetal tissues, skin, salivary gland, large intestine, bone marrow, liver, lung, dendritic cells, stomach, lymph nodes, brain, heart, small intestine, skeletal muscle, colon and kidney. The determined cDNA sequences for P1000C and P1001C are provided in SEQ ID NO: 384 and 472, respectively. The sequence of P1001C was found to show some homology to the previously isolated Human mRNA for JM27 protein. No significant homologies were found to the sequence of P1000C.

The expression of the polypeptide encoded by the full length cDNA sequence for F1-12 (also referred to as P504S; SEQ ID NO: 108) was investigated by immunohistochemical analysis. Rabbit-anti-P504S polyclonal antibodies were generated against the full length P504S protein by standard techniques. Subsequent isolation and characterization of the polyclonal antibodies were also performed by techniques well known in the art. Immunohistochemical analysis showed that the P504S polypeptide was expressed in 100% of prostate carcinoma samples tested (n=5).

The rabbit-anti-P504S polyclonal antibody did not appear to label benign prostate cells with the same cytoplasmic granular staining, but rather with light nuclear staining. Analysis of normal tissues revealed that the encoded polypeptide was found to be expressed in some, but not all normal human tissues. Positive cytoplasmic staining with rabbit-anti-P504S polyclonal antibody was found in normal human kidney, liver, brain, colon and lung-associated macrophages, whereas heart and bone marrow were negative.

This data indicates that the P504S polypeptide is present in prostate cancer tissues, and that there are qualitative and quantitative differences in the staining between benign prostatic hyperplasia tissues and prostate cancer tissues, suggesting that this polypeptide may be detected selectively in prostate tumors and therefore be useful in the diagnosis of prostate cancer.

20

EXAMPLE 3

ISOLATION AND CHARACTERIZATION OF PROSTATE-SPECIFIC POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA subtraction library, containing cDNA from normal prostate subtracted with ten other normal tissue cDNAs (brain, heart, kidney, liver, lung, ovary, placenta, skeletal muscle, spleen and thymus) and then submitted to a first round of PCR amplification, was purchased from Clontech. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector pT7 Blue T-vector (Novagen, Madison, WI) and transformed into XL-1 Blue MRF' *E. coli* (Stratagene). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

Fifty-nine positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the gene bank, as described above, revealed no significant homologies to 25 of these clones, hereinafter referred to as P5, P8, P9, P18, P20, P30, P34, P36, P38, P39, P42, P49, P50, P53, P55, P60, P64, P65, P73, P75, P76, P79 and P84. The determined cDNA sequences
5 for these clones are provided in SEQ ID NO: 41-45, 47-52 and 54-65, respectively. P29, P47, P68, P80 and P82 (SEQ ID NO: 46, 53 and 66-68, respectively) were found to show some degree of homology to previously identified DNA sequences. To the best of the inventors' knowledge, none of these sequences have been previously shown to be present in prostate.

Further studies using the PCR-based methodology described above resulted in the
10 isolation of more than 180 additional clones, of which 23 clones were found to show no significant homologies to known sequences. The determined cDNA sequences for these clones are provided in SEQ ID NO: 115-123, 127, 131, 137, 145, 147-151, 153, 156-158 and 160. Twenty-three clones (SEQ ID NO: 124-126, 128-130, 132-136, 138-144, 146, 152, 154, 155 and 159) were found to show some homology to previously identified ESTs. An additional ten clones (SEQ ID NO: 161-
15 170) were found to have some degree of homology to known genes. Larger cDNA clones containing the P20 sequence represent splice variants of a gene referred to as P703P. The determined DNA sequence for the variants referred to as DE1, DE13 and DE14 are provided in SEQ ID NOS: 171, 175 and 177, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 172, 176 and 178, respectively. The determined cDNA
20 sequence for an extended spliced form of P703 is provided in SEQ ID NO: 225. The DNA sequences for the splice variants referred to as DE2 and DE6 are provided in SEQ ID NOS: 173 and 174, respectively.

mRNA Expression levels for representative clones in tumor tissues (prostate (n=5), breast (n=2), colon and lung) normal tissues (prostate (n=5), colon, kidney, liver, lung (n=2), ovary
25 (n=2), skeletal muscle, skin, stomach, small intestine and brain), and activated and non-activated PBMC was determined by RT-PCR as described above. Expression was examined in one sample of each tissue type unless otherwise indicated.

P9 was found to be highly expressed in normal prostate and prostate tumor compared to all normal tissues tested except for normal colon which showed comparable expression. P20, a
30 portion of the P703P gene, was found to be highly expressed in normal prostate and prostate tumor, compared to all twelve normal tissues tested. A modest increase in expression of P20 in breast tumor (n=2), colon tumor and lung tumor was seen compared to all normal tissues except lung (1 of

2). Increased expression of P18 was found in normal prostate, prostate tumor and breast tumor compared to other normal tissues except lung and stomach. A modest increase in expression of P5 was observed in normal prostate compared to most other normal tissues. However, some elevated expression was seen in normal lung and PBMC. Elevated expression of P5 was also observed in prostate tumors (2 of 5), breast tumor and one lung tumor sample. For P30, similar expression levels were seen in normal prostate and prostate tumor, compared to six of twelve other normal tissues tested. Increased expression was seen in breast tumors, one lung tumor sample and one colon tumor sample, and also in normal PBMC. P29 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to the majority of normal tissues. However, substantial expression of P29 was observed in normal colon and normal lung (2 of 2). P80 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to all other normal tissues tested, with increased expression also being seen in colon tumor.

Further studies resulted in the isolation of twelve additional clones, hereinafter referred to as 10-d8, 10-h10, 11-c8, 7-g6, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3, 8-h11, 9-f12 and 9-f3. The determined DNA sequences for 10-d8, 10-h10, 11-c8, 8-d4, 8-d9, 8-h11, 9-f12 and 9-f3 are provided in SEQ ID NO: 207, 208, 209, 216, 217, 220, 221 and 222, respectively. The determined forward and reverse DNA sequences for 7-g6, 8-b5, 8-b6 and 8-g3 are provided in SEQ ID NO: 210 and 211; 212 and 213; 214 and 215; and 218 and 219, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to the sequence of 9-f3. The clones 10-d8, 11-c8 and 8-h11 were found to show some homology to previously isolated ESTs, while 10-h10, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3 and 9-f12 were found to show some homology to previously identified genes. Further characterization of 7-G6 and 8-G3 showed identity to the known genes PAP and PSA, respectively.

mRNA expression levels for these clones were determined using the micro-array technology described above. The clones 7-G6, 8-G3, 8-B5, 8-B6, 8-D4, 8-D9, 9-F3, 9-F12, 9-H3, 10-A2, 10-A4, 11-C9 and 11-F2 were found to be over-expressed in prostate tumor and normal prostate, with expression in other tissues tested being low or undetectable. Increased expression of 8-F11 was seen in prostate tumor and normal prostate, bladder, skeletal muscle and colon. Increased expression of 10-H10 was seen in prostate tumor and normal prostate, bladder, lung, colon, brain and large intestine. Increased expression of 9-B1 was seen in prostate tumor, breast tumor, and normal prostate, salivary gland, large intestine and skin, with increased expression of 11-C8 being seen in prostate tumor, and normal prostate and large intestine.

An additional cDNA fragment derived from the PCR-based normal prostate subtraction, described above, was found to be prostate specific by both micro-array technology and RT-PCR. The determined cDNA sequence of this clone (referred to as 9-A11) is provided in SEQ ID NO: 226. Comparison of this sequence with those in the public databases revealed 99% identity
5 to the known gene HOXB13.

Further studies led to the isolation of the clones 8-C6 and 8-H7. The determined cDNA sequences for these clones are provided in SEQ ID NO: 227 and 228, respectively. These sequences were found to show some homology to previously isolated ESTs.

PCR and hybridization-based methodologies were employed to obtain longer cDNA
10 sequences for clone P20 (also referred to as P703P), yielding three additional cDNA fragments that progressively extend the 5' end of the gene. These fragments, referred to as P703PDE5, P703P6.26, and P703PX-23 (SEQ ID NO: 326, 328 and 330, with the predicted corresponding amino acid sequences being provided in SEQ ID NO: 327, 329 and 331, respectively) contain additional 5' sequence. P703PDE5 was recovered by screening of a cDNA library (#141-26) with a portion of
15 P703P as a probe. P703P6.26 was recovered from a mixture of three prostate tumor cDNAs and P703PX_23 was recovered from cDNA library (#438-48). Together, the additional sequences include all of the putative mature serine protease along with part of the putative signal sequence. The putative full-length cDNA sequence for P703P is provided in SEQ ID NO: 524, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 525.

20 Further studies using a PCR-based subtraction library of a prostate tumor pool subtracted against a pool of normal tissues (referred to as JP: PCR subtraction) resulted in the isolation of thirteen additional clones, seven of which did not share any significant homology to known GenBank sequences. The determined cDNA sequences for these seven clones (P711P, P712P, novel 23, P774P, P775P, P710P and P768P) are provided in SEQ ID NO: 307-311, 313 and
25 315, respectively. The remaining six clones (SEQ ID NO: 316 and 321-325) were shown to share some homology to known genes. By microarray analysis, all thirteen clones showed three or more fold over-expression in prostate tissues, including prostate tumors, BPH and normal prostate as compared to normal non-prostate tissues. Clones P711P, P712P, novel 23 and P768P showed over-expression in most prostate tumors and BPH tissues tested (n=29), and in the majority of normal
30 prostate tissues (n=4), but background to low expression levels in all normal tissues. Clones P774P, P775P and P710P showed comparatively lower expression and expression in fewer prostate tumors and BPH samples, with negative to low expression in normal prostate.

The full-length cDNA for P711P was obtained by employing the partial sequence of SEQ ID NO: 307 to screen a prostate cDNA library. Specifically, a directionally cloned prostate cDNA library was prepared using standard techniques. One million colonies of this library were plated onto LB/Amp plates. Nylon membrane filters were used to lift these colonies, and the
5 cDNAs which were picked up by these filters were denatured and cross-linked to the filters by UV light. The P711P cDNA fragment of SEQ ID NO: 307 was radio-labeled and used to hybridize with these filters. Positive clones were selected, and cDNAs were prepared and sequenced using an automatic Perkin Elmer/Applied Biosystems sequencer. The determined full-length sequence of P711P is provided in SEQ ID NO: 382, with the corresponding predicted amino acid sequence
10 being provided in SEQ ID NO: 383.

Using PCR and hybridization-based methodologies, additional cDNA sequence information was derived for two clones described above, 11-C9 and 9-F3, herein after referred to as P707P and P714P, respectively (SEQ ID NO: 333 and 334). After comparison with the most recent GenBank, P707P was found to be a splice variant of the known gene HoxB13. In contrast, no
15 significant homologies to P714P were found.

Clones 8-B3, P89, P98, P130 and P201 (as disclosed in U.S. Patent Application No. 09/020,956, filed February 9, 1998) were found to be contained within one contiguous sequence, referred to as P705P (SEQ ID NO: 335, with the predicted amino acid sequence provided in SEQ ID NO: 336), which was determined to be a splice variant of the known gene NKX 3.1.

20 Further studies on P775P resulted in the isolation of four additional sequences (SEQ ID NO: 473-476) which are all splice variants of the P775P gene. The sequence of SEQ ID NO: 474 was found to contain two open reading frames (ORFs). The predicted amino acid sequences encoded by these ORFs are provided in SEQ ID NO: 477 and 478. The cDNA sequence of SEQ ID NO: 475 was found to contain an ORF which encodes the amino acid sequence of SEQ ID NO: 479.
25 The cDNA sequence of SEQ ID NO: 473 was found to contain four ORFs. The predicted amino acid sequences encoded by these ORFs are provided in SEQ ID NO: 480-483.

Subsequent studies led to the identification of a genomic region on chromosome 22q11.2, known as the Cat Eye Syndrome region, that contains the five prostate genes P704P, P712P, P774P, P775P and B305D. The relative location of each of these five genes within the
30 genomic region is shown in Fig. 10. This region may therefore be associated with malignant tumors, and other potential tumor genes may be contained within this region. These studies also led

to the identification of a potential open reading frame (ORF) for P775P (provided in SEQ ID NO: 533), which encodes the amino acid sequence of SEQ ID NO: 534.

EXAMPLE 4

SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems 430A peptide synthesizer using FMOC chemistry with HPTU (O-Benzotriazole-N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

EXAMPLE 5

FURTHER ISOLATION AND CHARACTERIZATION OF PROSTATE-SPECIFIC POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA library generated from prostate primary tumor mRNA as described above was subtracted with cDNA from normal prostate. The subtraction was performed using a PCR-based protocol (Clontech), which was modified to generate larger fragments. Within this protocol, tester and driver double stranded cDNA were separately digested with five restriction enzymes that recognize six-nucleotide restriction sites (MluI, MscI, PvuII, SalI and StuI). This digestion resulted in an average cDNA size of 600 bp, rather than the average size of 300 bp that results from digestion with RsaI according to the Clontech protocol. This modification did not affect the

subtraction efficiency. Two tester populations were then created with different adapters, and the driver library remained without adapters.

The tester and driver libraries were then hybridized using excess driver cDNA. In the first hybridization step, driver was separately hybridized with each of the two tester cDNA populations. This resulted in populations of (a) unhybridized tester cDNAs, (b) tester cDNAs hybridized to other tester cDNAs, (c) tester cDNAs hybridized to driver cDNAs and (d) unhybridized driver cDNAs. The two separate hybridization reactions were then combined, and rehybridized in the presence of additional denatured driver cDNA. Following this second hybridization, in addition to populations (a) through (d), a fifth population (e) was generated in which tester cDNA with one adapter hybridized to tester cDNA with the second adapter. Accordingly, the second hybridization step resulted in enrichment of differentially expressed sequences which could be used as templates for PCR amplification with adaptor-specific primers.

The ends were then filled in, and PCR amplification was performed using adaptor-specific primers. Only population (e), which contained tester cDNA that did not hybridize to driver cDNA, was amplified exponentially. A second PCR amplification step was then performed, to reduce background and further enrich differentially expressed sequences.

This PCR-based subtraction technique normalizes differentially expressed cDNAs so that rare transcripts that are overexpressed in prostate tumor tissue may be recoverable. Such transcripts would be difficult to recover by traditional subtraction methods.

In addition to genes known to be overexpressed in prostate tumor, seventy-seven further clones were identified. Sequences of these partial cDNAs are provided in SEQ ID NO: 29 to 305. Most of these clones had no significant homology to database sequences. Exceptions were JPTPN23 (SEQ ID NO: 231; similarity to pig valosin-containing protein), JPTPN30 (SEQ ID NO: 234; similarity to rat mRNA for proteasome subunit), JPTPN45 (SEQ ID NO: 243; similarity to rat *norvegicus* cytosolic NADP-dependent isocitrate dehydrogenase), JPTPN46 (SEQ ID NO: 244; similarity to human subclone H8 4 d4 DNA sequence), JP1D6 (SEQ ID NO: 265; similarity to *G. gallus* dynein light chain-A), JP8D6 (SEQ ID NO: 288; similarity to human BAC clone RG016J04), JP8F5 (SEQ ID NO: 289; similarity to human subclone H8 3 b5 DNA sequence), and JP8E9 (SEQ ID NO: 299; similarity to human Alu sequence).

Additional studies using the PCR-based subtraction library consisting of a prostate tumor pool subtracted against a normal prostate pool (referred to as PT-PN PCR subtraction) yielded three additional clones. Comparison of the cDNA sequences of these clones with the most

recent release of GenBank revealed no significant homologies to the two clones referred to as P715P and P767P (SEQ ID NO: 312 and 314). The remaining clone was found to show some homology to the known gene KIAA0056 (SEQ ID NO: 318). Using microarray analysis to measure mRNA expression levels in various tissues, all three clones were found to be over-expressed in prostate tumors and BPH tissues. Specifically, clone P715P was over-expressed in most prostate tumors and BPH tissues by a factor of three or greater, with elevated expression seen in the majority of normal prostate samples and in fetal tissue, but negative to low expression in all other normal tissues. Clone P767P was over-expressed in several prostate tumors and BPH tissues, with moderate expression levels in half of the normal prostate samples, and background to low expression in all other normal tissues tested.

Further analysis, by microarray as described above, of the PT-PN PCR subtraction library and of a DNA subtraction library containing cDNA from prostate tumor subtracted with a pool of normal tissue cDNAs, led to the isolation of 27 additional clones (SEQ ID NO: 340-365 and 381) which were determined to be over-expressed in prostate tumor. The clones of SEQ ID NO: 341, 342, 345, 347, 348, 349, 351, 355-359, 361, 362 and 364 were also found to be expressed in normal prostate. Expression of all 26 clones in a variety of normal tissues was found to be low or undetectable, with the exception of P544S (SEQ ID NO: 356) which was found to be expressed in small intestine. Of the 26 clones, 10 (SEQ ID NO: 340-349) were found to show some homology to previously identified sequences. No significant homologies were found to the clones of SEQ ID NO: 350, 351 and 353-365.

Further studies on the clone of SEQ ID NO: 352 (referred to as P790P) led to the isolation of the full-length cDNA sequence of SEQ ID NO: 526. The corresponding predicted amino acid is provided in SEQ ID NO: 527. Data from two quantitative PCR experiments indicated that P790P is over-expressed in 11/15 tested prostate tumor samples and is expressed at low levels in spinal cord, with no expression being seen in all other normal samples tested. Data from further PCR experiments and microarray experiments showed over-expression in normal prostate and prostate tumor with little or no expression in other tissues tested. P790P was subsequently found to show significant homology to a previously identified G-protein coupled prostate tissue receptor.

EXAMPLE 6

PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

5 6.1. This Example illustrates the preparation of a CTL cell line specific for cells expressing the P502S gene.

Mice expressing the transgene for human HLA A2Kb (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with P2S#12 peptide (VLGWVAEL; SEQ ID NO: 306), which is derived from the P502S gene (also referred to herein as J1-17, SEQ ID
10 NO: 8), as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 100 μ g of P2S#12 and 120 μ g of an I-A^b binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and using a nylon mesh single cell suspensions prepared. Cells were then resuspended at 6 x 10⁶ cells/ml in complete media (RPMI-1640; Gibco
15 BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL), 2 x 10⁻⁵ M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) P2S#12-pulsed (5mg/ml P2S#12 and 10mg/ml β 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7 μ g/ml dextran sulfate and 25 μ g/ml LPS for 3 days). Six days later, cells (5 x
20 10⁵/ml) were restimulated with 2.5 x 10⁶/ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and 3 x 10⁶/ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20U/ml IL-2. Cells continued to be restimulated on a weekly basis as described, in preparation for cloning the line.

P2S#12 line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb
25 tumor cells (1 x 10⁴ cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5 x 10⁵ cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, clones that were growing were isolated and maintained in culture. Several of these clones demonstrated significantly higher reactivity (lysis) against human fibroblasts (HLA A2Kb expressing) transduced with P502S than against control fibroblasts. An example is presented in
30 Figure 1.

This data indicates that P2S #12 represents a naturally processed epitope of the P502S protein that is expressed in the context of the human HLA A2Kb molecule.

6.2. This Example illustrates the preparation of murine CTL lines and CTL clones specific for cells expressing the P501S gene.

This series of experiments were performed similarly to that described above. Mice were immunized with the P1S#10 peptide (SEQ ID NO: 337), which is derived from the P501S gene (also referred to herein as L1-12, SEQ ID NO: 110). The P1S#10 peptide was derived by analysis of the predicted polypeptide sequence for P501S for potential HLA-A2 binding sequences as defined by published HLA-A2 binding motifs (Parker, KC, *et al*, *J. Immunol.*, 152:163, 1994). P1S#10 peptide was synthesized as described in Example 4, and empirically tested for HLA-A2 binding using a T cell based competition assay. Predicted A2 binding peptides were tested for their ability to compete HLA-A2 specific peptide presentation to an HLA-A2 restricted CTL clone (D150M58), which is specific for the HLA-A2 binding influenza matrix peptide fluM58. D150M58 CTL secretes TNF in response to self-presentation of peptide fluM58. In the competition assay, test peptides at 100-200 µg/ml were added to cultures of D150M58 CTL in order to bind HLA-A2 on the CTL. After thirty minutes, CTL cultured with test peptides, or control peptides, were tested for their antigen dose response to the fluM58 peptide in a standard TNF bioassay. As shown in Figure 3, peptide P1S#10 competes HLA-A2 restricted presentation of fluM58, demonstrating that peptide P1S#10 binds HLA-A2.

Mice expressing the transgene for human HLA A2Kb were immunized as described by Theobald et al. (*Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995) with the following modifications. Mice were immunized with 62.5µg of P1S #10 and 120µg of an I-A^b binding peptide derived from Hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared using a nylon mesh. Cells were then resuspended at 6×10^6 cells/ml in complete media (as described above) and cultured in the presence of irradiated (3000 rads) P1S#10-pulsed (2µg/ml P1S#10 and 10mg/ml β2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). Six days later cells (5×10^5 /ml) were restimulated with 2.5×10^6 /ml peptide-pulsed irradiated (20,000 rads) EL4A2Kb cells, as described above, and 3×10^6 /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20 U/ml IL-2. Cells were restimulated on a weekly basis in preparation for cloning. After three rounds of *in vitro* stimulations, one line was generated that recognized P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat targets as shown in Figure 4.

A P1S#10-specific CTL line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, viable clones were isolated and maintained in culture. As shown in Figure 5, five of these clones demonstrated specific cytolytic reactivity against P501S-transduced Jurkat A2Kb targets. This data indicates that P1S#10 represents a naturally processed epitope of the P501S protein that is expressed in the context of the human HLA-A2.1 molecule.

EXAMPLE 7

10 PRIMING OF CTL *IN VIVO* USING NAKED DNA IMMUNIZATION WITH A PROSTATE ANTIGEN

The prostate-specific antigen L1-12, as described above, is also referred to as P501S. HLA A2Kb Tg mice (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with 100 μ g P501S in the vector VR1012 either intramuscularly or intradermally. 15 The mice were immunized three times, with a two week interval between immunizations. Two weeks after the last immunization, immune spleen cells were cultured with Jurkat A2Kb-P501S transduced stimulator cells. CTL lines were stimulated weekly. After two weeks of *in vitro* stimulation, CTL activity was assessed against P501S transduced targets. Two out of 8 mice developed strong anti-P501S CTL responses. These results demonstrate that P501S contains at 20 least one naturally processed HLA-A2-restricted CTL epitope.

EXAMPLE 8

25 ABILITY OF HUMAN T CELLS TO RECOGNIZE PROSTATE-SPECIFIC POLYPEPTIDES

This Example illustrates the ability of T cells specific for a prostate tumor polypeptide to recognize human tumor.

Human CD8⁺ T cells were primed *in vitro* to the P2S-12 peptide (SEQ ID NO: 306) derived from P502S (also referred to as J1-17) using dendritic cells according to the protocol of Van 30 Tsai et al. (*Critical Reviews in Immunology* 18:65-75, 1998). The resulting CD8⁺ T cell microcultures were tested for their ability to recognize the P2S-12 peptide presented by autologous fibroblasts or fibroblasts which were transduced to express the P502S gene in a γ -interferon

ELISPOT assay (see Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). Briefly, titrating numbers of T cells were assayed in duplicate on 10^4 fibroblasts in the presence of 3 $\mu\text{g/ml}$ human β_2 -microglobulin and 1 $\mu\text{g/ml}$ P2S-12 peptide or control E75 peptide. In addition, T cells were simultaneously assayed on autologous fibroblasts transduced with the P502S gene or as a control, fibroblasts transduced with HER-2/*neu*. Prior to the assay, the fibroblasts were treated with 10 ng/ml γ -interferon for 48 hours to upregulate class I MHC expression. One of the microcultures (#5) demonstrated strong recognition of both peptide pulsed fibroblasts as well as transduced fibroblasts in a γ -interferon ELISPOT assay. Figure 2A demonstrates that there was a strong increase in the number of γ -interferon spots with increasing numbers of T cells on fibroblasts pulsed with the P2S-12 peptide (solid bars) but not with the control E75 peptide (open bars). This shows the ability of these T cells to specifically recognize the P2S-12 peptide. As shown in Figure 2B, this microculture also demonstrated an increase in the number of γ -interferon spots with increasing numbers of T cells on fibroblasts transduced to express the P502S gene but not the HER-2/*neu* gene. These results provide additional confirmatory evidence that the P2S-12 peptide is a naturally processed epitope of the P502S protein. Furthermore, this also demonstrates that there exists in the human T cell repertoire, high affinity T cells which are capable of recognizing this epitope. These T cells should also be capable of recognizing human tumors which express the P502S gene.

EXAMPLE 9

ELICITATION OF PROSTATE ANTIGEN-SPECIFIC CTL RESPONSES IN HUMAN BLOOD

This Example illustrates the ability of a prostate-specific antigen to elicit a CTL response in blood of normal humans.

Autologous dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal donors by growth for five days in RPMI medium containing 10% human serum, 50 ng/ml GMCSF and 30 ng/ml IL-4. Following culture, DC were infected overnight with recombinant P501S-expressing vaccinia virus at an M.O.I. of 5 and matured for 8 hours by the addition of 2 micrograms/ml CD40 ligand. Virus was inactivated by UV irradiation, CD8^+ cells were isolated by positive selection using magnetic beads, and priming cultures were initiated in 24-well plates. Following five stimulation cycles using autologous fibroblasts retrovirally transduced

to express P501S and CD80, CD8+ lines were identified that specifically produced interferon-gamma when stimulated with autologous P501S-transduced fibroblasts. The P501S-specific activity of cell line 3A-1 could be maintained following additional stimulation cycles on autologous B-LCL transduced with P501S. Line 3A-1 was shown to specifically recognize autologous B-LCL transduced to express P501S, but not EGFP-transduced autologous B-LCL, as measured by cytotoxicity assays (^{51}Cr release) and interferon-gamma production (Interferon-gamma Elispot; *see* above and Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). The results of these assays are presented in Figures 6A and 6B.

EXAMPLE 10

IDENTIFICATION OF A NATURALLY PROCESSED CTL EPITOPE CONTAINED WITHIN A PROSTATE-SPECIFIC ANTIGEN

The 9-mer peptide p5 (SEQ ID NO: 338) was derived from the P703P antigen (also referred to as P20). The p5 peptide is immunogenic in human HLA-A2 donors and is a naturally processed epitope. Antigen specific human CD8+ T cells can be primed following repeated *in vitro* stimulations with monocytes pulsed with p5 peptide. These CTL specifically recognize p5-pulsed and P703P-transduced target cells in both ELISPOT (as described above) and chromium release assays. Additionally, immunization of HLA-A2Kb transgenic mice with p5 leads to the generation of CTL lines which recognize a variety of HLA-A2Kb or HLA-A2 transduced target cells expressing P703P.

Initial studies demonstrating that p5 is a naturally processed epitope were done using HLA-A2Kb transgenic mice. HLA-A2Kb transgenic mice were immunized subcutaneously in the footpad with 100 μg of p5 peptide together with 140 μg of hepatitis B virus core peptide (a Th peptide) in Freund's incomplete adjuvant. Three weeks post immunization, spleen cells from immunized mice were stimulated *in vitro* with peptide-pulsed LPS blasts. CTL activity was assessed by chromium release assay five days after primary *in vitro* stimulation. Retrovirally transduced cells expressing the control antigen P703P and HLA-A2Kb were used as targets. CTL lines that specifically recognized both p5-pulsed targets as well as P703P-expressing targets were identified.

Human *in vitro* priming experiments demonstrated that the p5 peptide is immunogenic in humans. Dendritic cells (DC) were differentiated from monocyte cultures derived

5

10

10

15

25

30

30

Using *in vitro* whole-gene priming with P501S-vaccinia infected DC (see, for example, Yee et al, *The Journal of Immunology*, 157(9):4079-86, 1996), human CTL lines were derived that specifically recognize autologous fibroblasts transduced with P501S (also known as L1-12), as determined by interferon- γ ELISPOT analysis as described above. Using a panel of
5 HLA-mismatched B-LCL lines transduced with P501S, these CTL lines were shown to be likely restricted to HLAB class I allele. Specifically, dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by growing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, DC were infected overnight with recombinant P501S vaccinia virus at a
10 multiplicity of infection (M.O.I) of five, and matured overnight by the addition of 3 μ g/ml CD40 ligand. Virus was inactivated by UV irradiation. CD8+ T cells were isolated using a magnetic bead system, and priming cultures were initiated using standard culture techniques. Cultures were restimulated every 7-10 days using autologous primary fibroblasts retrovirally transduced with P501S and CD80. Following four stimulation cycles, CD8+ T cell lines were identified that
15 specifically produced interferon- γ when stimulated with P501S and CD80-transduced autologous fibroblasts. A panel of HLA-mismatched B-LCL lines transduced with P501S were generated to define the restriction allele of the response. By measuring interferon- γ in an ELISPOT assay, the P501S specific response was shown to be likely restricted by HLA B alleles. These results demonstrate that a CD8+ CTL response to P501S can be elicited.

20 To identify the epitope(s) recognized, cDNA encoding P501S was fragmented by various restriction digests, and sub-cloned into the retroviral expression vector pBIB-KS. Retroviral supernatants were generated by transfection of the helper packaging line Phoenix-Ampho. Supernatants were then used to transduce Jurkat/A2Kb cells for CTL screening. CTL were screened in IFN- γ ELISPOT assays against these A2Kb targets transduced with the "library" of P501S
25 fragments. Initial positive fragments P501S/H3 and P501S/F2 were sequenced and found to encode amino acids 106-553 and amino acids 136-547, respectively, of SEQ ID NO: 113. A truncation of H3 was made to encode amino acid residues 106-351 of SEQ ID NO: 113, which was unable to stimulate the CTL, thus localizing the epitope to amino acid residues 351-547. Additional fragments encoding amino acids 1-472 (Fragment A) and amino acids 1-351 (Fragment B) were
30 also constructed. Fragment A but not Fragment B stimulated the CTL thus localizing the epitope to amino acid residues 351-472. Overlapping 20-mer and 18-mer peptides representing this region were tested by pulsing Jurkat/A2Kb cells versus CTL in an IFN- γ assay. Only peptides

P501S-369(20) and P501S-369(18) stimulated the CTL. Nine-mer and 10-mer peptides representing this region were synthesized and similarly tested. Peptide P501S-370 (SEQ ID NO: 539) was the minimal 9-mer giving a strong response. Peptide P501S-376 (SEQ ID NO: 540) also gave a weak response, suggesting that it might represent a cross-reactive epitope.

5 In subsequent studies, the ability of primary human B cells transduced with P501S to prime MHC class I-restricted, P501S-specific, autologous CD8 T cells was examined. Primary B cells were derived from PBMC of a homozygous HLA-A2 donor by culture in CD40 ligand and IL-4, transduced at high frequency with recombinant P501S in the vector pBIB, and selected with blastocidin-S. For *in vitro* priming, purified CD8+ T cells were cultured with autologous CD40
10 ligand + IL-4 derived, P501S-transduced B cells in a 96-well microculture format. These CTL microcultures were re-stimulated with P501S-transduced B cells and then assayed for specificity. Following this initial screen, microcultures with significant signal above background were cloned on autologous EBV-transformed B cells (BLCL), also transduced with P501S. Using IFN-gamma ELISPOT for detection, several of these CD8 T cell clones were found to be specific for P501S, as
15 demonstrated by reactivity to BLCL/P501S but not BLCL transduced with control antigen. It was further demonstrated that the anti-P501S CD8 T cell specificity is HLA-A2-restricted. First, antibody blocking experiments with anti-HLA-A,B,C monoclonal antibody (W6.32), anti-HLA-B,C monoclonal antibody (B1.23.2) and a control monoclonal antibody showed that only the anti-HLA-A,B,C antibody blocked recognition of P501S-expressing autologous BLCL. Secondly, the anti-
20 P501S CTL also recognized an HLA-A2 matched, heterologous BLCL transduced with P501S, but not the corresponding EGFP transduced control BLCL.

EXAMPLE 13

IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS BY MICROARRAY ANALYSIS

25

This Example describes the isolation of certain prostate-specific polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in
30 prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 372 clones were identified, and 319 were successfully sequenced. Table I presents a summary of these clones, which are shown in SEQ ID NOs:385-400. Of these sequences

SEQ ID NOs:386, 389, 390 and 392 correspond to novel genes, and SEQ ID NOs: 393 and 396 correspond to previously identified sequences. The others (SEQ ID NOs:385, 387, 388, 391, 394, 395 and 397-400) correspond to known sequences, as shown in Table I.

5

Table I
Summary of Prostate Tumor Antigens

Known Genes	Previously Identified Genes	Novel Genes
T-cell gamma chain	P504S	23379 (SEQ ID NO:389)
Kallikrein	P1000C	23399 (SEQ ID NO:392)
Vector	P501S	23320 (SEQ ID NO:386)
CGI-82 protein mRNA (23319; SEQ ID NO:385)	P503S	23381 (SEQ ID NO:390)
PSA	P510S	
Ald. 6 Dehyd.	P784P	
L-iditol-2 dehydrogenase (23376; SEQ ID NO:388)	P502S	
Ets transcription factor PDEF (22672; SEQ ID NO:398)	P706P	
hTGR (22678; SEQ ID NO:399)	19142.2, bangur.seq (22621; SEQ ID NO:396)	
KIAA0295(22685; SEQ ID NO:400)	5566.1 Wang (23404; SEQ ID NO:393)	
Prostatic Acid Phosphatase(22655; SEQ ID NO:397)	P712P	
transglutaminase (22611; SEQ ID NO:395)	P778P	
HDLBP (23508; SEQ ID NO:394)		
CGI-69 Protein(23367; SEQ ID NO:387)		
KIAA0122(23383; SEQ ID NO:391)		
TEEG		

CGI-82 showed 4.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 43% of prostate tumors, 25% normal prostate, not detected in other normal tissues tested. L-iditol-2 dehydrogenase showed 4.94 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 90% of prostate tumors, 100% of normal prostate, and not detected in other normal tissues tested. Ets transcription factor PDEF showed 5.55 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% prostate tumors, 25% normal prostate and not detected in other normal tissues tested. hTGR1 showed 9.11 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 63% of prostate tumors and is not detected in normal tissues tested including normal prostate. KIAA0295 showed 5.59 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% of prostate tumors, low to undetectable in normal tissues tested including normal prostate tissues. Prostatic acid phosphatase showed 9.14 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 67% of prostate tumors, 50% of normal prostate, and not detected in other normal tissues tested. Transglutaminase showed 14.84 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 30% of prostate tumors, 50% of normal prostate, and is not detected in other normal tissues tested. High density lipoprotein binding protein (HDLBP) showed 28.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% of normal prostate, and is undetectable in all other normal tissues tested. CGI-69 showed 3.56 fold over-expression in prostate tissues as compared to other normal tissues tested. It is a low abundant gene, detected in more than 90% of prostate tumors, and in 75% normal prostate tissues. The expression of this gene in normal tissues was very low. KIAA0122 showed 4.24 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 57% of prostate tumors, it was undetectable in all normal tissues tested including normal prostate tissues. 19142.2 bangur showed 23.25 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors and 100% of normal prostate. It was undetectable in other normal tissues tested. 5566.1 Wang showed 3.31 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% normal prostate and was also over-expressed in normal bone marrow, pancreas, and activated PBMC. Novel clone 23379 showed 4.86 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in 97%

of prostate tumors and 75% normal prostate and is undetectable in all other normal tissues tested. Novel clone 23399 showed 4.09 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 27% of prostate tumors and was undetectable in all normal tissues tested including normal prostate tissues. Novel clone 23320 showed 3.15 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in all prostate tumors and 50% of normal prostate tissues. It was also expressed in normal colon and trachea. Other normal tissues do not express this gene at high level.

10

EXAMPLE 14

IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS
BY ELECTRONIC SUBTRACTION

This Example describes the use of an electronic subtraction technique to identify prostate-specific antigens.

Potential prostate-specific genes present in the GenBank human EST database were identified by electronic subtraction (similar to that described by Vasmatizis et al., *Proc. Natl. Acad. Sci. USA* 95:300-304, 1998). The sequences of EST clones (43,482) derived from various prostate libraries were obtained from the GenBank public human EST database. Each prostate EST sequence was used as a query sequence in a BLASTN (National Center for Biotechnology Information) search against the human EST database. All matches considered identical (length of matching sequence >100 base pairs, density of identical matches over this region > 70%) were grouped (aligned) together in a cluster. Clusters containing more than 200 ESTs were discarded since they probably represented repetitive elements or highly expressed genes such as those for ribosomal proteins. If two or more clusters shared common ESTs, those clusters were grouped together into a "supercluster," resulting in 4,345 prostate superclusters.

Records for the 479 human cDNA libraries represented in the GenBank release were downloaded to create a database of these cDNA library records. These 479 cDNA libraries were grouped into three groups: Plus (normal prostate and prostate tumor libraries, and breast cell line libraries, in which expression was desired), Minus (libraries from other normal adult tissues, in which expression was not desirable), and Other (libraries from fetal tissue, infant tissue, tissues found only in women, non-prostate tumors and cell lines other than prostate cell lines, in which

expression was considered to be irrelevant). A summary of these library groups is presented in Table II.

Table II

Prostate cDNA Libraries and ESTs

Library	# of Libraries	# of ESTs
Plus	25	43,482
Normal	11	18,875
Tumor	11	21,769
Cell lines	3	2,838
Minus	166	
Other	287	

Each supercluster was analyzed in terms of the ESTs within the supercluster. The tissue source of each EST clone was noted and used to classify the superclusters into four groups:

- 10 Type 1- EST clones found in the Plus group libraries only; no expression detected in Minus or Other group libraries; Type 2- EST clones derived from the Plus and Other group libraries only; no expression detected in the Minus group; Type 3- EST clones derived from the Plus, Minus and Other group libraries, but the number of ESTs derived from the Plus group is higher than in either the Minus or Other groups; and Type 4- EST clones derived from Plus, Minus and Other group
- 15 libraries, but the number derived from the Plus group is higher than the number derived from the Minus group. This analysis identified 4,345 breast clusters (see Table III). From these clusters, 3,172 EST clones were ordered from Research Genetics, Inc., and were received as frozen glycerol stocks in 96-well plates.

Table III
Prostate Cluster Summary

Type	# of Superclusters	# of ESTs Ordered
1	688	677
2	2899	2484
3	85	11
4	673	0
Total	4345	3172

The EST clone inserts were PCR-amplified using amino-linked PCR primers for Synteni microarray analysis. When more than one PCR product was obtained for a particular clone, that PCR product was not used for expression analysis. In total, 2,528 clones from the electronic subtraction method were analyzed by microarray analysis to identify electronic subtraction breast clones that had high levels of tumor vs. normal tissue mRNA. Such screens were performed using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Within these analyses, the clones were arrayed on the chip, which was then probed with fluorescent probes generated from normal and tumor prostate cDNA, as well as various other normal tissues. The slides were scanned and the fluorescence intensity was measured.

Clones with an expression ratio greater than 3 (*i.e.*, the level in prostate tumor and normal prostate mRNA was at least three times the level in other normal tissue mRNA) were identified as prostate tumor-specific sequences (Table IV). The sequences of these clones are provided in SEQ ID NO: 401-453, with certain novel sequences shown in SEQ ID NO: 407, 413, 416-419, 422, 426, 427 and 450.

Table IV
Prostate-tumor Specific Clones

SEQ ID NO.	Sequence Designation	Comments
401	22545	previously identified P1000C
402	22547	previously identified P704P
403	22548	known
404	22550	known
405	22551	PSA
406	22552	prostate secretory protein 94
407	22553	novel
408	22558	previously identified P509S
409	22562	glandular kallikrein
410	22565	previously identified P1000C
411	22567	PAP
412	22568	B1006C (breast tumor antigen)
413	22570	novel
414	22571	PSA
415	22572	previously identified P706P
416	22573	novel
417	22574	novel
418	22575	novel
419	22580	novel
420	22581	PAP
421	22582	prostatic secretory protein 94
422	22583	novel
423	22584	prostatic secretory protein 94
424	22585	prostatic secretory protein 94
425	22586	known
426	22587	novel
427	22588	novel
428	22589	PAP
429	22590	known
430	22591	PSA
431	22592	known
432	22593	Previously identified P777P
433	22594	T cell receptor gamma chain
434	22595	Previously identified P705P
435	22596	Previously identified P707P
436	22847	PAP
437	22848	known
438	22849	prostatic secretory protein 57
439	22851	PAP

440	22852	PAP
441	22853	PAP
442	22854	previously identified P509S
443	22855	previously identified P705P
444	22856	previously identified P774P
445	22857	PSA
446	23601	previously identified P777P
447	23602	PSA
448	23605	PSA
449	23606	PSA
450	23612	novel
451	23614	PSA
452	23618	previously identified P1000C
453	23622	previously identified P705P

EXAMPLE 15

FURTHER IDENTIFICATION OF PROSTATE-SPECIFIC ANTIGENS BY MICROARRAY
ANALYSIS

5

This Example describes the isolation of additional prostate-specific polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened
10 using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 142 clones were identified and sequenced. Certain of these clones are shown in SEQ ID NO: 454-467. Of these sequences, SEQ ID NO: 459-461 represent novel genes. The others (SEQ ID NO: 454-458 and 461-467) correspond to known sequences.

15

EXAMPLE 16

FURTHER CHARACTERIZATION OF PROSTATE-SPECIFIC ANTIGEN P710P

20

This Example describes the full length cloning of P710P.

The prostate cDNA library described above was screened with the P710P fragment described above. One million colonies were plated on LB/Ampicillin plates. Nylon membrane

filters were used to lift these colonies, and the cDNAs picked up by these filters were then denatured and cross-linked to the filters by UV light. The P710P fragment was radiolabeled and used to hybridize with the filters. Positive cDNA clones were selected and their cDNAs recovered and sequenced by an automatic Perkin Elmer/Applied Biosystems Division Sequencer. Four
5 sequences were obtained, and are presented in SEQ ID NO: 468-471. These sequences appear to represent different splice variants of the P710P gene.

EXAMPLE 17

PROTEIN EXPRESSION OF THE PROSTATE-SPECIFIC ANTIGEN P501S

10

This example describes the expression and purification of the prostate-specific antigen P501S in *E. coli*, baculovirus and mammalian cells.

a) Expression in *E. coli*

15

Expression of the full-length form of P501S was attempted by first cloning P501S without the leader sequence (amino acids 36-553 of SEQ ID NO: 113) downstream of the first 30 amino acids of the *M. tuberculosis* antigen Ra12 (SEQ ID NO: 484) in pET17b. Specifically, P501S DNA was used to perform PCR using the primers AW025 (SEQ ID NO: 485) and AW003 (SEQ ID NO: 486). AW025 is a sense cloning primer that contains a HindIII site. AW003 is an
20 antisense cloning primer that contains an EcoRI site. DNA amplification was performed using 5 µl 10X Pfu buffer, 1 µl 20 mM dNTPs, 1 µl each of the PCR primers at 10 µM concentration, 40 µl water, 1 µl Pfu DNA polymerase (Stratagene, La Jolla, CA) and 1 µl DNA at 100 ng/µl. Denaturation at 95°C was performed for 30 sec, followed by 10 cycles of 95°C for 30 sec, 60°C for 1 min and by 72°C for 3 min. 20 cycles of 95°C for 30 sec, 65°C for 1 min and by 72°C for 3 min,
25 and lastly by 1 cycle of 72°C for 10 min. The PCR product was cloned to Ra12m/pET17b using HindIII and EcoRI. The sequence of the resulting fusion construct (referred to as Ra12-P501S-F) was confirmed by DNA sequencing.

The fusion construct was transformed into BL21(DE3)pLysE, pLysS and CodonPlus *E. coli* (Stratagene) and grown overnight in LB broth with kanamycin. The resulting culture was
30 induced with IPTG. Protein was transferred to PVDF membrane and blocked with 5% non-fat milk (in PBS-Tween buffer), washed three times and incubated with mouse anti-His tag antibody (Clontech) for 1 hour. The membrane was washed 3 times and probed with HRP-Protein A

(Zymed) for 30 min. Finally, the membrane was washed 3 times and developed with ECL (Amersham). No expression was detected by Western blot. Similarly, no expression was detected by Western blot when the Ra12-P501S-F fusion was used for expression in BL21CodonPlus by CE6 phage (Invitrogen).

5 An N-terminal fragment of P501S (amino acids 36-325 of SEQ ID NO: 113) was cloned down-stream of the first 30 amino acids of the *M. tuberculosis* antigen Ra12 in pET17b as follows. P501S DNA was used to perform PCR using the primers AW025 (SEQ ID NO: 485) and AW027 (SEQ ID NO: 487). AW027 is an antisense cloning primer that contains an EcoRI site and a stop codon. DNA amplification was performed essentially as described above. The resulting PCR
10 product was cloned to Ra12 in pET17b at the HindIII and EcoRI sites. The fusion construct (referred to as Ra12-P501S-N) was confirmed by DNA sequencing.

 The Ra12-P501S-N fusion construct was used for expression in BL21(DE3)pLysE, pLysS and CodonPlus, essentially as described above. Using Western blot analysis, protein bands were observed at the expected molecular weight of 36 kDa. Some high molecular weight bands
15 were also observed, probably due to aggregation of the recombinant protein. No expression was detected by Western blot when the Ra12-P501S-F fusion was used for expression in BL21CodonPlus by CE6 phage.

 A fusion construct comprising a C-terminal portion of P501S (amino acids 257-553 of SEQ ID NO: 113) located down-stream of the first 30 amino acids of the *M. tuberculosis* antigen
20 Ra12 (SEQ ID NO: 484) was prepared as follows. P501S DNA was used to perform PCR using the primers AW026 (SEQ ID NO: 488) and AW003 (SEQ ID NO: 486). AW026 is a sense cloning primer that contains a HindIII site. DNA amplification was performed essentially as described above. The resulting PCR product was cloned to Ra12 in pET17b at the HindIII and EcoRI sites. The sequence for the fusion construct (referred to as Ra12-P501S-C) was confirmed.

25 The Ra12-P501S-C fusion construct was used for expression in BL21(DE3)pLysE, pLysS and CodonPlus, as described above. A small amount of protein was detected by Western blot, with some molecular weight aggregates also being observed. Expression was also detected by Western blot when the Ra12-P501S-C fusion was used for expression in BL21CodonPlus induced by CE6 phage.

b) Expression of P501S in Baculovirus

The Bac-to-Bac baculovirus expression system (BRL Life Technologies, Inc.) was used to express P501S protein in insect cells. Full-length P501S (SEQ ID NO: 113) was amplified by PCR and cloned into the XbaI site of the donor plasmid pFastBacI. The recombinant bacmid and baculovirus were prepared according to the manufacturer's instructions. The recombinant baculovirus was amplified in Sf9 cells and the high titer viral stocks were utilized to infect High Five cells (Invitrogen) to make the recombinant protein. The identity of the full-length protein was confirmed by N-terminal sequencing of the recombinant protein and by Western blot analysis (Figure 7). Specifically, 0.6 million High Five cells in 6-well plates were infected with either the unrelated control virus BV/ECD_PD (lane 2), with recombinant baculovirus for P501S at different amounts or MOIs (lanes 4-8), or were uninfected (lane 3). Cell lysates were run on SDS-PAGE under reducing conditions and analyzed by Western blot with the anti-P501S monoclonal antibody P501S-10E3-G4D3 (prepared as described below). Lane 1 is the biotinylated protein molecular weight marker (BioLabs).

The localization of recombinant P501S in the insect cells was investigated as follows. The insect cells overexpressing P501S were fractionated into fractions of nucleus, mitochondria, membrane and cytosol. Equal amounts of protein from each fraction were analyzed by Western blot with a monoclonal antibody against P501S. Due to the scheme of fractionation, both nucleus and mitochondria fractions contain some plasma membrane components. However, the membrane fraction is basically free from mitochondria and nucleus. P501S was found to be present in all fractions that contain the membrane component, suggesting that P501S may be associated with plasma membrane of the insect cells expressing the recombinant protein.

c) Expression of P501S in mammalian cells

Full-length P501S (553AA) was cloned into various mammalian expression vectors, including pCEP4 (Invitrogen), pVR1012 (Vical, San Diego, CA) and a modified form of the retroviral vector pBMN, referred to as pBIB. Transfection of P501S/pCEP4 and P501S/pVR1012 into HEK293 fibroblasts was carried out using the Fugene transfection reagent (Boehringer Mannheim). Briefly, 2 ul of Fugene reagent was diluted into 100 ul of serum-free media and incubated at room temperature for 5-10 min. This mixture was added to 1 ug of P501S plasmid DNA, mixed briefly and incubated for 30 minutes at room temperature. The Fugene/DNA mixture

was added to cells and incubated for 24-48 hours. Expression of recombinant P501S in transfected HEK293 fibroblasts was detected by means of Western blot employing a monoclonal antibody to P501S.

Transfection of p501S/pCEP4 into CHO-K cells (American Type Culture Collection, Rockville, MD) was carried out using GenePorter transfection reagent (Gene Therapy Systems, San Diego, CA). Briefly, 15 μ l of GenePorter was diluted in 500 μ l of serum-free media and incubated at room temperature for 10 min. The GenePorter/media mixture was added to 2 μ g of plasmid DNA that was diluted in 500 μ l of serum-free media, mixed briefly and incubated for 30 min at room temperature. CHO-K cells were rinsed in PBS to remove serum proteins, and the GenePorter/DNA mix was added and incubated for 5 hours. The transfected cells were then fed an equal volume of 2x media and incubated for 24-48 hours.

FACS analysis of P501S transiently infected CHO-K cells, demonstrated surface expression of P501S. Expression was detected using rabbit polyclonal antisera raised against a P501S peptide, as described below. Flow cytometric analysis was performed using a FaCScan (Becton Dickinson), and the data were analyzed using the Cell Quest program.

EXAMPLE 18

PREPARATION AND CHARACTERIZATION OF ANTIBODIES AGAINST PROSTATE-SPECIFIC POLYPEPTIDES

20 a) Preparation and Characterization of Antibodies against P501S

A murine monoclonal antibody directed against the carboxy-terminus of the prostate-specific antigen P501S was prepared as follows.

A truncated fragment of P501S (amino acids 355-526 of SEQ ID NO: 113) was generated and cloned into the pET28b vector (Novagen) and expressed in *E. coli* as a thioredoxin fusion protein with a histidine tag. The trx-P501S fusion protein was purified by nickel chromatography, digested with thrombin to remove the trx fragment and further purified by an acid precipitation procedure followed by reverse phase HPLC.

Mice were immunized with truncated P501S protein. Serum bleeds from mice that potentially contained anti-P501S polyclonal sera were tested for P501S-specific reactivity using ELISA assays with purified P501S and trx-P501S proteins. Serum bleeds that appeared to react specifically with P501S were then screened for P501S reactivity by Western analysis. Mice that contained a P501S-specific antibody component were sacrificed and spleen cells were used to

generate anti-P501S antibody producing hybridomas using standard techniques. Hybridoma supernatants were tested for P501S-specific reactivity initially by ELISA, and subsequently by FACS analysis of reactivity with P501S transduced cells. Based on these results, a monoclonal hybridoma referred to as 10E3 was chosen for further subcloning. A number of subclones were generated, tested for specific reactivity to P501S using ELISA and typed for IgG isotype. The results of this analysis are shown below in Table V. Of the 16 subclones tested, the monoclonal antibody 10E3-G4-D3 was selected for further study.

Table V

Isotype analysis of murine anti-P501S monoclonal antibodies

Hybridoma clone	Isotype	Estimated [Ig] in supernatant ($\mu\text{g/ml}$)
4D11	IgG1	14.6
1G1	IgG1	0.6
4F6	IgG1	72
4H5	IgG1	13.8
4H5-E12	IgG1	10.7
4H5-EH2	IgG1	9.2
4H5-H2-A10	IgG1	10
4H5-H2-A3	IgG1	12.8
4H5-H2-A10-G6	IgG1	13.6
4H5-H2-B11	IgG1	12.3
10E3	IgG2a	3.4
10E3-D4	IgG2a	3.8
10E3-D4-G3	IgG2a	9.5
10E3-D4-G6	IgG2a	10.4
10E3-E7	IgG2a	6.5
8H12	IgG2a	0.6

The specificity of 10E3-G4-D3 for P501S was examined by FACS analysis. Specifically, cells were fixed (2% formaldehyde, 10 minutes), permeabilized (0.1% saponin, 10 minutes) and stained with 10E3-G4-D3 at 0.5 – 1 $\mu\text{g/ml}$, followed by incubation with a secondary, FITC-conjugated goat anti-mouse Ig antibody (Pharmingen, San Diego, CA). Cells were then analyzed for FITC fluorescence using an Excalibur fluorescence activated cell sorter. For FACS analysis of transduced cells, B-LCL were retrovirally transduced with P501S. For analysis of infected cells, B-LCL were infected with a vaccinia vector that expresses P501S. To demonstrate

specificity in these assays, B-LCL transduced with a different antigen (P703P) and uninfected B-LCL vectors were utilized. 10E3-G4-D3 was shown to bind with P501S-transduced B-LCL and also with P501S-infected B-LCL, but not with either uninfected cells or P703P-transduced cells.

To determine whether the epitope recognized by 10E3-G4-D3 was found on the surface or in an intracellular compartment of cells, B-LCL were transduced with P501S or HLA-B8 as a control antigen and either fixed and permeabilized as described above or directly stained with 10E3-G4-D3 and analyzed as above. Specific recognition of P501S by 10E3-G4-D3 was found to require permeabilization, suggesting that the epitope recognized by this antibody is intracellular.

The reactivity of 10E3-G4-D3 with the three prostate tumor cell lines Lncap, PC-3 and DU-145, which are known to express high, medium and very low levels of P501S, respectively, was examined by permeabilizing the cells and treating them as described above. Higher reactivity of 10E3-G4-D3 was seen with Lncap than with PC-3, which in turn showed higher reactivity than DU-145. These results are in agreement with the real time PCR and demonstrate that the antibody specifically recognizes P501S in these tumor cell lines and that the epitope recognized in prostate tumor cell lines is also intracellular.

Specificity of 10E3-G4-D3 for P501S was also demonstrated by Western blot analysis. Lysates from the prostate tumor cell lines Lncap, DU-145 and PC-3, from P501S-transiently transfected HEK293 cells, and from non-transfected HEK293 cells were generated. Western blot analysis of these lysates with 10E3-G4-D3 revealed a 46 kDa immunoreactive band in Lncap, PC-3 and P501S-transfected HEK cells, but not in DU-145 cells or non-transfected HEK293 cells. P501S mRNA expression is consistent with these results since semi-quantitative PCR analysis revealed that P501S mRNA is expressed in Lncap, to a lesser but detectable level in PC-3 and not at all in DU-145 cells. Bacterially expressed and purified recombinant P501S (referred to as P501SStr2) was recognized by 10E3-G4-D3 (24 kDa), as was full-length P501S that was transiently expressed in HEK293 cells using either the expression vector VR1012 or pCEP4. Although the predicted molecular weight of P501S is 60.5 kDa, both transfected and "native" P501S run at a slightly lower mobility due to its hydrophobic nature.

Immunohistochemical analysis was performed on prostate tumor and a panel of normal tissue sections (prostate, adrenal, breast, cervix, colon, duodenum, gall bladder, ileum, kidney, ovary, pancreas, parotid gland, skeletal muscle, spleen and testis). Tissue samples were fixed in formalin solution for 24 hours and embedded in paraffin before being sliced into 10 micron sections. Tissue sections were permeabilized and incubated with 10E3-G4-D3 antibody for 1 hr.

HRP-labeled anti-mouse followed by incubation with DAB chromogen was used to visualize P501S immunoreactivity. P501S was found to be highly expressed in both normal prostate and prostate tumor tissue but was not detected in any of the other tissues tested.

To identify the epitope recognized by 10E3-G4-D3, an epitope mapping approach was pursued. A series of 13 overlapping 20-21 mers (5 amino acid overlap; SEQ ID NO: 489-501) was synthesized that spanned the fragment of P501S used to generate 10E3-G4-D3. Flat bottom 96 well microtiter plates were coated with either the peptides or the P501S fragment used to immunize mice, at 1 microgram/ml for 2 hours at 37 °C. Wells were then aspirated and blocked with phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature, and subsequently washed in PBS containing 0.1% Tween 20 (PBST). Purified antibody 10E3-G4-D3 was added at 2 fold dilutions (1000 ng – 16 ng) in PBST and incubated for 30 minutes at room temperature. This was followed by washing 6 times with PBST and subsequently incubating with HRP-conjugated donkey anti-mouse IgG (H+L) Affinipure F(ab') fragment (Jackson ImmunoResearch, West Grove, PA) at 1:20000 for 30 minutes. Plates were then washed and incubated for 15 minutes in tetramethyl benzidine. Reactions were stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using an ELISA plate reader. As shown in Fig. 8, reactivity was seen with the peptide of SEQ ID NO: 496 (corresponding to amino acids 439-459 of P501S) and with the P501S fragment but not with the remaining peptides, demonstrating that the epitope recognized by 10E3-G4-D3 is localized to amino acids 439-459 of SEQ ID NO: 113.

In order to further evaluate the tissue specificity of P501S, multi-array immunohistochemical analysis was performed on approximately 4700 different human tissues encompassing all the major normal organs as well as neoplasias derived from these tissues. Sixty-five of these human tissue samples were of prostate origin. Tissue sections 0.6 mm in diameter were formalin-fixed and paraffin embedded. Samples were pretreated with HIER using 10 mM citrate buffer pH 6.0 and boiling for 10 min. Sections were stained with 10E3-G4-D3 and P501S immunoreactivity was visualized with HRP. All the 65 prostate tissues samples (5 normal, 55 untreated prostate tumors, 5 hormone refractory prostate tumors) were positive, showing distinct perinuclear staining. All other tissues examined were negative for P501S expression.

b) Preparation and Characterization of Antibodies against P503S

A fragment of P503S (amino acids 113-241 of SEQ ID NO: 114) was expressed and purified from bacteria essentially as described above for P501S and used to immunize both rabbits

and mice. Mouse monoclonal antibodies were isolated using standard hybridoma technology as described above. Rabbit monoclonal antibodies were isolated using Selected Lymphocyte Antibody Method (SLAM) technology at Immgenics Pharmaceuticals (Vancouver, BC, Canada). Table VI, below, lists the monoclonal antibodies that were developed against P503S.

5

Table VI

Antibody	Species
20D4	Rabbit
JA1	Rabbit
1A4	Mouse
1C3	Mouse
1C9	Mouse
1D12	Mouse
2A11	Mouse
2H9	Mouse
4H7	Mouse
8A8	Mouse
8D10	Mouse
9C12	Mouse
6D12	Mouse

The DNA sequences encoding the complementarity determining regions (CDRs) for the rabbit monoclonal antibodies 20D4 and JA1 were determined and are provided in SEQ ID NO: 502 and 503, respectively.

In order to better define the epitope binding region of each of the antibodies, a series of overlapping peptides were generated that span amino acids 109-213 of SEQ ID NO: 114. These peptides were used to epitope map the anti-P503S monoclonal antibodies by ELISA as follows.

The recombinant fragment of P503S that was employed as the immunogen was used as a positive control. Ninety-six well microtiter plates were coated with either peptide or recombinant antigen at 20 ng/well overnight at 4 °C. Plates were aspirated and blocked with phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature then washed in PBS containing 0.1% Tween 20 (PBST). Purified rabbit monoclonal antibodies diluted in PBST were added to the wells and incubated for 30 min at room temperature. This was followed by washing 6 times with PBST and incubation with Protein-A HRP conjugate at a 1:2000 dilution for a further 30 min. Plates were washed six times in PBST and incubated with tetramethylbenzidine (TMB) substrate for a further

15 min. The reaction was stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using an ELISA plate reader. ELISA with the mouse monoclonal antibodies was performed with supernatants from tissue culture run neat in the assay.

All of the antibodies bound to the recombinant P503S fragment, with the exception
5 of the negative control SP2 supernatant. 20D4, JA1 and 1D12 bound strictly to peptide #2101 (SEQ ID NO: 504), which corresponds to amino acids 151-169 of SEQ ID NO: 114. 1C3 bound to peptide #2102 (SEQ ID NO: 505), which corresponds to amino acids 165-184 of SEQ ID NO: 114. 9C12 bound to peptide #2099 (SEQ ID NO: 522), which corresponds to amino acids 120-139 of SEQ ID NO: 114. The other antibodies bind to regions that were not examined in these studies.

10 Subsequent to epitope mapping, the antibodies were tested by FACS analysis on a cell line that stably expressed P503S to confirm that the antibodies bind to cell surface epitopes. Cells stably transfected with a control plasmid were employed as a negative control. Cells were stained live with no fixative. 0.5 ug of anti-P503S monoclonal antibody was added and cells were incubated on ice for 30 min before being washed twice and incubated with a FITC-labelled goat
15 anti-rabbit or mouse secondary antibody for 20 min. After being washed twice, cells were analyzed with an Excalibur fluorescent activated cell sorter. The monoclonal antibodies 1C3, 1D12, 9C12, 20D4 and JA1, but not 8D3, were found to bind to a cell surface epitope of P503S.

In order to determine which tissues express P503S, immunohistochemical analysis was performed, essentially as described above, on a panel of normal tissues (prostate, adrenal,
20 breast, cervix, colon, duodenum, gall bladder, ileum, kidney, ovary, pancreas, parotid gland, skeletal muscle, spleen and testis). HRP-labeled anti-mouse or anti-rabbit antibody followed by incubation with TMB was used to visualize P503S immunoreactivity. P503S was found to be highly expressed in prostate tissue, with lower levels of expression being observed in cervix, colon, ileum and kidney, and no expression being observed in adrenal, breast, duodenum, gall bladder, ovary,
25 pancreas, parotid gland, skeletal muscle, spleen and testis.

Western blot analysis was used to characterize anti-P503S monoclonal antibody specificity. SDS-PAGE was performed on recombinant (rec) P503S expressed in and purified from bacteria and on lysates from HEK293 cells transfected with full length P503S. Protein was transferred to nitrocellulose and then Western blotted with each of the anti-P503S monoclonal
30 antibodies (20D4, JA1, 1D12, 6D12 and 9C12) at an antibody concentration of 1 ug/ml. Protein was detected using horse radish peroxidase (HRP) conjugated to either a goat anti-mouse monoclonal antibody or to protein A-sepharose. The monoclonal antibody 20D4 detected the

appropriate molecular weight 14 kDa recombinant P503S (amino acids 113-241) and the 23.5 kDa species in the HEK293 cell lysates transfected with full length P503S. Other anti-P503S monoclonal antibodies displayed similar specificity by Western blot.

5 **c) Preparation and Characterization of Antibodies against P703P**

Rabbits were immunized with either a truncated (P703Ptrl; SEQ ID NO: 172) or full-length mature form (P703Pfl; SEQ ID NO: 523) of recombinant P703P protein was expressed in and purified from bacteria as described above. Affinity purified polyclonal antibody was generated using immunogen P703Pfl or P703Ptrl attached to a solid support. Rabbit monoclonal
10 antibodies were isolated using SLAM technology at Immgenics Pharmaceuticals. Table VII below lists both the polyclonal and monoclonal antibodies that were generated against P703P.

Table VII

Antibody	Immunogen	Species/type
Aff. Purif. P703P (truncated); #2594	P703Ptrl	Rabbit polyclonal
Aff. Purif. P703P (full length); #9245	P703Pfl	Rabbit polyclonal
2D4	P703Ptrl	Rabbit monoclonal
8H2	P703Ptrl	Rabbit monoclonal
7H8	P703Ptrl	Rabbit monoclonal

15

The DNA sequences encoding the complementarity determining regions (CDRs) for the rabbit monoclonal antibodies 8H2, 7H8 and 2D4 were determined and are provided in SEQ ID NO: 506-508, respectively.

Epitope mapping studies were performed as described above. Monoclonal
20 antibodies 2D4 and 7H8 were found to specifically bind to the peptides of SEQ ID NO: 509 (corresponding to amino acids 145-159 of SEQ ID NO: 172) and SEQ ID NO: 510 (corresponding to amino acids 11-25 of SEQ ID NO: 172), respectively. The polyclonal antibody 2594 was found to bind to the peptides of SEQ ID NO: 511-514, with the polyclonal antibody 9427 binding to the peptides of SEQ ID NO: 515-517.

25 The specificity of the anti-P703P antibodies was determined by Western blot analysis as follows. SDS-PAGE was performed on (1) bacterially expressed recombinant antigen; (2) lysates of HEK293 cells and Ltk^{-/-} cells either untransfected or transfected with a plasmid

expressing full length P703P; and (3) supernatant isolated from these cell cultures. Protein was transferred to nitrocellulose and then Western blotted using the anti-P703P polyclonal antibody #2594 at an antibody concentration of 1 ug/ml. Protein was detected using horse radish peroxidase (HRP) conjugated to an anti-rabbit antibody. A 35 kDa immunoreactive band could be observed with recombinant P703P. Recombinant P703P runs at a slightly higher molecular weight since it is epitope tagged. In lysates and supernatants from cells transfected with full length P703P, a 30 kDa band corresponding to P703P was observed. To assure specificity, lysates from HEK293 cells stably transfected with a control plasmid were also tested and were negative for P703P expression. Other anti-P703P antibodies showed similar results.

Immunohistochemical studies were performed as described above, using anti-P703P monoclonal antibody. P703P was found to be expressed at high levels in normal prostate and prostate tumor tissue but was not detectable in all other tissues tested (breast tumor, lung tumor and normal kidney).

EXAMPLE 19

CHARACTERIZATION OF CELL SURFACE EXPRESSION AND CHROMOSOME LOCALIZATION OF THE PROSTATE-SPECIFIC ANTIGEN P501S

This example describes studies demonstrating that the prostate-specific antigen P501S is expressed on the surface of cells, together with studies to determine the probable chromosomal location of P501S.

The protein P501S (SEQ ID NO: 113) is predicted to have 11 transmembrane domains. Based on the discovery that the epitope recognized by the anti-P501S monoclonal antibody 10E3-G4-D3 (described above in Example 17) is intracellular, it was predicted that following transmembrane determinants would allow the prediction of extracellular domains of P501S. Fig. 9 is a schematic representation of the P501S protein showing the predicted location of the transmembrane domains and the intracellular epitope described in Example 17. Underlined sequence represents the predicted transmembrane domains, bold sequence represents the predicted extracellular domains, and italicized sequence represents the predicted intracellular domains. Sequence that is both bold and underlined represents sequence employed to generate polyclonal rabbit serum. The location of the transmembrane domains was predicted using HHMTOP as

described by Tusnady and Simon (Principles Governing Amino Acid Composition of Integral Membrane Proteins: Applications to Topology Prediction, *J. Mol. Biol.* 283:489-506, 1998).

Based on Fig. 9, the P501S domain flanked by the transmembrane domains corresponding to amino acids 274-295 and 323-342 is predicted to be extracellular. The peptide of
5 SEQ ID NO: 518 corresponds to amino acids 306-320 of P501S and lies in the predicted extracellular domain. The peptide of SEQ ID NO: 519, which is identical to the peptide of SEQ ID NO: 518 with the exception of the substitution of the histidine with an asparagine, was synthesized as described above. A Cys-Gly was added to the C-terminus of the peptide to facilitate conjugation to the carrier protein. Cleavage of the peptide from the solid support was carried out using the
10 following cleavage mixture: trifluoroacetic acid:ethanediol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for two hours, the peptide was precipitated in cold ether. The peptide pellet was then dissolved in 10% v/v acetic acid and lyophilized prior to purification by C18 reverse phase hplc. A gradient of 5-60% acetonitrile (containing 0.05% TFA) in water (containing 0.05% TFA) was used to elute the peptide. The purity of the peptide was verified by hplc and mass spectrometry, and was
15 determined to be >95%. The purified peptide was used to generate rabbit polyclonal antisera as described above.

Surface expression of P501S was examined by FACS analysis. Cells were stained with the polyclonal anti-P501S peptide serum at 10 µg/ml, washed, incubated with a secondary FITC-conjugated goat anti-rabbit Ig antibody (ICN), washed and analyzed for FITC fluorescence
20 using an Excalibur fluorescence activated cell sorter. For FACS analysis of transduced cells, B-LCL were retrovirally transduced with P501S. To demonstrate specificity in these assays, B-LCL transduced with an irrelevant antigen (P703P) or nontransduced were stained in parallel. For FACS analysis of prostate tumor cell lines, Lncap, PC-3 and DU-145 were utilized. Prostate tumor cell lines were dissociated from tissue culture plates using cell dissociation medium and stained as
25 above. All samples were treated with propidium iodide (PI) prior to FACS analysis, and data was obtained from PI-excluding (i.e. intact and non-permeabilized) cells. The rabbit polyclonal serum generated against the peptide of SEQ ID NO: 519 was shown to specifically recognize the surface of cells transduced to express P501S, demonstrating that the epitope recognized by the polyclonal serum is extracellular.

30 To determine biochemically if P501S is expressed on the cell surface, peripheral membranes from Lncap cells were isolated and subjected to Western blot analysis. Specifically, Lncap cells were lysed using a dounce homogenizer in 5 ml of homogenization buffer (250 mM

sucrose, 10 mM HEPES, 1mM EDTA, pH 8.0, 1 complete protease inhibitor tablet (Boehringer Mannheim)). Lysate samples were spun at 1000 g for 5 min at 4 °C. The supernatant was then spun at 8000g for 10 min at 4 °C. Supernatant from the 8000g spin was recovered and subjected to a 100,000g spin for 30 min at 4 °C to recover peripheral membrane. Samples were then separated by
5 SDS-PAGE and Western blotted with the mouse monoclonal antibody 10E3-G4-D3 (described above in Example 17) using conditions described above. Recombinant purified P501S, as well as HEK293 cells transfected with and over-expressing P501S were included as positive controls for P501S detection. LCL cell lysate was included as a negative control. P501S could be detected in Lncap total cell lysate, the 8000g (internal membrane) fraction and also in the 100,000g (plasma
10 membrane) fraction. These results indicate that P501S is expressed at, and localizes to, the peripheral membrane.

To demonstrate that the rabbit polyclonal antiserum generated to the peptide of SEQ ID NO: 519 specifically recognizes this peptide as well as the corresponding native peptide of SEQ ID NO: 518, ELISA analyses were performed. For these analyses, flat-bottomed 96 well microtiter
15 plates were coated with either the peptide of SEQ ID NO: 519, the longer peptide of SEQ ID NO: 520 that spans the entire predicted extracellular domain, the peptide of SEQ ID NO: 521 which represents the epitope recognized by the P501S-specific antibody 10E3-G4-D3, or a P501S fragment (corresponding to amino acids 355-526 of SEQ ID NO: 113) that does not include the immunizing peptide sequence, at 1 µg/ml for 2 hours at 37 °C. Wells were aspirated, blocked with
20 phosphate buffered saline containing 1% (w/v) BSA for 2 hours at room temperature and subsequently washed in PBS containing 0.1% Tween 20 (PBST). Purified anti-P501S polyclonal rabbit serum was added at 2 fold dilutions (1000 ng - 125 ng) in PBST and incubated for 30 min at room temperature. This was followed by washing 6 times with PBST and incubating with HRP-conjugated goat anti-rabbit IgG (H+L) Affinipure F(ab') fragment at 1:20000 for 30 min. Plates
25 were then washed and incubated for 15 min in tetramethyl benzidine. Reactions were stopped by the addition of 1N sulfuric acid and plates were read at 450 nm using an ELISA plate reader. As shown in Fig. 11, the anti-P501S polyclonal rabbit serum specifically recognized the peptide of SEQ ID NO: 519 used in the immunization as well as the longer peptide of SEQ ID NO: 520, but did not recognize the irrelevant P501S-derived peptides and fragments.

30 In further studies, rabbits were immunized with peptides derived from the P501S sequence and predicted to be either extracellular or intracellular, as shown in Fig. 9. Polyclonal rabbit sera were isolated and polyclonal antibodies in the serum were purified, as described above.

To determine specific reactivity with P501S, FACS analysis was employed, utilizing either B-LCL transduced with P501S or the irrelevant antigen P703P, of B-LCL infected with vaccinia virus-expressing P501S. For surface expression, dead and non-intact cells were excluded from the analysis as described above. For intracellular staining, cells were fixed and permeabilized as
5 described above. Rabbit polyclonal serum generated against the peptide of SEQ ID NO: 548, which corresponds to amino acids 181-198 of P501S, was found to recognize a surface epitope of P501S. Rabbit polyclonal serum generated against the peptide SEQ ID NO: 551, which corresponds to amino acids 543-553 of P501S, was found to recognize an epitope that was either potentially extracellular or intracellular since in different experiments intact or permeabilized cells were
10 recognized by the polyclonal sera. Based on similar deductive reasoning, the sequences of SEQ ID NO: 541-547, 549 and 550, which correspond to amino acids 109-122, 539-553, 509-520, 37-54, 342-359, 295-323, 217-274, 143-160 and 75-88, respectively, of P501S, can be considered to be potential surface epitopes of P501S recognized by antibodies.

The chromosomal location of P501S was determined using the GeneBridge 4
15 Radiation Hybrid panel (Research Genetics). The PCR primers of SEQ ID NO: 528 and 529 were employed in PCR with DNA pools from the hybrid panel according to the manufacturer's directions. After 38 cycles of amplification, the reaction products were separated on a 1.2% agarose gel, and the results were analyzed through the Whitehead Institute/MIT Center for Genome Research web server (<http://www-genome.wi.mit.edu/cgi-bin/contig/rhmapper.pl>) to determine the
20 probable chromosomal location. Using this approach, P501S was mapped to the long arm of chromosome 1 at WI-9641 between q32 and q42. This region of chromosome 1 has been linked to prostate cancer susceptibility in hereditary prostate cancer (Smith *et al. Science* 274:1371-1374, 1996 and Berthon *et al. Am. J. Hum. Genet.* 62:1416-1424, 1998). These results suggest that P501S may play a role in prostate cancer malignancy.

25 From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the present invention is not limited except as by the appended claims.

30

CLAIMS

1. An isolated polypeptide comprising at least an immunogenic portion of a prostate-specific protein, or a variant thereof, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(a) sequences recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536;

(b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and

(c) complements of any of the sequence of (a) or (b).

2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID No: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotide sequences.

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 108, 112, 113, 114, 172, 176, 178, 327, 329, 331, 339, 383, 477-483, 496, 504, 505, 519, 520, 522, 525, 527, 532, 534 and 537-550.

4. An isolated polynucleotide encoding at least 15 contiguous amino acid residues of a prostate-specific protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the protein
5 comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413,
10 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a prostate-specific protein, or a
15 variant thereof, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396,
20 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing sequences.

6. An isolated polynucleotide comprising a sequence recited in any one
25 of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530,
30 531, 533, 535 and 536.

7. An isolated polynucleotide comprising a sequence that hybridizes under moderately stringent conditions to a sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536.
8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.
9. An expression vector comprising a polynucleotide according to any one of claims 4-8.
10. A host cell transformed or transfected with an expression vector according to claim 9.
11. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a prostate-specific protein, the protein comprising an amino acid sequence encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471, 472-476, 524, 526, 530, 531, 533, 535 and 536 or a complement of any of the foregoing polynucleotide sequences.

12. A monoclonal antibody that specifically binds to an amino acid sequence selected from the group consisting of SEQ ID NO: 496, 504, 505, 509-517, 519, 520, 522 and 539-551.
- 5 13. A monoclonal antibody comprising a complementarity determining region selected from the group consisting of SEQ ID NO: 502, 503 and 506-508.
- 10 14. A fusion protein comprising at least one polypeptide according to claim 1.
- 15 15. A fusion protein according to claim 14, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.
- 16 16. A fusion protein according to claim 14, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.
- 17 17. A fusion protein according to claim 14, wherein the fusion protein comprises an affinity tag.
- 18 18. An isolated polynucleotide encoding a fusion protein according to claim 14.
- 25 19.. A pharmaceutical composition comprising a physiologically acceptable carrier and at least one component selected from the group consisting of:
- (a) a polypeptide according to claim 1;
 - (b) a polynucleotide according to claim 4;
 - (c) an antibody according to any one of claims 11-13;
 - 30 (d) a fusion protein according to claim 14; and

(e) a polynucleotide according to claim 18.

20. A vaccine comprising an immunostimulant and at least one component selected from the group consisting of:

- 5 (a) a polypeptide according to claim 1;
(b) a polynucleotide according to claim 4;
(c) an antibody according to any one of claims 11-13;
(d) a fusion protein according to claim 14; and
(e) a polynucleotide according to claim 18.

10

21. A vaccine according to claim 20, wherein the immunostimulant is an adjuvant.

22. A vaccine according to claim 20, wherein the immunostimulant
15 induces a predominantly Type I response.

23. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 19.

20

24. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 20.

25. A pharmaceutical composition comprising an antigen-presenting cell
25 that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

26. A pharmaceutical composition according to claim 25, wherein the antigen presenting cell is a dendritic cell or a macrophage.

27. A vaccine comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with an immunostimulant.
- 5 28. A vaccine according to claim 27, wherein the immunostimulant is an adjuvant.
29. A vaccine according to claim 27, wherein the immunostimulant induces a predominantly Type I response.
- 10 30. A vaccine according to claim 27, wherein the antigen-presenting cell is a dendritic cell.
31. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide encoded by a polynucleotide recited in any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536, and thereby inhibiting the development of a cancer in the patient.
- 20 32. A method according to claim 31, wherein the antigen-presenting cell is a dendritic cell.
33. A method according to any one of claims 23, 24 and 31, wherein the cancer is prostate cancer.
- 25 34. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate-specific protein, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:
- 30

(i) polynucleotides recited in any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536; and

(ii) complements of the foregoing polynucleotides;

5 wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the prostate-specific protein from the sample.

35. A method according to claim 34, wherein the biological sample is
10 blood or a fraction thereof.

36. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 50.

15

37. A method for stimulating and/or expanding T cells specific for a prostate-specific protein, comprising contacting T cells with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- 20 (ii) a polypeptide encoded by a polynucleotide comprising a sequence provided in any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536;
- (iii) a polynucleotide encoding a polypeptide of (i) or (ii); and
- (iv) an antigen presenting cell that expresses a polypeptide of (i) or (ii),
25 under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

38. An isolated T cell population, comprising T cells prepared according to the method of claim 37.

30

39. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 38.

5 40. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- 10 (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536;
- (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or
- 15 (iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

20

41. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

- 25 (i) a polypeptide according to claim 1;
- (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536;
- 30 (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or

(iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate;

(b) cloning at least one proliferated cell to provide cloned T cells; and

5 (c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

42. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

10 (a) contacting a biological sample obtained from a patient with a binding agent that binds to a prostate-specific protein, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NO: 1-111,
15 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536; and

(ii) complements of the foregoing polynucleotides;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent; and

20 (c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

43. A method according to claim 42, wherein the binding agent is an antibody.

25

44. A method according to claim 43, wherein the antibody is a monoclonal antibody.

45. A method according to claim 42, wherein the cancer is prostate
30 cancer.

46. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

- 5 (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a prostate-specific protein, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotides;
- 10 (b) detecting in the sample an amount of polypeptide that binds to the binding agent;
- (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and
- (d) comparing the amount of polypeptide detected in step (c) to the
15 amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

47. A method according to claim 46, wherein the binding agent is an antibody.

20

48. A method according to claim 47, wherein the antibody is a monoclonal antibody.

49. A method according to claim 46, wherein the cancer is a prostate
25 cancer.

50. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

- (a) contacting a biological sample obtained from a patient with an
30 oligonucleotide that hybridizes to a polynucleotide that encodes a prostate-specific protein,

wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotides;

5 (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

10

51. A method according to claim 50, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

15

52. A method according to claim 50, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

53. A method for monitoring the progression of a cancer in a patient,
20 comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate-specific protein, wherein the protein comprises an amino acid sequence that is encoded by a polynucleotide sequence of any one of SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315,
25 326, 328, 330, 332-335, 340-375, 381, 382 and 384-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from
30 the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

5 54. A method according to claim 53, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

10 55. A method according to claim 53, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

 56. A diagnostic kit, comprising:
 (a) one or more antibodies according to claim 11; and
15 (b) a detection reagent comprising a reporter group.

 57. A kit according to claim 56, wherein the antibodies are immobilized on a solid support.

20 58. A kit according to claim 56, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.

 59. A kit according to claim 56, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups,
25 enzymes, biotin and dye particles.

 60. An oligonucleotide comprising 10 to 40 contiguous nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a prostate-specific protein, wherein the protein comprises an amino acid sequence that is
30 encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45,

47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-476, 524, 526, 530, 531, 533, 535 and 536, or a complement of any of the foregoing polynucleotides.

61. A oligonucleotide according to claim 60, wherein the oligonucleotide comprises 10-40 contiguous nucleotides recited in any one of SEQ ID NO: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-476, 524, 526, 530, 531, 533, 535 and 536.

15

62. A diagnostic kit, comprising:


- (a) an oligonucleotide according to claim 61; and
- (b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.



20

63. A host cell according to claim 10, wherein the cell is selected from the group consisting of: *E. coli*, baculovirus and mammalian cells.

64. A recombinant protein produced by a host cell according to claim 10.

25

*Fig. 1*

*Fig. 2A**Fig. 2B*









Fig. 3

*Fig. 4**Fig. 5*

*Fig. 6A**Fig. 6B*

Expression of P501S by the Baculovirus Expression System



0.6 million high 5 cells in 6-well plate were infected with an unrelated control virus BV/ECD_PD (lane 2), without virus (lane 3), or with recombinant baculovirus for P501 at different MOIs (lane 4 - 8). Cell lysates were run on SDS-PAGE under the reducing conditions and analyzed by Western blot with a monoclonal antibody against P501S (P501S-10E3-G4D3). Lane 1 is the biotinylated protein molecular weight marker (BioLabs).

Fig. 7

Schematic of P501S with predicted
transmembrane, cytoplasmic, and extracellular regions

MVQRLWVSRLLRHRK AQLLLVNLLTFGLEVCLAAGIT **YVPPLLLLEVGVEEKFM**
TMVLGIGPVLGLVCYPLLGSAS

DHWRGRYGRRRP FIWALSLGILLSLFLIPRAGWL **AGLLCPDPRPLE** LALLILGVGLLDFCGQVCFTPL

EALLSDLFRDPDHCRC AYSVYAFMISLGGCLGYLLPAI **DWDTSALAPYLGTEQEE**

CLFGLLTLIFLTCVAATLLV *AEAAALGPTEPAEGL* **SAPSLSPHCCPCRARLAFRNLGALLPRL**

HQLCCRMPTLRR LFVAELCSWMALMTFTLFYTDF **VGEGLYQGVPRAPGTEARRHYDEGVR**

MGSLGLFLQCAISLVFSLVM *DRLVQRFGTRAVYLAS* VAAFPVAAGATCLSHSVAVVTA **SAA**

LTGFTFSALQILPYTLASLY *HREKQVFLPKYRGDTGGASSED* **SLMTSFLPGPKPGAPFPNGHVGAGGSGL**


LPPPPALCGASACDVSVRVVVGEPTEARVVVPRG ICLDLAILDSAFLLSQVAPSLF **MGSIVQLSQS**


VTAYMVSAAGLGLVAIFYAT *QVVFDKSDLAKYSA*

Underlined sequence: Predicted transmembrane domain; **Bold sequence**:
Predicted extracellular domain; *Italic sequence*: Predicted intracellular
domain. Sequence in bold/underlined: used generate polyclonal rabbit
serum

Localization of domains predicted using HMMTOP (G.E. Tusnady and I. Simon
(1998) Principles Governing Amino Acid Composition of Integral Membrane
Proteins: Applications to topology Prediction. J. Mol Biol. 283, 489-506.

Fig. 9

*Fig. 10*

*Fig. 11*

SEQUENCE LISTING

<110> Corixa Corporation
 Xu, Jiangchun
 Dillon, Davin C.
 Mitcham, Jennifer L.
 Harlocker, Susan Louise
 Jiang Yuqui
 Reed, Steven G.
 Kalos, Michael
 Fanger, Gary
 Retter, Mark
 Solk, John
 Day, Craig
 Skeiky, Yasir A.W.
 Wang, Aijun

<120> COMPOSITIONS AND METHODS FOR THE THERAPY AND
 DIAGNOSIS OF PROSTATE CANCER

<130> 210121.42720PC

<140> PCT

<141> 2000-11-09

<160> 551

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(814)

<223> n = A,T,C or G

<400> 1

tttttttttt	tttttcacag	tataacagct	ctttatttct	gtgagttcta	ctaggaaatc	60
atcaaactctg	aggggtgtct	ggaggacttc	aatacacctc	cccccatagt	gaatcagctt	120
ccaggggggtc	cagtcctct	ccttacttca	tccccatccc	atgccaaagg	aagaccctcc	180
ctccttggtc	cacagccttc	tctaggcttc	ccagtgcttc	caggacagag	tgggttatgt	240
tttcagctcc	atccttgctg	tgagtgtctg	gtgcgttggtg	cctccagctt	ctgctcagtg	300
cttcattggac	agtgtccagc	acatgtcact	ctccactctc	tcagtgtgga	tccactagtt	360
ctagagcggc	cgccaccgcg	gtggagctcc	agcttttggt	ccctttagtg	agggttaatt	420
gcgcgcttg	cgtaatcatg	gtcataactg	tttcctgtgt	gaaattgtta	tccgctcaca	480
attccacaca	acatacgagc	cggaagcata	aagtgtaaag	cctgggggtgc	ctaattgagtg	540
anctaactca	cattaattgc	gttgcgctca	ctgnccgctt	tccagtcngg	aaaactgtcg	600
tgccagctgc	attaatgaat	cggccaacgc	ncggggaaaa	gcggtttgcg	ttttgggggc	660
tcttcgctt	ctcgctcact	nantcctgcg	ctcggtcntt	cggctgcggg	gaacggtatc	720
actcctcaaa	ggnggtatta	cggttatccn	naaatcnggg	gatacccnng	aaaaaanttt	780
aacaaaagg	cancaaagg	cngaaacgta	aaaa			814

<210> 2

<211> 816

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(816)

<223> n = A,T,C or G

<400> 2

```
acagaaatgt tggatggtgg agcacctttc tatacgactt acaggacagc agatggggaa      60
ttcatggctg ttggagcaat agaaccccag ttctacgagc tgctgatcaa aggacttggg      120
ctaaagtctg atgaacttcc caatcagatg agcatggatg attggccaga aatgaagaag      180
aagtttgcag atgtatttgc aaagaagacg aaggcagagt ggtgtcaaat ctttgacggc      240
acagatgcct gtgtgactcc ggttctgact tttagaggag ttgttcatca tgatcacaac      300
aaggaaacggg gctcgtttat caccagttag gagcaggagc tgagcccccg ccctgcacct      360
ctgctgttaa acaccccagc catcccttct ttcaaaaggg atccactagt tctagaagcg      420
gccgccaccg cgttgaggct ccagcttttg ttccctttag tgagggttaa ttgcgcgctt      480
ggcgtaatca tggatcatagc tgtttcctgt gtgaaattgt tatccgctca caattcccc      540
aacatacgag ccggaacata aagtgttaag cctgggggtgc ctaatgantg agctaactcn      600
cattaattgc gtgcgctca ctgcccgtt tccagtcggg aaaactgtcg tgccactgcn      660
ttantgaatc ngccaccccc cgggaaaagg cgtttgcntt ttgggcctct tccgctttcc      720
tcgctcattg atcctngcnc ccggtcttcg gctgcggnga acggttcaact cctcaaaggc      780
ggtntnccgg ttatccccaac acnggggata cccnga                                816
```

<210> 3

<211> 773

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(773)

<223> n = A,T,C or G

<400> 3

```
cttttgaaag aagggatggc tgggggtgtt aacagcagag gtgcagggcg ggggctcacg      60
tcttgctcct cactggtgat aaacgagccc cgttccttgt tgtgatcatg atgaacaacc      120
tctcaaaag tcagaaccgg agtcacacag gcatctgtgc cgtcaaagat ttgacaccac      180
tctgccttcg tcttctttgc aaatacatct gcaaacttct tcttcatttc tggccaatca      240
tccatgctca tctgattggg aagttcatca gactttagtc canntccttt gatcagcagc      300
tcgtagaact ggggttctat tgctccaaca gccatgaatt ccccatctgc tgtcctgtaa      360
gtcgtataga aagggtgctc accatccaac atgttctgtc ctgcaggggg ggccccgtac      420
ccaattcgcc ctatantgag tcgtattacg cgcgctcact ggccgtcgtt ttacaacgtc      480
gtgactggga aaaccctggg cgttaccaac ttaatcgct tgcagacat ccccttttcg      540
ccagctgggc gtaatancca aaaggcccgc accgatcgcc cttccaacag ttgcgcacct      600
gaatgggnaa atgggacccc cctgttaccc cgcattnaac ccccgcnagg tttngttggt      660
acccccacnt nnaccgctta cactttgcca gcgccttanc gcccgctccc tttncctttt      720
cttcccttcc tttcnncncc ctttcccccg gggtttcccc cntcaaacc cna                                773
```

<210> 4

<211> 828

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(828)

<223> n = A,T,C or G

<400> 4

cctcctgagt	cctactgacc	tgtgctttct	ggtgtggagt	ccagggctgc	taggaaaagg	60
aatgggcaga	cacaggtgta	tgccaatgtt	tctgaaatgg	gtataatctc	gtcctctcct	120
tcggaacact	ggctgtctct	gaagacttct	cgctcagttt	cagtgaggac	acacacaaaag	180
acgtgggtga	ccatgttggt	tgtgggggtgc	agagatggga	gggggtggggc	ccaccctgga	240
agagtggaca	gtgacacaag	gtggacactc	tctacagatc	actgaggata	agctggagcc	300
acaatgcatg	aggcacacac	acagcaagga	tgacnctgta	aacatagccc	acgtgtgcct	360
gngggcactg	ggaagcctan	atnaggccgt	gagcanaaag	aaggggagga	tccactagtt	420
ctanagcggc	cgccaccgcy	gtgganctcc	ancttttggt	cccttttagtg	agggttaatt	480
gcgcgcttgg	cntaatcatg	gtcatanctn	tttcctgtgt	gaaattgtta	tccgctcaca	540
attccacaca	acatacganc	cggaaacata	aantgtaaac	ctgggggtgcc	taatgantga	600
ctaactcaca	ttaattgcgt	tgcgctcact	gcccgttttc	caatcnggaa	acctgtcttg	660
ccncttgcat	tnatgaatcn	gccaaccccc	ggggaaaagc	gtttgcgttt	tgggcgctct	720
tccgcttctc	cnctcantta	ntccctncnc	tcgggtcatc	cggtcgngc	aaaccgggtc	780
accnctcca	aaggggggtat	tccggtttcc	ccnaatccgg	gganancc		828

<210> 5

<211> 834

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(834)

<223> n = A,T,C or G

<400> 5

tttttttttt	tttttactga	tagatggaat	ttattaagct	tttcacatgt	gatagcacat	60
agttttaatt	gcatccaaag	tactaacaaa	aactctagca	atcaagaatg	gcagcatgtt	120
attttataac	aatcaacacc	tgtggctttt	aaaatttggt	tttcataaga	taattttatac	180
tgaagtaaat	ctagccatgc	ttttaaaaaa	tgcttttaggt	cactccaagc	ttggcagtta	240
acatttggca	taaaacaata	taaaaaatac	acaatttaat	aaataacaaa	tacaacattg	300
taggccataa	tcatatacag	tataaggaaa	aggtggtagt	gttgagtaag	cagttattag	360
aatagaatac	cttggcctct	atgcaaatac	gtctagacac	tttgattcac	tcagccctga	420
cattcagttt	tcaaagtagg	agacagggtc	tacagtatca	ttttacagtt	tccaacacat	480
tgaaaacaag	tagaaaatga	tgagttgatt	tttattaatg	cattacatcc	tcaagagtta	540
tcaccaaccc	ctcagttata	aaaaattttc	aagttatatt	agtcataata	cttgggtgtgc	600
ttattttaaa	ttagtgtctaa	atggattaag	tgaagacaac	aatgggtcccc	taatgtgatt	660
gatattggtc	atttttacc	gcttctaaat	ctnaactttc	aggcttttga	actggaacat	720
tgnatnacag	tgttccanag	ttncaaccta	ctggaacatt	acagtgtgct	tgattcaaaa	780
tgttattttg	ttaaaaatta	aatttttaacc	tggtggaaaa	ataatttgaa	atna	834

<210> 6

<211> 818

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(818)

<223> n = A,T,C or G

<400> 6

tttttttttt	tttttttttt	aagaccctca	tcaatagatg	gagacatata	gaaatagtca	60
aaccacatct	acaaaatgcc	agtatcaggc	ggcggettgc	aagccaaagt	gatgttttga	120
tgtaaagtga	aatattagtt	ggcggtatga	gcagatagtg	aggaaagtgt	agccaataat	180
gacgtgaagt	ccgtggaagc	ctgtggctac	aaaaaatgtt	gagccgtaga	tgccgtcgga	240
aatggtgaag	ggagactcga	agtactctga	ggctttagtg	agggtaaaat	agagaccag	300

taaaattgta	ataagcagtg	cttgaattat	ttggtttcgg	ttgttttcta	ttagactatg	360
gtgagctcag	gtgattgata	ctcctgatgc	gagtaatacg	gatgtgttta	ggagtgggac	420
ttctagggga	tttagcgggg	tgatgcctgt	tgggggccag	tgccctccta	gttggggggg	480
aggggctagg	ctggagtggt	aaaaggctca	gaaaaatcct	gcgaagaaaa	aaacttctga	540
ggtaataaat	aggattatcc	cgtatcgaag	gccttttttg	acagggtggtg	tgtggtggcc	600
ttggtatgtg	ctttctcggt	ttacatcgcg	ccatcattgg	tatatgggta	gtgtgttggg	660
ttantangg	ctantatgaa	gaacttttgg	antgggaatta	aatcaatngc	ttggccggaa	720
gtcattanga	nggctnaaaa	ggccctgtta	ngggtctggg	ctnggtttta	cccnacccat	780
ggaatncnc	ccccggacna	ntgnatccct	attcttaa			818

<210> 7

<211> 817

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(817)

<223> n = A,T,C or G

<400> 7

tttttttttt	tttttttttt	tggtctctaga	gggggtagag	ggggtgctat	agggtaaata	60
cgggccctat	ttcaaagatt	tttaggggaa	ttaattctag	gacgatgggt	atgaaactgt	120
ggtttgcctc	acagatttca	gagcattgac	cgtagtatac	ccccggctcg	gtagcgggtga	180
aagtggtttg	gttttagacgt	ccgggaattg	catctgtttt	taagcctaata	gtggggacag	240
ctcatgagtg	caagacgtct	tgtgatgtaa	ttattatacn	aatgggggct	tcaatcggga	300
gtactactcg	attgtcaacg	tcaaggagtc	gcaggtcgcc	tggttctagg	aataatgggg	360
gaagtatgta	ggaattgaag	attaatccgc	cgtagtcggt	gttctcctag	gttcaatacc	420
attggtggcc	aattgatttg	atggtaaggg	gagggatcgt	tgaactcgtc	tgttatgtaa	480
aggatncctt	ngggatggga	aggcnatnaa	ggactangga	tnaatggcgg	gcangatatt	540
tcaaacngtc	tctanttcct	gaaacgtctg	aaatgttaat	anaaattaan	tttngttatt	600
gaatnttnng	gaaaagggtc	tacaggacta	gaaaccaaata	angaaaanta	atnntaangg	660
cnttatcntn	aaaggtnata	accnctccta	tnatcccacc	caatngnatt	ccccacncnn	720
acnattggat	nceccanttc	canaaaanggc	cnccecccg	tgnannccnc	cttttgttcc	780
cttnantgan	ggttattcnc	ccctngcntt	atcance			817

<210> 8

<211> 799

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(799)

<223> n = A,T,C or G

<400> 8

catttccggg	tttactttct	aaggaaagcc	gagcggaagc	tgctaacgtg	ggaatcgggtg	60
cataaggaga	actttctgct	ggcacgcgct	agggacaagc	gggagagcga	ctccgagcgt	120
ctgaagcgca	cgtcccagaa	ggtggacttg	gcactgaaac	agctgggaca	catccgcgag	180
tacgaacagc	gcctgaaagt	gctggagcgg	gaggtccagc	agtgtagccg	cgtccctggg	240
tgggtggccg	angcctganc	cgctctgcct	tgtgcccccc	angtgggccg	ccacccctcg	300
acctgcctgg	gtccaaacac	tgagccctgc	tggcggactt	caagganaac	ccccacangg	360
ggattttget	cctanantaa	ggctcatctg	ggcctcggcc	ccccacactg	gttggccttg	420
tctttgangt	gagccccatg	tccatctggg	ccactgtcng	gaccaccttt	ngggagtgtt	480
ctccttacia	ccacannatg	cccggctcct	cccggaaacc	antcccance	tgngaaggat	540
caagnccctg	atccactnnt	nctanaaccg	gcncncnccg	cngtggaaacc	cnccttntgt	600
tccttttctt	tnagggttaa	tnnccgcttg	gccttnccan	ngtcctncnc	nttttccnnt	660

gttnaaattg ttangcncce nccnntcccn ennnnnnnan cccgaccenn annttnnnann 720
 nccctgggggt nccnnngat tgaccenncc nccctntant tgcnttnggg nncnntgccc 780
 ctttccctct nggganncg 799

<210> 9
 <211> 801
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(801)
 <223> n = A,T,C or G

<400> 9
 acgccttgat cctcccagge tgggaactggt tctgggagga gccgggcatg ctgtgggttg 60
 taangatgac actcccaaag gtggtcctga cagtggccca gatggacatg gggctcacct 120
 caaggacaag gccaccaggt gcgggggccc aagcccatat gatccttact ctatgagcaa 180
 aatcccctgt gggggcttct ccttgaagtc cgccancagg gctcagtctt tggacccang 240
 caggtcatgg ggttgtngnc caactggggg ccncaacgca aaanggcncg gggcctcngn 300
 caccatccc angacgcggc tacactnctg gacctccnc tccaccactt tcatgcgctg 360
 ttentacccg cgnatntgtc ccantgttt cngtgccnac tccancttct nggacgtgcg 420
 ctacatacgc ccggantcnc nctcccgctt tgtccctatc cacgtncan caacaaattt 480
 cncntantg caccnattcc cacntttnc agntttcnc nncgngcttc cttntaaaag 540
 ggttgancce cggaatatc cccaaagggg gggggccngg tacccaactn cccctnata 600
 gctgaantcc ccatnaccnn gnctcnatgg anccntccnt ttaannacn ttctnaactt 660
 gggaanance ctgcncntn ccccnttaa tcccncttg cnangnnent ccccnntec 720
 nccnnntng gcntntnann cnaaaaaggc cnnnnancaa tctcctnnen cctcanttcg 780
 ccancectcg aaatcggccn c 801

<210> 10
 <211> 789
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(789)
 <223> n = A,T,C or G

<400> 10
 cagtctatnt ggccagtgtg gcagctttcc ctgtggctgc cgggtgccaca tgectgtccc 60
 acagtgtggc cgtggtgaca gcttcagccg ccctcaccgg gttcaccttc tcagccctgc 120
 agatcctgcc ctacacactg gcctccctct accaccggga gaagcaggtg ttcctgccca 180
 aataccgagg ggacactgga ggtgctagca gtgaggacag cctgatgacc agcttctgc 240
 caggeccctaa gcctggagct ccctcccta atggacacgt ggggtgctga ggcagtggcc 300
 tgetccacc tccaccgcg ctctgcgggg cctctgcctg tgatgtctcc gtacgtgtgg 360
 tgggtgggtga gccaccgan gccagggtgg ttccgggccc gggcatctgc ctggacctcg 420
 ccctcctgga tagtgettcc tgetgtccca ngtggcccca tccctgttta tgggtccat 480
 tgtccagctc agccagtctg tcaactgcta tatggtgtct gccgcaggcc tgggtctggt 540
 cccatttact ttgtctacac ggtantattt gacaagaacg anttggccaa atactcagcg 600
 ttaaaaaatt ccagcaacat tgggggtgga aggcctgcct cactgggtcc aactccccgc 660
 tctgttaac ccatggggc tgcgggcttg gccgccaatt tctgttctgc ccaaantnat 720
 gtggctctct gctgccacct gttgctggct gaagtgcnta cngcncanct nggggggtng 780
 gnggttccc 789

<210> 11
 <211> 772

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(772)

<223> n = A,T,C or G

<400> 11

```

ccccacctac ccaaataatta gacaccaaca cagaaaagct agcaatggat tcccttctac      60
tttgtaaataa aaataagtta aatattttaa tgcctgtgtc tctgtgatgg caacagaagg      120
accaacaggc cacatcctga taaaaggtaa gaggggggtg gatcagcaa aagacagtgc      180
tgtgggctga ggggacctgg ttcttgtgtg ttgcccctca ggactcttcc cctacaaata      240
actttcatat gttcaaatacc catggaggag tgtttcatcc tagaaactcc catgcaagag      300
ctacattaaa cgaagctgca ggtaagggg cttanagatg ggaaaccagg tgactgagtt      360
tattcagctc ccaaaaaccc ttctctaggt gtgtctcaac taggaggcta gctgttaacc      420
ctgagcctgg gtaatccacc tgcagagtcc ccgcattcca gtgcatggaa cccttctggc      480
ctccctgtat aagtccagac tgaaaccccc ttggaaggnc tccagtcagg cagccctana      540
aactggggaa aaaagaaaag gacgccccan cccccagctg tgcanctacg cacctcaaca      600
gcacagggtg gcagcaaaaa aaccacttta ctttggcaca acaaaaaact ngggggggca      660
acccggcac cccnangggg gttaacagga ancngggnaa cntggaaccc aattnaggca      720
ggccnccac ccnaatntt gctgggaaat ttttctctcc ctaaattntt tc      772

```

<210> 12

<211> 751

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(751)

<223> n = A,T,C or G

<400> 12

```

gccccaatc cagctgccac accacccacg gtgactgcat tagttcggat gtcatacaaa      60
agctgattga agcaaccctc tacttttttg tctgtagcct tttgcttggg gcaggtttca      120
ttggctgtgt tgggtgacgtt gtcattgcaa cagaatgggg gaaaggcact gttctctttg      180
aagtanggtg agtcctcaaa atccgtatag ttgggtgaag cacagcactt gagccctttc      240
atgggtgtgt tccacacttg agtgaagtct tccctgggaac cataatcttt cttgatggca      300
ggcactacca gcaacgtcag ggaagtgtc agccattgtg gtgtacacca aggcgaccac      360
agcagctgcn acctcagcaa tgaagatgan gaggangatg aagaagaacg tcncgagggc      420
acacttgtc tcagtcttan caccatanca gccntgaaa accaananca aagaccacna      480
cnccggctgc gatgaagaaa tnacccncg ttgacaaact tgcatggcac tggganccac      540
agtggccna aaaatcttca aaaaggatgc cccatcnatt gaccccccaa atgcccactg      600
ccaacagggg ctgcccacn cncnnaacga tganccnatt gnacaagatc tncntggtct      660
tnatnaacnt gaacctgcn tngtggctcc tgttcaggnc cnnggcctga cttctnaann      720
aangaactcn gaagncccca cngganannc g      751

```

<210> 13

<211> 729

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(729)

<223> n = A,T,C or G

<400> 13

gagccaggcg	tcctctgcc	tgccactca	gtggcaacac	ccgggagctg	ttttgtcctt	60
tgtggancct	cagcagtncc	ctctttcaga	actcantgcc	aagancctg	aacaggagcc	120
accatgcagt	gcttcagctt	cattaagacc	atgatgatcc	tcttcaattt	gtcatcttt	180
ctgtgtggtg	cagccctgtt	ggcagtgggc	atctgggtgt	caatcgatgg	ggcatccttt	240
ctgaagatct	tcgggccact	gtcgtccagt	gccatgcagt	ttgtcaacgt	gggctacttc	300
ctcatcgtag	ccggcggtgt	ggctcttagct	ctaggtttcc	tgggctgcta	tgggtgctaag	360
actgagagca	agtgtgccct	cgtgacgttc	ttcttcatcc	tctctctcat	cttcattgct	420
gaggttgcaa	tgctgtggtc	gccttgggtg	acaccacaat	ggctgagcac	ttcctgacgt	480
tgctggtaat	gcctgccatc	aanaaaagat	tatgggttcc	caggaanact	tactcaagt	540
gttggaacac	caccatgaaa	gggctcaagt	gctgtggctt	cnnccaacta	tacggatttt	600
gaagantcac	ctacttcaaa	gaaaaanagt	cctttccccc	atttctgttg	caattgacaa	660
acgtccccaa	cacagccaat	tgaaaacctg	cacccaaccc	aaanggtcc	ccaaccanaa	720
attnaaggg						729

<210> 14

<211> 816

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (816)

<223> n = A,T,C or G

<400> 14

tgctcttctt	caaagttggt	cttgttgcca	taacaaccac	cataggtaaa	gcggggcgag	60
tgttcgctga	aggggttgta	gtaccagcgc	gggatgctct	ccttgacagag	tctgtgtct	120
ggcaggtcca	cgcagtgcc	tttgtcactg	gggaaatgga	tgcgctggag	ctcgtaaaag	180
ccactcgtgt	atttttcaca	ggcagcctcg	tccgacgcgt	cggggcagtt	gggggtgtct	240
tcacactcca	ggaaactgtc	natgcagcag	ccattgctgc	agcggaactg	ggtgggctga	300
cangtgccag	agcacactgg	atggcgctt	tccatgnnan	gggcccgtng	ggaaagtccc	360
tganccecan	anctgcctct	caaangcccc	accttgacac	ccccgacagg	ctagaatgga	420
atcttcttcc	cgaaggttag	ttnttctgt	tgcccaancc	ancccntaa	acaaactctt	480
gcanatctgc	tccngggggg	tentantacc	ancgtgggaa	aagaacccca	ggcngcgaac	540
caancttggt	tggaatcgaa	gcataatct	nctnttctgc	ttggtggaca	gcaccantna	600
ctgtnnanct	ttagnccntg	gtcctcntgg	gttgnncttg	aacctaatcn	ccnntcaact	660
gggacaaggt	aantngccnt	cctttnaatt	cccnancntn	ccccctggtt	tgggggtttt	720
cncnctccta	ccccagaaan	nccgtgttcc	cccccaacta	ggggccnaaa	ccnnttnttc	780
cacaaccctn	ccccacccac	gggttcngnt	ggttng			816

<210> 15

<211> 783

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (783)

<223> n = A,T,C or G

<400> 15

ccaaggcctg	ggcaggcata	nacttgaagg	tacaacccca	ggaacccctg	gtgctgaagg	60
atgtggaaaa	cacagattgg	cgcctactgc	ggggtgacac	ggatgtcagg	gtagagagga	120
aagacccaaa	ccaggtggaa	ctgtggggac	tcaaggaang	cacctacctg	ttccagctga	180
cagtgactag	ctcagaccac	ccagaggaca	cggccaacgt	cacagtcact	gtgctgtcca	240
ccaagcagac	agaagactac	tgctcgcac	ccaacaangt	gggtcgtgc	cggggctctt	300
tcccacgctg	gtactatgac	cccacggagc	agatctgcaa	gagtttcgtt	tatggaggct	360

gcttgggcaa caagaacaac taccttcggg aagaagagt cattctance tgtenggggtg 420
tgcaaggtgg gcctttgana ngcanctctg gggctcangc gactttcccc cagggcccct 480
ccatggaaag gcgccatcca ntgttctctg gcacctgtca gcccaccag ttcgctgca 540
ncaatggctg ctgcatcnac antttcctng aattgtgaca acacccccca ntgccccaa 600
ccctcccaac aaagcttccc tgttnaaaaa tacnccantt ggcttttnac aaacnccgg 660
cncctccntt ttcccnntn aacaaagggc nctngcnttt gaactgcccn aaccnaggaa 720
tctnccnngg aaaaantncc cccctgggtt cctnnaance cctccncnaa anctncccc 780
ccc 783

<210> 16

<211> 801

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(801)

<223> n = A,T,C or G

<400> 16

gccccaatc cagctgccac accaccacag gtgactgcat tagttcggat gtcatacaaa 60
agctgattga agcaaccctc tacttttttg tegtgagcct tttgcttgg gcaggtttca 120
ttggctgtgt tggtgacgtt gtcattgcaa cagaatgggg gaaaggcact gttctctttg 180
aagtagggtg agtccctcaa atccgtatag ttgggtgaag cacagcactt gagcccttct 240
atggtgggtg tccacacttg agtgaagtct tccctgggaac cataatcttt cttgatggca 300
ggcactacca gcaacgtcag gaagtgtca gccattgtgg tgtacacca ggcgaccaca 360
gcagctgcaa cctcagcaat gaagatgagg aggaggatga agaagaacgt cncgagggca 420
cacttgctct ccgtcttagc accatagcag cccangaaac caagagcaaa gaccacaacg 480
cngctgcga atgaaagaaa ntaccacagt tgacaaactg catggccact ggacgacagt 540
tggcccgaa atcttcagaa aagggatgcc ccatcgattg aacacccana tgccactgc 600
cnacagggct gcnccnncn gaaagaatga gccattgaag aaggatontc ntggtcttaa 660
tgaactgaaa ccttgcattg tggccctgt tcagggtctt tggcagtgaa ttctganaaa 720
aaggaacngc ntnagcccc ccaaangana aaacaccccc ggggtgttgc ctgaattggc 780
ggccaaggan cctgccccn g 801

<210> 17

<211> 740

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(740)

<223> n = A,T,C or G

<400> 17

gtgagagcca ggcgtccctc tgctgcccac ctcagtggca acaccggga gctgttttgt 60
cctttgtgga gcctcagcag tccctctttt cagaactcac tgccaagagc cctgaacagg 120
agccaccatg cagtgttca gcttcattaa gaccatgat atcctcttca atttgcctat 180
ctttctgtgt ggtgcagccc tgttggcagt gggcatctgg gtgtcaatcg atggggcatc 240
ctttctgaag atctcgggc cactgtcgtc cagtgccatg cagtttgtca acgtgggcta 300
cttctcatc gcagccggcg ttgtggtctt tgctcttggg ttccctgggt gctatggtgc 360
taagacggag agcaagtgtg ccctcgtgac gttctcttcc atcctcttcc tcatcttcat 420
tgctgaagt gacgtgctg tggctgcctt ggtgtacacc acaatggctg aaccattcct 480
gacgttgctg gtantgctg ccatcaanaa agattatggg ttcccaggaa aaattcactc 540
aantntggaa caccnccatg aaaagggctc caatttctgn tggcttcccc aactataccg 600
gaattttgaa agantcnccc tacttccaaa aaaaaanant tgccttttnc ccenttctgt 660
tgcaatgaaa acntcccaan acngccaatn aaaacctgcc cnnncaaaaa ggntcncaaa 720

caaaaaaant nnaagggttn

740

<210> 18

<211> 802

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(802)

<223> n = A,T,C or G

<400> 18

ccgctgggttg	cgctgggtcca	gngnagccac	gaagcacgtc	agcatacaca	gcctcaatca	60
caaggtcttc	cagctgccgc	acattacgca	gggcaagagc	ctccagcaac	actgcatatg	120
ggatacactt	tacttttagca	gccaggggtga	caactgagag	gtgtcgaagc	ttattcttct	180
gagcctctgt	tagtggagga	agattccggg	cttcagctaa	gtagtacagg	tatgtcccat	240
aagcaaacac	tgtgagcagc	cgggaaggtag	aggcaaagtc	actctcagcc	agctctctaa	300
cattgggcat	gtccagcagt	tctccaaaca	cgtagacacc	agnggcctcc	agcacctgat	360
ggatgagtgt	ggccagcgct	gcccccttgg	ccgacttggc	taggagcaga	aattgtctct	420
ggttctgccc	tgtcaccttc	acttccgcac	tcatcactgc	actgagtgtg	ggggacttgg	480
gctcaggatg	tccagagacg	tggttccgcc	ccctcncctta	atgacaccgn	ccanncaacc	540
gtcggetccc	gccgantgng	tctgtcgtnc	ctgggtcagg	gtctgtctggc	cnctacttgc	600
aancttcgtc	nggcccatgg	aattcacenc	accggaactn	gtangatcca	ctnnttctat	660
aaccgngcgc	caccgcnnnt	ggaactccac	tcttnttnc	tttacttgag	ggttaaggct	720
acccttnncc	ttaccttggg	ccaaaccntn	ccttgtgtcg	anatngtnaa	tcnggnccna	780
tnccancnc	atangaagcc	ng				802

<210> 19

<211> 731

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(731)

<223> n = A,T,C or G

<400> 19

cnaagcttcc	aggtnacggg	ccgcnaance	tgaccenagg	tancanaang	cagnncgagg	60
gagcccaccg	tcacngggng	gngtctttat	nggagggggc	ggagccacat	cnctggaent	120
cntgacccca	actcccncc	ncncantgca	gtgatgagtg	cagaactgaa	ggtnacgtgg	180
caggaaccaa	gancaaannc	tgtccnntc	caagtcggcn	nagggggcgg	ggctggccac	240
gencatcent	cnagtgtctgn	aaagcccn	cctgtctact	tgtttgagga	acngcnnga	300
catgcccagn	gttanataac	nggcngagag	tnantttgcc	tctcccttcc	ggctgcgcgn	360
cngtntgtct	tagnggacat	aacctgacta	cttaactgaa	cccnngaate	tnccnccct	420
ccactaagct	cagaacaaaa	aacttcgaca	ccactcantt	gtcacctgnc	tgtcaagta	480
aagtgtaccc	catncccaat	gtntgctnga	ngctctgncc	tgcnttangt	tcggctctgg	540
gaagacctat	caattnaagc	tatgtttctg	actgcctctt	gtccctgna	acaanccacc	600
cnnnntcca	agggggggnc	ggcccccaat	ccccccaacc	ntnaattnan	tttancccn	660
ccccnggcc	cggcctttta	cnancntcnn	nnacngggna	aaaccnnngc	tttncccaac	720
naatccncc	t					731

<210> 20

<211> 754

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(754)
 <223> n = A,T,C or G

<400> 20
 .tttttttttt tttttttttt taaaaacccc ctccattnaa tgnaaacttc cgaaattgtc 60
 caaccccctc ntccaaatnn ccttttcgg gnggggggttc caaacccaan ttanntttgg 120
 annttaaatt aaatnttntt tggnggnnna ancnaatgt nangaaagtt naaccanta 180
 tnancttnaa tncctggaaa ccngtngntt ccaaaaatnt ttaaccctta antccctcgg 240
 aaatngttna nggaaaaccc aantttctnt aaggttgttt gaaggntnaa tnaaaanccc 300
 nnccaattgt ttttngccac gectgaatta attggnnttc gntgttttcc nttaaaanaa 360
 ggnnancccc ggttantnaa tcccccnnc cccaattata ccganttttt ttngaattgg 420
 gancccnccg gaattaacgg ggnnnntccc tnttgggggg cnggnneccc cccntcggg 480
 ggttngggnc aggnccnaat tgtttaaggg tccgaaaaat cctccnaga aaaaaanctc 540
 ccaggntgag nntnggggtt ncccccccc cangggccct ctcgnanagt tggggtttgg 600
 ggggcctggg attttntttc cctntttnc tcccccccc cngggganag aggttngngt 660
 tttgntcnn ggccccnccn aaganccttn ccganttnan taaatccnt gcctnggcga 720
 agtccnttgn agggntaaan ggccccctnn cggg 754

<210> 21
 <211> 755
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(755)
 <223> n = A,T,C or G

<400> 21
 atcancccat gacccnaac nngggaccnc tcanceggnc nnncnaccnc cggecnatca 60
 nngtnagnnc actncnnttn natcacnccc cncnactac gccncnanc cnacgcncta 120
 nncanatncc actganngcg cgangtngan ngagaaanct nataccanag ncaccanacn 180
 ccagctgtcc nanaangcct nnnatacngg nnnatccaat ntgnancctc cnaagtattn 240
 nncnncanat gattttcctn anccgattac cntncccc tancecctcc cccccaacna 300
 cgaaggcnct ggncnaagg nngcgnccc ccgctagntc cccncaagt cncncncta 360
 aactcancn nattaacngc ttctngagta tcaactcccc aatctcacc tactcaactc 420
 aaaaanaten gatacaaaat aatncaagcc tgnttatnac actntgactg ggtctctatt 480
 ttagnngtcc ntnaancntc ctaatacttc cagctnccct tcnccaattt ccnaanggct 540
 ctttengaca gcatnttttg gttcccnntt gggttcttan ngaattgcc ttctngaac 600
 gggctcntct tttccttcgg ttancctggg tcnncgggc cagttattat tcccntttt 660
 aaattcntnc cntttanttt tggcnttna aacccccggc cttgaaaacg gccccctggg 720
 aaaagggtgt tttganaaaa tttttgtttt gtcc 755

<210> 22
 <211> 849
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(849)
 <223> n = A,T,C or G

<400> 22
 tttttttttt tttttangtg tngtcgtgca ggtagaggct tactacaant gtgaanacgt 60
 acgctnggan taangcgacc cgantttctag gannccctt aaaatcanac tgtgaagatn 120

```

atcctgnnaa cggaanggtc accggnngat nntgctaggg tgneenctcc kannncttn 180
cataacteng nggcctgcc caccaccttc ggcgcceng ngncggggcc cgggtcattn 240
gnnttaaccn cactnngcna ncggtttccn nccccnng acccnggcga tccggggtn 300
tctgtcttcc cctgnagnen anaaantggg cencgggnccc ctttaccct nnacaagcca 360
cngcctcta nccnngccc cccctccant nngggggact gccnannget cgttntctng 420
nnaccccnng gggtnccctg gttgtcgant cnaccgnang ccanggattc cnaaggaagg 480
tgcgttnttg gcccttacc ttcgctnccg nncacccttc ccgacnanga nccgctccc 540
cncnncgng cctcncctcg caacacccgc nctctcngt nccggnnccc cccacccgc 600
nccctcncn ngncgnanen ctcnccncc gtctcannca ccaccccgcc ccgccaggcc 660
ntcanccacn ggnngacnng nagnccnntc gcncgcgcg gcgnccctt cgcncngaa 720
ctnctcngg ccantnccg tcaancnna cnaaacgcg ctgcgcggcc cgnagcgncc 780
ncctcncga gtcctcccg cttccnacc angnttccn cgaggacacn nnacccgcg 840
nncangcgg 849

```

```

<210> 23
<211> 872
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(872)
<223> n = A,T,C or G

```

```

<400> 23
gogcaaaacta tacttcgctc gnactcgtgc gcctcgtcnc tcttttcttc cgcaaccatg 60
tctgacnanc ccgattnggc ngatatenan aagntcganc agtccaaact gantaacaca 120
cacacnncan aganaaatcc nctgccttcc anagtanacn attgaacnng agaaccangc 180
nggcgaatcg taatnaggcg tgcgcgcgca atntgtcncc gtttattntn ccagctcnc 240
ctnccnacc tacntctcn nagctgtcnn accctngtn cgnaccccc naggtcggga 300
tcgggtttnn nntgaccgng cnccectcc cccctccat nacgancnc ccgcaccacc 360
nanngcncgc ncccggnct cttgcncnc ctgtcctntn cccctgtngc ctggcncngn 420
accgcattga cctcgcncn ctncnngaaa ncgnanacgt ccgggttggn annancgctg 480
tgggnnngcg tetgcnccgc gttccttccn ncncttcca ccatcttct taenggtct 540
ccnccctc tcnncacnc cctgggacgc tntctntgc ccccttnac tccccctt 600
cgcgtgnc cgncccccac ntcatttnc nacgntcttc acaannncet ggntnncctc 660
cnancngcn gtcanccnag ggaagggngg ggnccnntg nttgacgtg nggngangtc 720
cgaanantcc tcnctcnc cctaccct cggcggnct ctngttncc aacttancaa 780
ntctccccg ngngcncntc tcagctcnc cnccecnct ctctgcantg tntctgctc 840
tnaccntac gantnttcn cncctcttt cc 872

```

```

<210> 24
<211> 815
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(815)
<223> n = A,T,C or G

```

```

<400> 24
gcatgcaagc ttgagtattc tatagngtca cctaaatanc ttggentaat catggtcnta 60
nctgncttcc tgtgtcaaata gtatacnaa tanatatgaa tctnatntga caaganngt 120
tctnctatta gtaacaantg tntgtccat cctgtcngan canattccca tnnattncgn 180
cgcattcncn gncantatn taatngggaa ntcnnntnnn ncacnncat ctatcncnc 240
gcncctgac tggngagat ggatnantt tntntgacc nacatgttca tcttggtatn 300
aanaccccc cgcngnccac cgggtngng cnagecnntc ccaagacctc ctgtggagg 360

```

aacctgcgtc	aganncatca	aacntgggaa	accgcgncc	angtnnaagt	ngnnncanan	420
gatcccgctc	aggnttnacc	atcccttcnc	agcgccect	ttngtgcctt	anagnnagc	480
gtgtccnanc	cnetcaacat	ganacgcgcc	agnccanccg	caattnggca	caatgtcgnc	540
gaaccccccta	gggggantna	tncaaanccc	caggattgtc	cncncangaa	atcccnanc	600
ccnccctac	ccncttttg	gacngtgacc	aantcccgga	gtncagtc	ggcngnctc	660
ccccaccggt	nnccntgggg	gggtgaanct	cngnntcanc	cngncgaggn	ntcgnaagga	720
accggnccctn	ggncgaanng	ancnntcnga	agnccnct	cgtataaacc	cccctcncca	780
nccnacngnt	agntcccccc	cngggtnccg	aangg			815

<210> 25

<211> 775

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(775)

<223> n = A,T,C or G

<400> 25

ccgagatgtc	tcgtccgtg	gccttagctg	tgctcgcgt	actctctctt	tctggcctgg	60
aggctatcca	gcgtactcca	aagattcagg	tttactcacg	tcattccagca	gagaatggaa	120
agtcaaattt	cctgaattgc	tatgtgtctg	ggtttcatcc	atccgacatt	gaanttgact	180
tactgaagaa	tgganagaga	attgaaaaag	tggagcattc	agacttgtct	ttcagcaagg	240
actggtcttt	ctatctcntg	tactacactg	aattcacccc	cactgaaaaa	gatgagtatg	300
cctgccgtgt	gaaccatgtg	actttgtcac	agcccaagat	agttaagtgg	gatcgagaca	360
tgtaagcagn	cnncatggaa	gtttgaagat	gccgcatttg	gattggatga	attccaaatt	420
ctgcttgctt	gcnttttaat	antgatatgc	ntatacacc	taccctttat	gncccaaat	480
tgtaggggtt	acatnantgt	tcnctnngga	catgatcttc	ctttataant	ccnccnttcg	540
aattgcccgt	cncccngttn	ngaatgtttc	cnnaaccacg	gttggtctcc	ccaggtcncc	600
tcttacggaa	gggcctgggc	cnctttncaa	ggttggggga	accnaaaatt	tcnctnttgc	660
cncccnccca	cnntcttgng	nnccnctttt	ggaacccttc	cnattccctt	tggcctcnna	720
nccttnncta	anaaaaacttn	aaancgtngc	naaanntttt	acttcccccc	ttacc	775

<210> 26

<211> 820

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(820)

<223> n = A,T,C or G

<400> 26

anattantac	agtgtaatct	tttcccagag	gtgtgtanag	ggaacggggc	ctagaggcat	60
cccanagata	netttancca	acagtgcctt	gaccaagagc	tgctgggcac	atttcctgca	120
gaaaagggtg	cgggtcccat	cactctcct	ctcccatagc	catcccagag	gggtgagtag	180
ccatcangcc	ttcgggtgga	gggagtcang	gaaacaacan	accacagagc	anacagacca	240
ntgatgacca	tgggcgggag	cgagcctctt	ccctgnaccg	gggtggcana	nganagccta	300
nctgaggggt	cacactataa	acgttaacga	ccnagatnan	cacctgcctc	aagtgcaccc	360
ttcctacctg	acnaccagng	accnnnaact	gcngcctggg	gacagcnctg	ggancagcta	420
acnnagcact	cacctgcccc	cccatggccg	tnccntcccc	tggtcctgnc	aagggaagct	480
ccctgttggg	attncgggga	naccaaggga	nnccctcct	ccanctgtga	aggaaaaann	540
gatggaattt	tncccttcctg	gcnntcccc	tcttcttcta	cacgccccct	ntactctnc	600
tcctctntt	ntcctgncnc	acttttnacc	ccnnnatctc	ccttnattga	tcggannctn	660
ganattccac	tnnccgctnc	cntcnatcng	naanacnaaa	nactntctna	ccnnggggat	720
gggnncctcg	ntcatcctct	ctttttcnct	accnccnntt	ctttgcctct	ccttngatca	780

tccaacntc gntggcentn cccccccnnn tccttttccc

820

<210> 27
 <211> 818
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)... (818)
 <223> n = A,T,C or G

<400> 27
 tctgggtgat ggcctcttcc tctcagga cctctgactg ctctgggcca aagaatctct 60
 tgtttcttct cagagcccca ggcagcgggtg attcagccct gcccaacctg attctgatga 120
 ctgcggatgc tgtgacggac ccaaggggca aataggggtcc caggggtccag ggaggggagc 180
 ctgctgagca ctccgcgcc taccctgcc cagccctgc catgagctct gggctgggtc 240
 tccgcctcca gggttctgct ctccangca ngccancaa ggcgctggg ccacactggc 300
 ttcttctgct cccntccctg gctctganc tctgtcttcc tgtcctgtgc angcnccttg 360
 gatctcagtt tccctcctc anngaactct gttctgann tcttcantta actntgantt 420
 tatnaccnan tggncctgnc tgcnnactt taatgggccc gaccggctaa tccctccctc 480
 nctcccttcc anttccnnna accngcttnc cntctctcc cctancccg ccnggggaanc 540
 ctcttttgc ctnaccang gcccnnaccg cccntnnctn ggggggcnng gtnnctncnc 600
 ctgntnnccc cctcncnnt tncctctcc cncnncgcn nngcannctc ncngtcccn 660
 tnnctcttcn ngntctgnaa ngntcncn tnnnnngcn ngntnntn tccctctcnc 720
 cnnmtgnang tnnntnnnc ncngnncccc nnnnnnnnn nggnntnnn tctnncngc 780
 cccnncccc ngnattaagg cctcncctc ccggccnc 818

<210> 28
 <211> 731
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)... (731)
 <223> n = A,T,C or G

<400> 28
 aggaagggcg gagggatatt gtangggatt gagggatagg agnataangg gggaggtgtg 60
 tccaacatg anggtgngt tctcttttga angaggggtg ngtttttann ccnggtgggt 120
 gattnaaccc cattgtatgg agnnaaagg ttttagggat ttttcggctc ttatcagtat 180
 ntanattcct gtnaatcgga aaatnatnt tcnncnggaa aatnttgctc ccatccgnaa 240
 attnctcccg ggtagtgcatt nttngggggn cngccangtt tcccaggctg ctanaatcgt 300
 actaaagntt naagtgggan tncaaatgaa aacctnnac agagnatccn taccgactg 360
 tnnnttncct tcgccctntg actctgcng agcccaatac ccngngnat gtncccnng 420
 nnngcgnnc tgaaannnc tcnggctnn gancatcang gggtttcgca tcaaaagcnn 480
 cgtttcncat naaggcactt tngcctcacc caaccnctng cctcnncca tttngcctc 540
 nggttcnct acgctnntng cncctnnntn ganatttnc ccgctnggg naancctcct 600
 gnaatgggta gggcttntc ttttnaccn gnggtntact aatcnnctnc acgntnctt 660
 tctnaccccc ccccttttt caatcccanc ggcnaatggg gtctcccnng cgangggggg 720
 nnnccannc c 731

<210> 29
 <211> 822
 <212> DNA
 <213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (822)

<223> n = A,T,C or G

<400> 29

actagtccag	tgtgggtggaa	ttccattgtg	ttgggggnenc	ttctatgant	antnttagat	60
cgctcanacc	tcacancctc	ccnacnangc	ctataangaa	nannaataga	nctgtncnnt	120
atntntacnc	tcatanncct	cnnnaccac	tcctctctaa	ccctactgt	gcctatngcn	180
tnnctantct	ntgcegcctn	cnanccaccn	gtggggccnac	cncnngnatt	ctcnatctcc	240
tenccatntn	gcctananta	ngtncatacc	ctatacctac	nccaatgcta	nnnctaancn	300
tecatnantt	annntaacta	ccactgaent	ngactttcnc	atnanctcct	aatttgaatc	360
tactctgact	cccacngcct	annnattagc	ancntcccc	nacnatntct	caaccaaate	420
ntcaacaacc	tatctanctg	ttcnccaacc	nttnccctcg	atccccnnac	aacccccctc	480
ccaaataccc	nccacctgac	ncctaaccn	caccatcccg	gcaagccnan	ggncatttan	540
ccactggaat	cacnatngga	naaaaaaac	ccnaactctc	tancncnnat	ctccctaana	600
aatnctcctn	naatttactn	ncantnccat	caancccaen	tgaaacnnaa	ccctgtttt	660
tanatccctt	ctttcgaaaa	ccnacccttt	annncccaac	ctttngggcc	ccccnctnc	720
ccnaatgaag	gnnccccaat	cnangaaacg	ncctngaaaa	ancnaggcna	anannntccg	780
canatcctat	cccttanttn	ggggncctt	nccngggcc	cc		822

<210> 30

<211> 787

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (787)

<223> n = A,T,C or G

<400> 30

cggccgcctg	ctctggcaca	tgcctcctga	atggcatcaa	aagtgatgga	ctgcccattg	60
ctagagaaga	ccttctctcc	tactgtcatt	atggagccct	gcagactgag	ggctcccctt	120
gtctgcagga	tttgatgtct	gaagtctgg	agtgtggctt	ggagctcctc	atctacatna	180
gctggaagcc	ctggagggcc	tctctcgcca	gcctccccct	tctctccacg	ctctccangg	240
acaccagggg	ctccaggcag	cccattatc	ccagnangac	atgggtgttc	tccacgcgga	300
cccatggggc	ctgnaaggcc	agggctctct	ttgacaccat	ctctcccgtc	ctgcctggca	360
ggccgtggga	tccactantt	ctanaacggg	cgccaccncg	gtgggagctc	cagcttttgt	420
tccnttaat	gaagggtaat	tgcnegcttg	gcgtaatcat	nggtcanaac	tnnttctctg	480
gtgaaattgt	ttntccccct	ncnatccnc	ncnacatacn	aacccgggan	cataaagtgt	540
taaagcctgg	gggtngcctn	nngaathnaac	tnaactcaat	taattgcgtt	ggctcatggc	600
ccgctttccn	ttcnggaaaa	ctgtcntccc	ctgenttnnt	gaatcggcc	cccccnnggg	660
aaaagcggtt	tgcnttttng	ggggntcctt	ccnttccccc	cctcnctaan	ccctnccgct	720
cggtcgtnnc	nggtngcggg	gaangggnat	nnnctcccnc	naagggggng	agnnngntat	780
ccccaaa						787

<210> 31

<211> 799

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (799)

<223> n = A,T,C or G

<400> 31

<400> 32

tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
tttttncnag	ggcaggttta	ttgacaacct	cncgggacac	aancaggctg	gggacaggac	120
ggcaacaggc	tccggcggcg	gcggcgggcg	ccctacctgc	ggtaccaa	ntgcagcctc	180
cgtccccgct	tgatnttctt	ctgcagctgc	aggatgcctt	aaaacagggc	ctcgggcctn	240
ggtgggcacc	ctgggatttn	aatttccacg	ggcacaatgc	ggtcgcancc	cctcaccacc	300
nattaggaat	agtgttntta	cccnccnccg	ttggcncact	cccnctggaa	accacttntc	360
gcggtctcgg	catctggtct	taaaccttgc	aaacnctggg	gccctctttt	tggttantnt	420
ncnngccaca	atcatnactc	agactggcnc	gggctggccc	caaaaaan	ccccaaaacc	480
ggnccatgtc	ttnnccgggt	tgctgcnatn	tncatcacct	cccgggcnc	ncaggncaac	540
ccaaaagttc	ttgnngcccn	caaaaaanct	ccggggggnc	ccagtttcaa	caaagtcac	600
ccccttggcc	cccaaatect	ccccccgntt	nctgggtttg	ggaacccacg	cctctnnctt	660
tggnngggca	gntggntccc	ccttcggggc	cccggtgggc	ccnctcttaa	ngaaaaacnc	720
ntcctnncca	ccatccccc	nnngnacgnc	tancaangna	tccctttttt	tanaaacggg	780
ccccccnccg						780

<400> 33

gacagaacat	gttggatggt	ggagcacctt	tctatacgac	ttacaggaca	gcagatgggg	60
aattcatggc	tgttggagca	atanaacccc	agtctctacga	gctgctgac	aaaggacttg	120
gactaaagtc	tgatgaactt	cccaatcaga	tgagcatgga	tgattggcca	gaaatgaana	180
agaagtttgc	agatgttatt	cgaagaaga	cgaaggcaga	gtggtgtcaa	atctttgacg	240
gcacagatgc	cttgtgtgact	cggttcttga	cttttgagga	ggttggtctc	catgatcaca	300
acaangaacg	gggctcgttt	atcaccantg	aggagcagga	cgtgagcccc	cgccctgcac	360


```

ctctgctgtt aaacacccca gccatccctt ctttcaaaag ggatccacta cttctagagc 420
ggncgccacc gcggtggagc tccagctttt gttcccttta gtgagggtta attgcgcgct 480
tggegtaatc atggtcatan ctgtttcctg tgtgaaattg ttatccgctc acaattccac 540
acaacatacg anccggaagc atnaaatttt aaagcctggg ggtnccctaa tgantgaact 600
nactcacatt aattggcttt gcgctcactg cccgctttcc agtccggaaa acctgtcctt 660
gccagctgcc nttaatgaat cnggccaccc cccggggaaa aggengtttg cttnttgggg 720
cgencttccc gctttctcgc ttctgaant cttccccc ggcttttcgg cttgcggnca 780
acggtatcna cct 793

```

<210> 34

<211> 756

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(756)

<223> n = A,T,C or G

<400> 34

```

gccgcgaccg gcatgtacga gcaactcaag ggcgagtggg accgtaaaag ccccaatctt 60
ancaagtgcg gggaanagct ggggtcgactc aagctagtgc ttctggagct caacttcttg 120
ccaaccacag ggaccaagct gaccaaagcag cagctaattc tggcccgtag catactggag 180
atcggggccc aatggagcat cctacgcaan gacatccctt ccttcgagcg ctacatggcc 240
cagctcaaat gctactactt tgattacaan gagcagctcc ccgagtcagc ctatatgcac 300
cagctcttgg gctcaacct cctcttcttg ctgtcccaga accgggtggc tgantnccac 360
acgganttgg ancggtgccc tgcccaanga catacanacc aatgtctaca tcnaccacca 420
gtgtccttga gcaatactga tgganggcag ctaccncaaa gtnttcttgg ccnagggtta 480
catccccgc cgagagctac accttcttca ttgacatcct gctcgacact atcagggatg 540
aaaatcgcn ggttgctcca gaaaggctnc aanaanatcc ttttctctga agggccccgg 600
atnctctagt nctagaatcg gcccgccatc gcggtgganc ctccaacctt tcgttncct 660
ttactgaggg ttnattgccg cccttgccgt tatcatgggc acnccngttn cctgtgttga 720
aattnttaac cccccacaat tccacgcena cattng 756

```

<210> 35

<211> 834

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(834)

<223> n = A,T,C or G

<400> 35

```

ggggatctct anactnacct gnatgcatgg ttgtcggtgt ggtcgctgtc gatgaanatg 60
aacaggatct tgccettgaa gctctcggtt gctgtnttta agttgctcag tctgccgtca 120
tagtcagaca cnetcttggg caaaaaacan caggatntga gtcttgattt cacctccaat 180
aatcttcngg gctgtctgct cgggtgaactc gatgacnang ggcagctggt tgtgtntgat 240
aaantccanc angttctcct tgggtgacctc ccttcaaaag ttgttccggc cttcatcaaa 300
cttctnnaan angannance canctttgtc gagctgggat ttgganaaca cgtcactgtt 360
ggaaactgat cccaaatggg atgtcatcca tcgctctgct tgcttgcaaa aaacttgctt 420
ggcncaaate cgactccccc tccttgaaag aagccnatca cccccctc cctggactcc 480
nncaangact ctncgctnc ccntccnng cagggttggg ggcancccg gcccntgcgc 540
ttcttcagcc agttcacnat nttcatcagc cctctgcca gctgtntat tccttggggg 600
ggaanccgtc tctcccttcc tgaannaact ttgaccgtng gaatagccgc gontcncnt 660
acntnctggg ccgggttcaa antccctccn ttgnennten cctcgggcca ttctggattt 720
nccnaacttt ttccttcccc cncctccnng ngtttggntt tttcatnggg ccccaactct 780

```

gctnttggcc antcccctgg gggcntntan cnccectnt ggtcccntng ggcc

834

<210> 36

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(814)

<223> n = A,T,C or G

<400> 36

cgngcgttt	cngccgcgc	cccgtttcca	tgacnaagge	tcccttcang	ttaaatacnn	60
cctagnaaac	attaatgggt	tgctctacta	atacatcata	cnaaccagta	agcctgcccc	120
naacgccaac	tcaggccatt	cctaccaaag	gaagaaagge	tggtctctcc	acccctgtga	180
ggaaaggcct	gccttgtaag	acaccacaat	ncggctgaat	ctnaagtctt	gtgttttact	240
aatggaaaaa	aaaaataaac	aanagggttt	gttctcatgg	ctgcccaccc	cagcctggca	300
ctaaaacanc	ccagcgctca	cttctgcttg	ganaaatatt	ctttgtctct	ttggacatca	360
ggcttgatgg	tatcactgcc	acntttccac	ccagctgggc	ncccttcccc	catntttgtc	420
antganctgg	aaggcctgaa	ncttagtctc	caaaaagtctc	ngcccacaag	accggccacc	480
aggggangtc	ntttncagtg	gatctgccaa	anantaccen	tatcatcnnt	gaataaaaaag	540
gcccctgaac	ganatgcttc	cancancctt	taagacccat	aatcctngaa	ccatggtgcc	600
cttcgggtct	gatccnaaag	gaatgttcc	gggtcccant	ccctcctttg	ttnccttact	660
tgtnttggac	ccntgctngn	atnaccceaan	tganateccc	ngaagcacc	tnccctgggc	720
atttganttt	cntaaattct	ctgcccactn	nctgaaagca	cnattccctn	ggcncnnaan	780
gnggaactca	agaagggtctn	ngaaaaacca	cncn			814

<210> 37

<211> 760

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(760)

<223> n = A,T,C or G

<400> 37

gcatgctgct	cttccctcaaa	gttggttcttg	ttgccataac	aaccaccata	ggtaaagcgg	60
gcgcagtgtt	cgctgaagg	gttgtagtac	cagcgcgga	tgctctcctt	gcagagtcct	120
gtgtctggca	gggccacgca	atgccctttg	tactgggga	aatggatgcg	ctggagctcg	180
tenaanccac	tcgtgtattt	ttcacangca	gcctcctccg	aagcctccgg	gcagttgggg	240
gtgtcgtcac	actccactaa	actgtcgatn	cancagccca	ttgctgcagc	ggaactgggt	300
gggctgacag	gtgccagaac	acactggatn	ggcctttcca	tggaagggcc	tgggggaaat	360
cncctnancc	caaactgcct	ctcaaaggcc	accttgca	ccccgacagg	ctagaaatgc	420
actcttcttc	ccaaaggtag	ttgttcttgt	tgcccaagca	ncctccanca	aacaaaaanc	480
ttgcaaaatc	tgctccgtgg	gggtcatnnn	taccanggtt	ggggaaaanaa	accggcngn	540
ganccnctt	gtttgaatgc	naaggnaata	atcctcctgt	cttgcttggg	tggaanagca	600
caattgaact	gttaacnttg	ggccnggttc	cncnnggtg	gtctgaaact	aatcaccgtc	660
actgaaaaaa	ggtangtgcc	ttccttgaat	tccc aaantt	cccctngntt	tggtgnnttt	720
ctcctctncc	ctaaaaatcg	tnntcccccc	ccntanggcg			760

<210> 38

<211> 724

<212> DNA

<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(724)
<223> n = A,T,C or G

<400> 38
tttttttttt tttttttttt tttttttttt tttttaaaaa cccctcccat tgaatgaaaa 60
cttcnnaaat tgtccaaccc cctennccaa atnnccattt ccgggggggg gttccaaacc 120
caaattaatt ttgganttta aattaaatnt tnattngggg aanaanccaa atgtnaagaa 180
aatttaaccc attatnaact taaatncctn gaaaccctg gnttccaaaa atttttaacc 240
cttaaattccc tccgaaattg ntaanggaaa accaaattcn cctaaggctn tttgaagggt 300
ngattttaaac ccccttnant tnttttnacc cnngnctnaa ntatttngnt tccggtgttt 360
tccntttaan cntnggtaac tcccgnataat gaannnccct aanccaatta aaccgaattt 420
tttttgaatt ggaaattccn ngggaattna ccgggggttt tcccntttgg ggcccatncc 480
cccnctttcg ggggttgggn ntagggtgaa tttttnnang ncccaaaaaa nccccaana 540
aaaaaactcc caagnnttaa ttngaattnc ccccttccca ggccttttgg gaaaggnggg 600
ttnttggggg ccngggantt cnttcccccn ttncncccc cccccnggt aaanggttat 660
ngnntttggt ttttgggcc cttnanggac cttccggatn gaaattaaat ccccggnccg 720
gccg 724

<210> 39
<211> 751
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(751)
<223> n = A,T,C or G

<400> 39
tttttttttt tttttctttg ctcacattta atttttattt tgattttttt taatgctgca 60
caacacaata tttatttcat ttgtttcttt tatttcattt tatttgttg ctgctgctgt 120
tttatttatt tttactgaaa gtgagaggga acttttgtgg ccttttttcc tttttctgta 180
ggccgcctta agcttttctaa atttggaaca tctaagcaag ctgaanggaa aagggggttt 240
cgcaaaatca ctggggggaa nggaaagggt gctttgttaa tcatgcccta tgggtgggtga 300
ttaactgctt gtacaattac ntttacttt taattaattg tgctnaange tttaattana 360
cttgggggtt ccttccccan accaaccnccn ctgacaaaaa gtgcengccc tcaaatnatg 420
tcccgcnnt cnttgaaca cacngcngaa ngttctcatt ntccccnnc caggtnaaaa 480
tgaagggtta ccatntttta cncacctcc acntggcnnn gctgaatcc tcnaaaannc 540
cctcaannc aatnctnng ccccggtcnc gentnngtcc cnccggtt ccgggaantn 600
caccccnnga annnntnnc naachaaatt ccgaaaatat tccnntcnc tcaattcccc 660
cnnagactnt cctcnncnan cncaatttcc tttntntcac gaacnngnnc cnaaaatgn 720
nnnncnctc cncngtccn naatcnccan c 751

<210> 40
<211> 753
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(753)
<223> n = A,T,C or G

<400> 40
gtggtatttt ctgtaagatc aggtgttccct cctcgtagg ttttagaggaa acaccctcat 60
agatgaaaac cccccgaga cagcagcact gcaactgcc aagcagccgg gtaggagggg 120

```

cgccctatgc acagctgggc ccttgagaca gcagggettgc gatgtcaggc tcgatgtcaa 180
tggtctggaa gcggcggtcg tacctgcgta ggggcacacc gtcagggcc accaggaact 240
tctcaaagtt ccaggcaacn tcgttgcgac acaccggaga ccagggtgatn agcttggggt 300
cggtcataa cgcggtggcg tcgtcgtcg gagctggcag ggctcccgcc aggaaggcna 360
ataaaagggt cgcggcgca cgttcantc cgcacttctc naanaccatg angttggggt 420
cnaaccacc accannccgg acttccttga nggaattccc aaatctcttc gntcttgggc 480
ttctnctgat gccctantc gttgccnngn atgccaanca nccccaancc cgggggtcct 540
aaanaccn cctctcntt tcatctgggt tnttntccc ggacctggt tctctcaag 600
gganccata tctcnaccn tactcaccnt ncccccent gnnaccanc cttctanngn 660
ttccncccg nctctggcc ntcaaanan gcttnacna cctgggtctg cttccccc 720
tnccctatct gnaccnccn tttgtctcan tnt 753

```

<210> 41
 <211> 341
 <212> DNA
 <213> Homo sapien

```

<400> 41
actatatcca tcacaacaga catgcttcat cccatagact tcttgacata gcttcaaagt 60
agtgaacca tccttgattt atatacatat atgttctcag tattttggga gcctttccac 120
ttctttaaac cttgttcatt atgaacctg aaaataggaa tttgtgaaga gttaaaaagt 180
tatagcttgt ttacgtagta agtttttgaa gtctacattc aatccagaca cttagttgag 240
tgttaaactg tgatttttaa aaaatatcat ttgagaatat tctttcagag gtattttcat 300
ttttactttt tgattaattg tgttttatat attagggtag t 341

```

<210> 42
 <211> 101
 <212> DNA
 <213> Homo sapien

```

<400> 42
acttactgaa tttagttctg tgctcttctt tatttagtgt tgtatcataa atactttgat 60
gtttcaaaca ttctaaataa ataattttca gtggcttcat a 101

```

<210> 43
 <211> 305
 <212> DNA
 <213> Homo sapien

```

<400> 43
acatctttgt tacagtctaa gatgtgttct taaatcacca ttccttctg gtctcacc 60
tccagggtgg tctcactg taattagagc tattgaggag tctttacagc aaattaagat 120
tcagatgcct tgctaagtct agagttctag agttatgttt cagaaagtct aagaaaccca 180
cctcttgaga ggtcagtaaa gaggacttaa tatttcatat ctacaaaatg accacaggat 240
tggtacaga acgagagtta tcttgataa ctcagagctg agtacctgcc cgggggccc 300
tcgaa 305

```

<210> 44
 <211> 852
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (852)
 <223> n = A,T,C or G

<400> 44

acataaatat	cagagaaaag	tagtctttga	aatatttacg	tccaggagtt	ctttgtttct	60
gattatttgg	tgtgtgtttt	ggtttgtgtc	caaagtattg	gcagcttcag	ttttcatttt	120
ctctccatcc	tcgggcattc	ttcccaaatt	tatataccag	tcttcgtcca	tccacacgct	180
ccagaatttc	tctttttag	taatatctca	tagctcggct	gagcttttca	taggtcatgc	240
tgtgtgtgtt	cttcttttta	ccccatagct	gagccactgc	ctctgatttc	aagaacctga	300
agacgccctc	agatcgggtc	tcccatttta	ttaatcctgg	gttcttgtct	gggttcaaga	360
ggatgtcgcg	gatgaattcc	cataagttag	tccctctcgg	gttgtgcttt	ttgggtggtg	420
acttggcagg	gggttcttgc	tcctttttca	tatcagggtga	ctctgcaaca	ggaaggtgac	480
tgggtggtgt	catggagatc	tgagcccggc	agaaagtttt	gctgtccaac	aaatctactg	540
tgctaccata	gttgggtgtc	tataaatagt	tctngtcttt	ccagggtgtc	atgatggaag	600
gctcagtttg	ttcagtcttg	acaatgacat	tgtgtgtgga	ctggaacagg	tcactactgc	660
actggccgtt	ccacttcaga	tgctgcaagt	tgctgtagag	gagntgcccc	gccgtccctg	720
ccgccgggt	gaactcctgc	aaactcatgc	tgcaaagggt	ctcgccgttg	atgtcgaaact	780
cntggaaagg	gatacaattg	gcattccagct	ggttgggtgc	caggaggtga	tggagccact	840
cccacacctg	gt					852

<210> 45

<211> 234

<212> DNA

<213> Homo sapien

<400> 45

acaacagacc	cttgctcgct	aacgacctca	tgtcatcaa	gttggacgaa	tccgtgtccg	60
agtctgacac	catccggagc	atcagcattg	cttcgcagtg	ccctaccgcg	gggaactctt	120
gctcgttttc	tggtctgggt	ctgctggcga	acggcagaat	gcctaccgtg	ctgcagtgcg	180
tgaacgtgtc	ggtggtgtct	gaggaggtct	gcagtaagct	ctatgaccgg	ctgt	234

<210> 46

<211> 590

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(590)

<223> n = A,T,C or G

<400> 46

actttttatt	taaatgttta	taaggcagat	ctatgagaat	gatagaaaac	atgggtgtgta	60
atttgatagc	aatatttttg	agattacaga	gttttagtaa	ttaccaatta	cacagttaaa	120
aagaagataa	tatattccaa	gcanatacaa	aatatcta	gaaagatcaa	ggcaggaaaa	180
tgantataac	taattgacaa	tggaatatca	attttaatgt	gaattgcaca	ttatccttta	240
aaagctttca	aaanaanaa	ttattgcagt	ctanttaatt	caaacagtg	taaatgggtat	300
caggataaan	aactgaaggg	canaaaaga	taattttcac	ttcatgtaac	ncaccanant	360
ttacaatggc	ttaaatgcan	ggaaaaagca	gtggaagtag	ggaagtantc	aaggtctttc	420
tggtctctaa	tctgccttac	tctttgggtg	tggtcttgat	cctctggaga	cagctgccag	480
ggctcctggt	atatccacaa	tcccagcagc	aagatgaagg	gatgaaaaag	gacacatgct	540
gccttccttt	gaggagactt	catctcactg	gccaaactc	agtcacatgt		590

<210> 47

<211> 774

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(774)

<223> n = A,T,C or G

<400> 47

```

acaagggggc ataatgaagg agtggggana gatttttaaag aaggaaaaaa aacgaggccc      60
tgaacagaat tttcctgnac aacggggctt caaaataatt ttcttgggga ggttcaagac      120
gcttcactgc ttgaaactta aatggatgtg ggacanaatt ttctgtaatg accctgaggg      180
cattacagac gggactctgg gaggaaggat aaacagaaag gggacaaagg ctaatcccaa      240
aacatcaaag aaaggaaggt ggcgtcatat ctcccagcct acacagtctt ccagggtctt      300
cctcatccct ggaggacgac agtggaggaa caactgacca tgtccccagg ctctgtgtg      360
ctggctcctg gtcttcagcc cccagctctg gaagcccacc ctctgctgat cctgcgtggc      420
ccacactcct tgaacacaca tccccaggtt atattcctgg acatggctga acctcctatt      480
cctacttcog agatgccttg ctccctgcag cctgtcaaaa tcccactcac cctccaaacc      540
acggcatggg aagcctttct gacttgcttg attactccag catcttgga caatccctga      600
ttccccactc cttagaggca agataggggt gttaagagta gggctggacc acttggagcc      660
aggctgctgg cttcaaattn tggctcattt acgagctatg ggaccttggg caagtnatct      720
tcacttctat gggcntcatt ttgttctacc tgcaaaatgg gggataataa tagt          774

```

<210> 48

<211> 124

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(124)

<223> n = A,T,C or G

<400> 48

```

canaaattga aattttataa aaaggcattt ttctcttata tccataaaat gatataattt      60
ttgcaantat anaaatgtgt cataaattat aatgttcctt aattacagct caacgcaact      120
tggt                                              124

```

<210> 49

<211> 147

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(147)

<223> n = A,T,C or G

<400> 49

```

gccgatgcta ctattttatt gcaggaggtg ggggtgtttt tattattctc tcaacagctt      60
tgtggctaca ggtggtgtct gactgcatna aaaanttttt tacgggtgat tgcaaaaatt      120
ttagggcacc catatcccaa gcantgt                      147

```

<210> 50

<211> 107

<212> DNA

<213> Homo sapien

<400> 50

```

acattaaatt aataaaagga ctgttggggg tctgctaaaa cacatggctt gatatatattgc      60
atggtttgag gttaggagga gttaggcata tgttttggga gaggggt                      107

```

<210> 51

<211> 204

<212> DNA

<213> Homo sapien

<400> 51

gtcctaggaa gtctagggga cacacgactc tgggggtcacg gggccgacac acttgacagg	60
cggaaggaaggaggagaa gtgacaccgt cagggggaaa tgacagaaag gaaaatcaag	120
gccttgcaag gtcagaaagg ggactcaggg cttccaccac agccctgccc cacttgcca	180
cctccctttt gggaccagca atgt	204

<210> 52

<211> 491

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (491)

<223> n = A,T,C or G

<400> 52

acaaagataa catatatctt ataacaaaaa tttgatagtt ttaaaggtta gtatttgtta	60
gggtattttc caaaagacta aagagataac tcaggtaaaa agttagaaat gtataaaaca	120
ccatcagaca gggtttttaa aaacaacata ttacaaaatt agacaatcat ctttaaaaaa	180
aaaacttctt gtatcaattt cttttgttca aaatgactga cttaantatt tttaaatatt	240
tcanaaacac ttctcaaaa attttcaana tggtagcttt canatgtnc ctcagtccca	300
atgttgctca gataaataaa tctcgtgaga acttaccacc caccacaagc tttctggggc	360
atgcaacagt gtcttttctt tnttttttct tttttttttt ttacaggcac agaaactcat	420
caattttatt tggataacaa aggggtctcca aatttatattg aaaaataaat ccaagttaat	480
atcactcttg t	491

<210> 53

<211> 484

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (484)

<223> n = A,T,C or G

<400> 53

acataattta gcagggctaa ttaccataag atgctattta ttaanaggtn tatgatctga	60
gtattaacag ttgctgaagt ttgggtatttt tatgcagcat tttctttttg ctttgataac	120
actacagaac ccttaaggac actgaaaatt agtaagtaaa gttcagaaac attagctgct	180
caatcaaate tctacataac actatagtaa ttaaaacgtt aaaaaaaagt gttgaaatct	240
gcactagtat anaccgctcc tgtcaggata anactgcttt ggaacagaaa gggaaaaanc	300
agcttttgant ttctttgtgc tgatangagg aaaggctgaa ttaccttggt gcctctccct	360
aatgattggc aggtcnggta aatnccaaaa catattccaa ctcaacactt cttttccncg	420
tancttgant ctgtgtattc caggancagg cggatggaat gggccagccc ncggatgttc	480
cant	484

<210> 54

<211> 151

<212> DNA

<213> Homo sapien

<400> 54

actaaacctc gtgcttgta actccatata gaaaacggtg ccatccctga acacggctgg	60
ccactgggta tactgctgac aaccgcaaca aaaaaaacac aaatccttgg cactggctag	120

tctatgtcct ctcaagtgcc tttttgtttg t 151

<210> 55
 <211> 91
 <212> DNA
 <213> Homo sapien

<400> 55
 acctggcttg tctccgggtg gttcccggcg cccccacgg tccccagaac ggacactttc 60
 gccctccagt ggatactga gccaaagtgg t 91

<210> 56
 <211> 133
 <212> DNA
 <213> Homo sapien

<400> 56
 ggcggatgtg cggttggtat atacaaatat gtcattttat gtaagggact tgagtatact 60
 tggatttttg gtatctgtgg gttgggggga cggctcagga accaataccc catggatacc 120
 aagggacaac tgt 133

<210> 57
 <211> 147
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(147)
 <223> n = A,T,C or G

<400> 57
 actctggaga acctgagccg ctgctccgcc tctgggatga ggtgatgcan gngtgggcgc 60
 gactgggagc tgagcccttc cctttgcgcc tgccctcagag gattgttgcc gacntgcana 120
 tctcantggg ctggatncat gcagggt 147

<210> 58
 <211> 198
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(198)
 <223> n = A,T,C or G

<400> 58
 acagggatat aggtttnaag ttattgtnat tgtaaaatac attgaatttt ctgtatactc 60
 tgattacata catttatoct ttaaaaaaga tgtaaatott aatttttatg ccatctatta 120
 atttaccat gagttacott gtaaatgaga agtcatgata gcactgaatt ttaactagtt 180
 ttgacttcta agtttggg 198

<210> 59
 <211> 330
 <212> DNA
 <213> Homo sapien

<400> 59

acaacaaatg	ggttgtgagg	aagtcttata	agcaaaactg	gtgatggcta	ctgaaaagat	60
ccattgaaaa	ttatcattaa	tgatttttaa	tgacaagtta	tcaaaaactc	actcaatttt	120
cacctgtgct	agcttgctaa	aatgggagtt	aactctagag	caaatatagt	atcttctgaa	180
tacagtcaat	aaatgacaaa	gccagggcct	acaggtgggt	tccagacttt	ccagacccag	240
cagaaggaat	ctattttatc	acatggatct	ccgtctgtgc	tcaaaatacc	taatgatatt	300
tttcgtcttt	attggacttc	tttgaagagt				330

<210> 60
 <211> 175
 <212> DNA
 <213> Homo sapien

<400> 60						
accgtgggtg	ccttctacat	tcctgaaggc	tccttcacca	acatctgggt	ctacttcggc	60
gtcgtgggct	ccttctcttt	catcctcctc	cagctgggtg	tgctcatcga	ctttgcgcac	120
tcctggaacc	agcgggtggc	gggcaaggcc	gaggagtgcg	attcccgtgc	ctggt	175

<210> 61
 <211> 154
 <212> DNA
 <213> Homo sapien

<400> 61						
accccacttt	tcctcctgtg	agcagtctgg	acttctcact	gctacatgat	gagggtgagt	60
ggttgttgct	cttcaacagt	atcctccctt	ttccggatct	gctgagccgg	acagcagtgc	120
tggactgcac	agccccgggg	ctccacattg	ctgt			154

<210> 62
 <211> 30
 <212> DNA
 <213> Homo sapien

<400> 62						
cgctcgagcc	ctatagttag	tcgtattaga				30

<210> 63
 <211> 89
 <212> DNA
 <213> Homo sapien

<400> 63						
acaagtcatt	tcagcaccct	ttgctcttca	aaactgacca	tcttttatat	ttaatgcttc	60
ctgtatgaat	aaaaatgggt	atgtcaagt				89

<210> 64
 <211> 97
 <212> DNA
 <213> Homo sapien

<400> 64						
accggagtaa	ctgagtcggg	acgctgaatc	tgaatccacc	aataaataaa	ggttctgcag	60
aatcagtgca	tccaggattg	gtccttggat	ctgggggt			97

<210> 65
 <211> 377
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(377)
 <223> n = A,T,C or G

<400> 65
 acaacaanaa ntcccttctt taggccaactg atggaaacct ggaacccccct tttgatggca 60
 gcatggcgctc ctaggccttg acacagcggc tggggtttgg gctntcccaa accgcacacc 120
 ccaaccctgg tctaccacaca nttctggcta tgggctgtct ctgccactga acatcagggg 180
 tcggtcataa natgaaatcc caanggggac agaggtcagt agagggaagct caatgagaaa 240
 ggtgctgttt gctcagccag aaaacagctg cctggcattc gccgctgaac tatgaaccgg 300
 tgggggtgaa ctaccccccag gaggaatcat gctggggcga tgcaanggtg ccaacaggag 360
 gggcgggagg agcatgt 377

<210> 66
 <211> 305
 <212> DNA
 <213> Homo sapien

<400> 66
 acgcctttcc ctcagaattc agggaagaga ctgtgcctg ccttcctccg ttgttgcgtg 60
 agaaccgctg tgccccctcc caccatatcc accctcgctc catctttgaa ctcaaacacg 120
 aggaactaac tgcaccctgg tctctcccc agtccccagt tcaccctcca tccctcacct 180
 tctccactc taagggatat caacactgcc cagcacaggg gccctgaatt tatgtggttt 240
 ttatatattt ttttaataaga tgcactttat gtcatttttt aataaagtct gaagaattac 300
 tggtt 305

<210> 67
 <211> 385
 <212> DNA
 <213> Homo sapien

<400> 67
 actacacaca ctcacttg ccttgtgaga cactttgtcc cagcacttta ggaatgctga 60
 ggctcggacca gccacatctc atgtgcaaga ttgcccagca gacatcaggt ctgagagttc 120
 cccttttaaa aaaggggact tgcttaaaaa agaagtctag ccacgattgt gtagagcagc 180
 tgtgtgtgctc tggagattca cttttgagag agttctcctc tgagacctga tctttagagg 240
 ctgggcagtc ttgcacatga gatggggctg gtctgatctc agcactcctt agtctgcttg 300
 cctctcccag ggccccagcc tggccacacc tgcttacagg gcactctcag atgcccatac 360
 catagtttct gtgctagtgg accgt 385

<210> 68
 <211> 73
 <212> DNA
 <213> Homo sapien

<400> 68
 acttaaccag atatattttt accccagatg gggatattct ttgtaaaaaa tgaaaataaa 60
 gtttttttaa tgg 73

<210> 69
 <211> 536
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(536)

<223> n = A,T,C or G

<400> 69

actagtccag	tgtggtggaa	ttccattgtg	ttgggggctc	tcaccctcct	ctcctgcagc	60
tccagctttg	tgctctgcct	ctgaggagac	catggcccag	catctgagta	ccctgctgct	120
cctgctggcc	accctagctg	tgcccctggc	ctggagcccc	aaggaggagg	ataggataat	180
cccgggtggc	atctataacg	cagacctcaa	tgatgagtgg	gtacagcgtg	cccttcactt	240
cgccatcagc	gagtataaca	aggccaccaa	agatgactac	tacagacgtc	cgctgcgggt	300
actaagagcc	aggcaacaga	ccgttggggg	ggtgaattac	ttcttcgacg	tagagggtgg	360
ccgaaccata	tgtaccaagt	cccagcccaa	cttgacacc	tgtgccttcc	atgaacagcc	420
agaactgcag	aagaaacagt	tgtgctcttt	cgagatctac	gaagtccct	ggggagaaca	480
gaangtcctt	gggtgaaatc	caggtgtcaa	gaaatcctan	ggatctgttg	ccaggc	536

<210> 70

<211> 477

<212> DNA

<213> Homo sapien

<400> 70

atgaccccta	acagggggccc	tctcagccct	cctaattgacc	tccggcctag	ccatgtgatt	60
tcacttccac	tccataacgc	tcctcatact	aggcctacta	accaacacac	taaccatata	120
ccaatgatgg	cgcgatgtaa	cacgagaaa	cacataccaa	ggccaccaca	caccacctgt	180
ccaaaaaggg	cttcgatacg	ggataatcct	attttattacc	tcagaagttt	ttttcttcgc	240
agggtatttt	ctgagccctt	taccactcca	gcttagcccc	taccccccaa	ctaggagggc	300
actggccccc	aacaggcatc	accccgctaa	atcccctaga	agtccactc	ctaaacacat	360
ccgtattact	cgcacagga	gtatcaatca	cctgagctca	ccatagtcta	atagaaaaca	420
accgaaacca	aattattcaa	agcactgctt	attacaattt	tactgggtct	ctatttt	477

<210> 71

<211> 533

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(533)

<223> n = A,T,C or G

<400> 71

agagctatag	gtacagtgtg	atctcagctt	tgcaaacaca	ttttctacat	agatagtact	60
aggatttaaat	agatatgtaa	agaaagaaat	cacaccatta	ataatggtaa	gattgggtta	120
tgtgatttta	gtggattttt	tgccaccctt	atatatgttt	tcctaaacttt	cagcagtgat	180
attatttcca	taacttaaaa	agtgagtgtg	aaaaagaaaa	tctccagcaa	gcatctcatt	240
taaataaagg	tttgtcatct	ttaaaaatac	agcaatatgt	gactttttta	aaaagctgtc	300
aaatagggtgt	gaccctacta	ataattatta	gaaatacatt	taaaaacatc	gagtacctca	360
agtcagtttg	ccttgaaaaa	tatcaaatat	aactcttaga	gaaatgtaca	taaaagaatg	420
cttcgtaatt	ttggagtang	aggttccctc	ctcaattttg	tattttttaa	aagtacatgg	480
taaaaaaaaa	aattcacaac	agtatataag	gctgtaaaaa	gaagaattct	gcc	533

<210> 72

<211> 511

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(511)

<223> n = A,T,C or G

<400> 72
 tattacggaa aaacacacca cataattcaa ctancaaaga anactgcttc agggcggtgta 60
 aaatgaaagg cttccaggca gttatctgat taaagaacac taaaagaggg acaaggctaa 120
 aagccgcagg atgtctacac tatancaggc gctatttggg ttggctggag gagctgtgga 180
 aaacatggan agattgggtc tgganatcgc cgtggctatt cctcattgtt attacanagt 240
 gaggttctct gtgtgcccac tggtttgaaa accgttctnc aataatgata gaatagtaca 300
 cacatgagaa ctgaaatggc ccaaaccag aaagaaagcc caactagatc ctcagaanac 360
 gcttctaggg acaataaccg atgaagaaa gatggcctcc ttgtgcccc gtctgttatg 420
 atttctctcc attgcagcna naaaccggtt cttctaagca aacncagggtg atgatggcna 480
 aaatacaccc cctcttgaag naccnggagg a 511

<210> 73

<211> 499

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(499)

<223> n = A,T,C or G

<400> 73
 cagtgccagc actggtgccg gtaccagtag caataacagt gccagtgccg gtgccagcac 60
 cagtgggtggc ttccagtgtg gtgccagcct gaccgccact ctcacatttg ggctcttcgc 120
 tggccttggg ggagctgggt ccagcaccag tggcagctct ggtgcctgtg gtttctccta 180
 caagttagat tttagatatt gttaatcctg ccagtccttc tcttcaagcc aggggtgcatc 240
 ctcagaaacc tactcaacac agcactctag gcagccacta tcaatcaatt gaagttgaca 300
 ctctgcatta aatctatttg ccatctctga aaaaaaaaaa aaaaaaaggg cggccgctcg 360
 antctagagg gcccgtttta acccgctgat cagcctcgac tgtgccttct anttgccagc 420
 catctgttgt ttgcccctcc cccgntgcct tccttgacct tggaaagtgc cactcccact 480
 gtcccttctc aantaaat 499

<210> 74

<211> 537

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(537)

<223> n = A,T,C or G

<400> 74
 tttcatagga gaacacactg aggagatact tgaagaattt ggattcagcc gcgaagagat 60
 ttatcagctt aactcagata aaatcattga aagtaataag gtaaaagcta gtctctaact 120
 tccaggccca cggctcaagt gaatttgaat actgcattta cagtgtagag taacacataa 180
 cattgtatgc atggaaacat ggaggaacag tattacagtg tcctaccact ctaatcaaga 240
 aaagaattac agactctgat tctacagtga tgattgaatt ctaaaaatgg taatcattag 300
 ggcttttgat ttataanact ttgggtactt atactaaatt atggtagtta tactgccttc 360
 cagtttgctt gatataattg ttgatattaa gattcttgac ttatattttg aatgggttct 420
 actgaaaaan gaatgatata ttcttgaaga catcgatata catttattta cactcttgat 480
 tctacaatgt agaaaatgaa ggaaatgcc caaattgtat ggtgataaaa gtcccgt 537

<210> 75

<211> 467

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(467)
 <223> n = A,T,C or G

<400> 75
 caaanacaat tgttcaaaaag atgcaaatga tacactactg ctgcagctca caaacacctc 60
 tgcattattac acgtacctcc tctgtctcct caagtagtgt ggtctatattt gccatcatca 120
 cctgctgtct gcttagaaga acggctttct gctgcaangg agagaaatca taacagacgg 180
 tggcacaagg aggccatctt tctctcatcg gttattgtcc ctagaagcgt cttctgagga 240
 tctagttggg ctttctttct gggtttgggc catttcantt ctcagtgtgt tactattcta 300
 tcattattgt ataacggtt tcaaaccngt gggcacncag agaacctcac tctgtaataa 360
 caatgaggaa tagccacggg gatctccagc accaaatctc tccatgttnt tccagagctc 420
 ctccagccaa cccaaatagc cgctgctatn gtgtagaaca tccctgn 467

<210> 76
 <211> 400
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(400)
 <223> n = A,T,C or G

<400> 76
 aagctgacag cattcggggc gagatgtctc gctccgtggc cttagctgtg ctgcgcgtac 60
 tctctctttc tggcctggag gctatccagc gtactccaaa gattcagggt tactcacgtc 120
 atccagcaga gaatggaaa tcaaatttcc tgaattgcta tgtgtctggg ttctcatccat 180
 ccgacattga agttgactta ctgaagaatg gagagagaat tgaaaaaagt gagcattcag 240
 acttgtcttt cagcaaggac tgggtctttct atctcttgta ctacactgaa ttcaccccca 300
 ctgaaaaaga tgagtatgcc tgccgtgtga accatgtgac tttgtcacag cccaagatng 360
 ttnagtggga tcganacatg taagcagcan catgggaggt 400

<210> 77
 <211> 248
 <212> DNA
 <213> Homo sapien

<400> 77
 ctggagtgcc ttgggtgttc aagccctgc aggaagcaga atgcaccttc tgaggcacct 60
 ccagctgccc cggcggggga tgcgaggctc ggagcaccct tgcccggctg tgattgtgc 120
 caggcactgt tcatctcagc ttttctgtcc ctttgtccc ggcaagcgt tctgctgaaa 180
 gttcatatct ggagcctgat gtcttaacga ataaaggctc catgctccac ccgaaaaaaa 240
 aaaaaaaa 248

<210> 78
 <211> 201
 <212> DNA
 <213> Homo sapien

<400> 78
 actagtccag tgtggtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca 60
 tcaccagac ccgcccctgc ccgtgcccc cgctgctgct aacgacagta tgatgcttac 120
 tctgtactc ggaaactatt tttatgtaat taatgtatgc tttcttgtt ataaatgctc 180
 gatttaaaaa aaaaaaaaaa a 201

<210> 79
<211> 552
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(552)
<223> n = A,T,C or G

<400> 79
tccttttgggt aggtttttga gacaacccta gacctaaact gtgtcacaga cttctgaatg 60
tttaggcagt gctagtaatt tcctcgtaat gattctgtta ttactttcct attctttatt 120
cctcttttct ctgaagatta atgaagttga aaattgaggt ggataaatac aaaaaggtag 180
tgtgatagta taagtatcta agtgcagatg aaagtgtgtt atatatatcc attcaaaatt 240
atgcaagtta gtaattactc aggggttaact aaattacttt aatatgctgt tgaacctact 300
ctgttccttg gctagaaaaa attataaaca ggactttgtt agtttgggaa gccaaattga 360
taatattcta tgttctaaaa gttgggctat acataaanta tnaagaaata tggaaattta 420
ttcccaggaa tatgggggttc atttatgaat antaccggg anagaagttt tgantnaaac 480
cngttttggt taatacgtta atatgtcctn aatnaacaag gcntgactta tttccaaaaa 540
aaaaaaaaaa aa 552

<210> 80
<211> 476
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(476)
<223> n = A,T,C or G

<400> 80
acaggggattt gagatgctaa ggccccagag atcgtttgat ccaacctctt tattttcaga 60
ggggaaaaatg gggcctagaa gttacagagc atctagctgg tgcgctggca cccctggcct 120
cacacagact cccgagtagc tgggactaca ggcacacagt cactgaagca ggccctgttt 180
gcaattcacg ttgccacctc caacttaaac attcttcata tgtgatgtcc ttagtcacta 240
aggttaaact ttcccaccca gaaaaggcaa cttagataaa atcttagagt actttcatac 300
tcttctaagt cctcttcag cctcactttg agtcctcctt ggggggtgat aggaantntc 360
tcttggttt ctcaataaaa tctctatcca tctcatgttt aatttggtag gcntaaaaat 420
gctgaaaaaa ttaaaatggt ctggtttcnc tttaaaaaaa aaaaaaaaaa aaaaaa 476

<210> 81
<211> 232
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(232)
<223> n = A,T,C or G

<400> 81
tttttttttg tatgcctnctn ctgtggngtt attgttgctg ccacctgga ggagcccagt 60
ttctttctgta tctttctttt ctgggggatc ttctggctc tgccctcca tccccagcct 120
ctcatcccca tcttgcaactt ttgctagggg tggaggcgt ttctggtag cccctcagag 180
actcagtcag cggaataaag tcctaggggt ggggggtgtg gcaagccggc ct 232

<210> 82
 <211> 383
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (383)
 <223> n = A,T,C or G

<400> 82
 aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc 60
 agtaccagta ccaataacat gccagtcca gtgccagcac cagtgggtggc ttcagtgtg 120
 gtgccagcct gaccgccact ctcacatttg ggctcttgcg tggccttggg ggagctgggt 180
 ccagcaccag tggcagctct ggtgcctgtg gtttctccta caagtggatg tttagatatt 240
 gttaatcctg ccagtctttc tcttcaagcc aggggtgcac ctcagaaacc tactcaaac 300
 agcactctng gcagccacta tcaatcaatt gaagttgaca ctctgcatta aatctatttg 360
 ccatttcaaa aaaaaaaaaa aaa 383

<210> 83
 <211> 494
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (494)
 <223> n = A,T,C or G

<400> 83
 accgaattgg gaccgctggc ttataagcga tcatgtcctc cagtattacc tcaacgagca 60
 gggagatcga gtctatacgc tgaagaaatt tgacccgatg ggacaacaga cctgctcagc 120
 ccatcctgct cggttctccc cagatgacaa atactctcga caccgaatca ccatcaagaa 180
 acgettcaag gtgctcatga ccagcaacc gcgcctgtc ctctgagggt ccttaaaactg 240
 atgtcttttc tgccacctgt taccctctcg agactccgta accaaaactct tcggactgtg 300
 agccctgatg cttttttgcc agccatactc tttggcntcc agtctctcgt ggcgattgat 360
 tatgcttggtg tgaggcaatc atggtggcat caccatnaa gggaacacat ttganttttt 420
 tttncatat tttaaattac naccagaata nttcagaata aatgaattga aaaactctta 480
 aaaaaaaaaa aaaa 494

<210> 84
 <211> 380
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (380)
 <223> n = A,T,C or G

<400> 84
 gctggtagcc tatggcgtgg ccacggangg gctcctgagg cacgggacag tgacttccca 60
 agtatcctgc gccgcgtctt ctaccgtccc tacctgcaga tcttcgggca gattccccag 120
 gaggacatgg acgtggccct catggagcac agcaactgct cgtcggagcc cggcttctgtg 180
 gcacaccctc ctggggccca ggcgggcacc tgcgtctccc agtatgccaa ctggctgggtg 240
 gtgctgtcc tcgtcatctt cctgctcgtg gccaacatcc tgcgtgtcac ttgctcattg 300
 ccatgttcag ttacacattc ggcaaagtac agggcaacag cnatctctac tgggaaggcc 360
 agcgttnccg cctcatccgg 380

<210> 85
 <211> 481
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(481)
 <223> n = A,T,C or G

<400> 85
 gagttagctc ctccacaacc ttgatgaggt cgtctgcagt ggcctctcgc ttcataccgc 60
 tnccatcgtc atactgtagg ttggccacca cctcctgcat cttggggcgg ctaatatcca 120
 ggaaactctc aatcaagtca ccgtcnatna aacctgtggc tggttctgtc ttccgctcgg 180
 tgtgaaagga tctccagaag gagtgtctga tcttccccac actttttagt actttattga 240
 gtcgattctg catgtccagc aggaggttgt accagctctc tgacagttag gtcaccagcc 300
 ctatcatgcc nttgaacgtg ccgaagaaca ccgagccttg tgtggggggg gnagtctcac 360
 ccagattctg cattaccaga nagccgtggc aaaaganatt gacaactcgc ccaggngaa 420
 aaagaacacc tcttggaagt gctngccgct cctcgtcctt tggggnngc gcntnccttt 480
 t 481

<210> 86
 <211> 472
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(472)
 <223> n = A,T,C or G

<400> 86
 aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgctg agaattcatt 60
 acttggaata gcaacttnaa gcctggacac tgggtattaaa attcacaata tgcaacactt 120
 taaacagtgt gtcaatctgc tcccttactt tgtcatcacc agtctgggaa taagggtatg 180
 ccctattcac acctgttaaa agggcgctaa gcatttttga ttcaacatct ttttttttga 240
 cacaagtcgc aaaaaagcaa aagtaaacag ttnttaattt gttagccaat tcactttctt 300
 catgggacag agccatttga tttaaaaagc aaattgcata atattgagct ttgggagctg 360
 atatntgagc ggaagantag cttttctact tcaccagaca caactccttt catattggga 420
 gtttnacnaa agttatgtct cttacagatg ggatgctttt gtggcaattc tg 472

<210> 87
 <211> 413
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(413)
 <223> n = A,T,C or G

<400> 87
 agaaaccagt atctctnaaa acaacctctc ataccttggt gacctaatTT tgtgtgcgtg 60
 tgtgtgtgcg cgcataattat atagacaggc acatcttttt tacttttgta aaagcttatg 120
 cctcttttgg atctatatct gtgaaagttt taatgatctg ccataatgtc ttggggacct 180
 ttgtcttctg tgtaaatggt actagagaaa acacctatnt tatgagtcaa tctagtngt 240
 tttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc cttgactagg 300


```

ggggacaaag aaaagcanaa ctgaacatna gaaacaattn cctggtgaga aattncataa 360
acagaaattg ggtngtatat tgaaanannng catcattnaa acgttttttt ttt 413

```

```

<210> 88
<211> 448
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(448)
<223> n = A,T,C or G

```

```

<400> 88
cgcagcgggt cctctctatc tagctccagc ctctcgcttg ccccaactcc cgcgtccgc 60
gtcctagccn accatggccg ggcccttgcg cgcccgctg ctctgctgg ccatcctggc 120
cgtggccctg gccgtgagcc ccgcgcccg ctccagtcgc ggcaagccgc cgcgcctggt 180
gggaggccca tggacccgc gtggaagaag aaggtgtgcg gcgtgcactg gactttgccg 240
tcggcnanta caacaaaccc gcaacnactt ttaccnagcn cgcgtgcag gttgtgccgc 300
cccaancaa ttgttactng gggtaantaa ttcttggaag ttgaacctgg gccaaacnng 360
tttaccagaa ccnagccaat tngaacaatt nccctccat aacagccct tttaaaaagg 420
gaancantcc tgntcttttc caaat ttt 448

```

```

<210> 89
<211> 463
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(463)
<223> n = A,T,C or G

```

```

<400> 89
gaattttgtg cactggccac tgtgatggaa ccattgggcc aggatgcttt gagtttatca 60
gtagtattc tgccaaagt ggtgttgtaa catgagtatg taaaatgtca aaaaattagc 120
agaggtctag gtctgcatat cagcagacag ttgtccgtg tattttgtag ccttgaagtt 180
ctcagtgaca agttntttct gatgcgaagt tctnattcca gtgttttagt cctttgcac 240
tttnatgttn agacttgccct ctntnaaatt gcttttgtnt tctgcaggta ctatctgtgg 300
tttaacaaaa tagaannact tctctgcttn gaanatttga atatcttaca tctnaaaatn 360
aattctctcc ccatannaaa acccangccc ttggganaat ttgaaaaang gntccttcnn 420
aattcnnana anttcagntn tcatacaaca naacngganc ccc 463

```

```

<210> 90
<211> 400
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(400)
<223> n = A,T,C or G

```

```

<400> 90
agggattgaa ggtctnttnt actgtcggac tgttcancca ccaactctac aagttgctgt 60
cttcactca ctgtctgtaa gcntnttaac ccagactgta tcttcataaa tagaacaat 120
tcttcaccag tcacatcttc taggaccttt ttggattcag ttagtataag ctcttccact 180
tcctttgtta agacttcac tcggtaaagtc ttaagttttg tagaaaggaa ttttaattgct 240

```

```

cggtctctaa caatgtcctc tccttgaagt atttggtga acaacccacc tnaagtcctt    300
ttgtgcatcc attttaaata tacttaatag ggcattggtt cactagggtt aattctgcaa    360
gagtcattctg tctgcaaaaag ttgcgttagt atatctgcca                        400

```

```

<210> 91
<211> 480
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(480)
<223> n = A,T,C or G

```

```

<400> 91
gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnaact    60
ggctctacccc acatggggagc agcatgccgt agntatataa ggctattccc tgagtcagac    120
atgcctcttt gactaccgtg tgccagtgtt ggtgattctc acacacctcc nncgctctt    180
tgtggaaaaa ctggcacttg nctggaacta gcaagacatc acttaciaat tcacccacga    240
gacacttgaa aggtgtaaca aagcgactct tgcattgtct tttgtccctc cggcaccagt    300
tgtcaatact aaccgctgg ttgcctcca tcacatttgt gatctgtagc tctggataca    360
tctctgaca gtactgaaga acttcttctt ttgtttcaaa agcaactctt ggtgcctgtt    420
ngatcaggtt cccatttccc agtcggaatg ttcacatggc atatnttact tcccacaaaa    480

```

```

<210> 92
<211> 477
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(477)
<223> n = A,T,C or G

```

```

<400> 92
atacagccca natcccacca cgaagatgcg cttgttgact gagaacctga tgcggtcact    60
ggctccgctg tagccccagc gactctccac ctgctggaag cgggttgatgc tgcaactcctt    120
cccacgcagg cagcagcggg gccgggtcaat gaactccact cgtggcttgg gggtgacggt    180
taantgcagg aagagggtga ccacctcgcg gtccaccagg atgcccagct gtgcgggacc    240
tgacgcgaaa ctctctgatg gtcatgagcg ggaagcgaat gangcccagg gccttgccca    300
gaaccttcgg cctgttctct ggcgtcacct gcagctgctg ccgctnacac tcggcctcgg    360
accagcggac aaacggcgtt gaacagccgc acctcacgga tgcccantgt gtcgcgctcc    420
aggaacggcn ccagcgtgtc cagggtcaatg tcgggtgaanc ctccgcgggt aatggcg     477

```

```

<210> 93
<211> 377
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(377)
<223> n = A,T,C or G

```

```

<400> 93
gaacggctgg accttgctc gcattgtgct gctggcagga ataccttggc aagcagctcc    60
agtccgagca gcccagacc gctgccgccc gaagctaagc ctgcctctgg ccttccctc    120
cgctcaatg cagaaccant agtgggagca ctgtgtttag agttaagagt gaacactgtt    180

```

```

tgattttact tgggaatttc ctctgttata tagcttttcc caatgctaata ttccaaacaa 240
caacaacaaa ataacatgtt tgctgttna gttgtataaa agtangtgat tctgtatnta 300
aagaaaatat tactgttaca tatactgctt gcaantttctg tatttattgg tncctctggaa 360
ataaatatat tattaata 377

```

```

<210> 94
<211> 495
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(495)
<223> n = A,T,C or G

```

```

<400> 94
ccctttgagg ggtaggggc cagttcccag tggagaagaa aggccaggag aantgcgtgc 60
cgagctgang cagatttccc acagtgaccc cagagccctg ggctatagtc tctgaccct 120
ccaaggaaag accaccttct ggggacatgg gctggagggc aggacctaga ggcaccaagg 180
gaaggcccca ttccggggct gttcccgcag gaggaaggga aggggctctg tgtgcccccc 240
acgaggaana ggccctgant cctgggatca nacaccctt cacgtgtatc cccacacaaa 300
tgcaagctca ccaaggtccc ctctcagtc ctccctaca ccctgaacgg nacttgcccc 360
acaccacccc agancancca cccgccatgg ggaatgtnt caaggaatcg cngggcaacg 420
tggaactctng tccnnaagg gggcagaatc tccaatagan gganngaacc cttgctnana 480
aaaaaaaaana aaaaa 495

```

```

<210> 95
<211> 472
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(472)
<223> n = A,T,C or G

```

```

<400> 95
ggttacttgg ttctattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc 60
cctctggaag ccttgcgcag agcggacttt gtaattgttg gagaataact gctgaatttt 120
tagctgtttt gaggttgatc gcaccactgc accacaactc aatatgaaaa ctatttnact 180
tatttattat ctgtgaaaa gtatacaatg aaaattttgt tcatactgta tttatcaagt 240
atgatgaaaa gcaatagata tatattcttt tattatgttn aattatgatt gccattatta 300
atcggaacaaa tgtggagtgt atgttctttt cacagtaata tatgcctttt gtaacttcac 360
ttggttattt tattgtaaat gaattacaaa attcttaatt taagaaaatg gtangttata 420
tttantcan taatttcttt cctgttttac gtaattttg aaaagaatgc at 472

```

```

<210> 96
<211> 476
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(476)
<223> n = A,T,C or G

```

```

<400> 96
ctgaagcatt tcttcaaact tntctacttt tgcattgat acctgtagta agttgacaat 60

```

```

gtggtgaaat ttcaaaatta tatgtaactt ctactagttt tactttctcc cccaagtctt      120
ttttaactca tgatttttac acacacaatc cagaacttat tatatagcct ctaagtcttt      180
attcttcaca gtatgatgat aaagagtcct ccagtgtctt gngcanaatg ttctagntat      240
agctggatac atacngtggg agttctataa actcatacct cagtgggact naaccaaaat      300
tgtgttagtc tcaattccta ccacactgag ggagcctccc aaatcactat attcttatct      360
gcaggctact ctccagaaaa acngacaggg caggcttgca tgaaaaagtn acatctgcgt      420
tacaaagtct atcttctca nangtctgtt aaggaacaat ttaatcttct agcttt      476

```

<210> 97

<211> 479

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> {1}...{479}

<223> n = A,T,C or G

<400> 97

```

actctttcta atgctgatat gatcttgagt ataagaatgc atatgtcact agaatggata      60
aaataatgct gcaaacttaa tgttcttatg caaaatggaa cgctaataga acacagctta      120
caatcgcaaa tcaaaactca caagtgetca tctgttgtag atttagtgta ataagactta      180
gattgtgctc ctccggatat gattgtttct canatcttgg gcaatnttcc ttagtcaaat      240
caggctacta gaattctggt attggatatn tgagagcatg aaatttttaa naatacactt      300
gtgattatna aattaatcac aaatttctact tatacctgct atcagcagct agaaaaacat      360
ntnnttttta natcaaagta ttttgtgttt ggaantgttn aaatgaaatc tgaatgtggg      420
ttcnatctta ttttttcccn gacnactant tnttttttta gggncatttc tganccatc      479

```

<210> 98

<211> 461

<212> DNA

<213> Homo sapien

<400> 98

```

agtgacttgt cctccaacaa aacccttga tcaagtttgt ggcactgaca atcagaccta      60
tgctagtctc tgcctcttat tcgctactaa atgcagactg gaggggacca aaaaggggca      120
tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga      180
agtgattcag tttcctctac ggatgagaga ctggctcaag aatatactca tgcagcttta      240
tgaagccact ctgaacacgc tggttatcta gatgagaaca gagaaataaa gtcagaaaat      300
ttacctggag aaaagaggct ttggctgggg accatcccat tgaaccttct cttaaggact      360
ttaagaaaaa ctaccacatg ttgtgtatcc tgggtgccggc cgtttatgaa ctgaccaccc      420
tttggataaa tcttgacgct cctgaacttg ctctcttgcg a      461

```

<210> 99

<211> 171

<212> DNA

<213> Homo sapien

<400> 99

```

gtggcgcgcg gcagggtgtt cctcgtagcg cagggccccc tcccttcccc aggcgtccct      60
cggcgcctct gcgggcccga ggaggagcgg ctggcggttg ggggagtggt gaccacccct      120
cggtgagaaa agccttctct agcgatctga gaggcgtgcc ttgggggtac c      171

```

<210> 100

<211> 269

<212> DNA

<213> Homo sapien

<400> 100

cgccgcgaag	tgcaactcca	gctggggccg	tgccgacgaa	gattctgcc	gcagttggtc	60
cgactgcgac	gacggcgccg	gcgacagtcg	caggtgcagc	gcgggcgcct	ggggtcttgc	120
aaggctgagc	tgacgccgca	gaggtcgtgt	cacgtccac	gaccttgacg	ccgtcgggga	180
cagccggaac	agagcccggg	gaagcgggag	gcctcgggga	gcccctcggg	aagggcgcc	240
cgagagatac	gcaggtgcag	gtggccgcc				269

<210> 101

<211> 405

<212> DNA

<213> Homo sapien

<400> 101

tttttttttt	ttttggaatc	tactgcgagc	acagcaggtc	agcaacaagt	ttatttttgca	60
gctagcaagg	taacagggtg	gggcatgggt	acatgttcag	gtcaacttcc	tttgtcgtgg	120
ttgattgggt	tgtctttatg	ggggcggggt	ggggtagggg	aaacgaagca	aataacatgg	180
agtgggtgca	ccctccctgt	agaacctgtt	tacaaagctt	ggggcagttc	acctggtctg	240
tgaccgtcat	tttcttgaca	tcaatgttat	tagaagtcag	gatattcttt	agagagtcca	300
ctgttctgga	gggagattag	ggtttcttgc	caaatccaac	aaaatccact	gaaaaagttg	360
gatgatcagt	acgaataccg	aggcatattc	tcatatcggt	ggcca		405

<210> 102

<211> 470

<212> DNA

<213> Homo sapien

<400> 102

tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
ggcacttaat	ccatttttat	ttcaaaatgt	ctacaaattt	aatcccat	tacgggtattt	120
tcaaaatcta	aattattcaa	attagccaaa	tccttaccaa	ataataccca	aaaatcaaaa	180
atatacttct	ttcagcaaac	ttgttacata	aattaaaaaa	atatatacgg	ctgggtgtttt	240
caaagtacaa	ttatcttaac	actgcaaaaca	ttttaaggaa	ctaaaaataaa	aaaaaacact	300
ccgcaaagggt	taaagggaac	aacaaattct	tttacaacac	cattataaaa	atcatatctc	360
aaatcttagg	ggaatatata	cttcacacgg	gatcttaact	tttactcact	ttgtttattt	420
ttttaaacca	ttgtttgggc	ccaacacaat	ggaatcccc	ctggactagt		470

<210> 103

<211> 581

<212> DNA

<213> Homo sapien

<400> 103

tttttttttt	ttttttttga	ccccctctt	ataaaaaaca	agttaccatt	ttattttact	60
tacacatatt	tattttataa	ttggtattag	atattcaaaa	ggcagctttt	aaaatcaaac	120
taaatggaaa	ctgccttaga	tacataattc	ttaggaatta	gcttaaaatc	tgccctaaagt	180
gaaaatcttc	tctagctctt	ttgactgtaa	atttttgact	cttgtaaaac	atccaaattc	240
.atttttcttg	tctttaaaat	tatctaattc	ttccattttt	tccctattcc	aagtcaattt	300
gcttctctag	cctcatttcc	tagctcttat	ctactattag	taagtggctt	ttttcctaaa	360
agggaaaaaca	ggaagagaaa	tgccacacaa	aacaaacatt	ttatattcat	atttctacct	420
acgttaataa	aatagcattt	tgtgaagcca	gctcaaaaga	aggcttagat	ccttttatgt	480
ccattttagt	cactaaacga	tatcaaagtg	ccagaatgca	aaaggtttgt	gaacatttat	540
tcaaaagcta	atataagata	tttcacatac	tcattctttc	g		581

<210> 104

<211> 578

<212> DNA

<213> Homo sapien

<400> 104

tttttttttt	tttttttttt	tttttctctt	cttttttttt	gaaatgagga	tcgagttttt	60
cactctctag	atagggcatg	aagaaaactc	atctttccag	ctttaaaata	acaatcaa	120
ctcttatgct	atatcatatt	ttaagttaaa	ctaatagagc	actggcttat	cttctcctga	180
aggaaatctg	ttcattcttc	tcattcatat	agttatatca	agtactacct	tgcatattga	240
gaggtttttc	ttctctat	acacatatat	ttccatgtga	atttgtatca	aacctttatt	300
ttcatgcaaa	ctagaaaata	atgtttcttt	tcataaagag	aagagaacaa	tatagcatta	360
caaaactgct	caaattgttt	gttaagttat	ccattataat	tagttggcag	gagctaatac	420
aaatcacatt	tacgacagca	ataataaaac	tgaagtacca	gttaaataac	caaaataatt	480
aaaggaacat	ttttagcctg	ggtataatta	gctaattcac	tttacaagca	tttattagaa	540
tgaattcaca	tgttattatt	cctagcccaa	cacaatgg			578

<210> 105

<211> 538

<212> DNA

<213> Homo sapien

<400> 105

tttttttttt	tttttcagta	ataatcagaa	caatatttat	ttttatat	aaaattcata	60
gaaaagtgcc	ttacatttaa	taaaagtgtg	tttctcaaa	tgatcagagg	aattagatat	120
gtcttgaaca	ccaatattaa	tttgaggaaa	atacaccaaa	atacattaag	ttaattattt	180
aagatcatag	agcttgtaag	tgaaaagata	aaatttgacc	tcagaaactc	tgagcattaa	240
aatccacta	ttagcaata	aattactatg	gacttcttgc	tttaattttg	tgatgaatat	300
ggggtgtcac	tggtaaacca	acacattctg	aaggatacat	tacttagtga	tagattctta	360
tgtactttgc	taatacgtgg	atatgagttg	acaagtttct	ctttcttcaa	tcttttaagg	420
ggcgagaaat	gaggaagaaa	agaaaaggat	tacgcatact	gttctttcta	tggaaggatt	480
agatatgttt	cctttgcaa	tattaaaaaa	ataataatgt	ttactactag	tgaacccc	538

<210> 106

<211> 473

<212> DNA

<213> Homo sapien

<400> 106

tttttttttt	tttttttagtc	aagtttctat	ttttattata	attaaagtct	tggtcatttc	60
atttattagc	tctgcaactt	acatatattaa	attaaagaaa	cgtttttagac	aactgtacaa	120
tttataaatg	taagggtgcca	ttattgagta	atatattcct	ccaagagtgg	atgtgtccct	180
tctcccacca	actaatgaac	agcaacatta	gtttaatttt	attagtagat	ataactgct	240
gcaaacgcta	attctcttct	ccatcccat	gtgatattgt	gtatatgtgt	gagttggtag	300
aatgcatac	aatctacaat	caacagcaag	atgaagctag	gctgggcttt	cggtgaaaat	360
agactgtgtc	tgtctgaatc	aaatgatctg	acctatctc	ggtggcaaga	actcttcgaa	420
ccgcttctc	aaaggcgctg	ccacatttgt	ggctctttgc	acttgtttca	aaa	473

<210> 107

<211> 1621

<212> DNA

<213> Homo sapien

<400> 107

cgccatggca	ctgcagggca	tctcggtcat	ggagctgtcc	ggcctggccc	cgggcccggt	60
ctgtgctatg	gtcctggctg	acttcggggc	gcgtgtggta	cgctgggacc	ggcccggtc	120
ccgctacgac	gtgagccgct	tgggccgggg	caagcgctcg	ctagtgtctg	acctgaagca	180
gccgcgggga	gccgcggtgc	tgccggtct	gtgcaagcgg	tcggatgtgc	tgctggagcc	240
cttcgcgcgc	gggtgcatgg	agaaactcca	gctgggcccc	gagattctgc	agcgggaaaa	300
tccaaggctt	atttatgcca	ggctgagtg	atttggccag	tcaggaagct	tctgccggtt	360
agctggccac	gatatcaact	atttggcttt	gtcagggtgt	ctctcaaaaa	ttggcagaag	420
tggtgagaat	ccgtatgccc	cgctgaatct	cctggctgac	tttgctggtg	gtggccttat	480
gtgtgcactg	ggcattataa	tggtcttttt	tgaccgcaca	cgcactgaca	agggtcagggt	540

```

cattgatgca aatatggtgg aaggaacagc atatttaagt tcttttctgt ggaaaactca 600
gaaatcgagt ctgtgggaag cacctcgagg acagaacatg ttggatggtg gagcaccttt 660
ctatacgact tacaggacag cagatgggga attcatggct gttggagcaa tagaacccca 720
gttctacgag ctgctgatca aaggacttgg actaaagtct gatgaacttc ccaatcagat 780
gagcatggat gattggccag aaatgaagaa gaagtttgca gatgtatttg caaagaagac 840
gaaggcgag tgggtgtcaaa tctttgacgg cacagatgcc tgtgtgactc cggttctgac 900
ttttgaggag gttgttcac atgatcacia caaggaacgg ggctcgttta tcaccagtga 960
ggagcaggac gtgagcccc gccctgcacc tctgctgtta aacaccccag ccaccccttc 1020
tttcaaaagg gatcctttca taggagaaca cactgaggag atacttgaag aatttggatt 1080
cagccgcgaa gagattttat agcttaactc agataaaatc attgaaagta ataaggtaaa 1140
agctagtctc taacttccag gccacaggct caagtgaatt tgaatactgc atttacagtg 1200
tagagtaaca cataacattg tatgcatgga aacatggagg aacagtatta cagtgtccta 1260
ccactcta atcaagaaaaga attacagact ctgattctac agtgaatgatt gaattctaaa 1320
aatggttctc attagggctt ttgatttata aaactttggg tacttataact aaattatggg 1380
agttattctg ccttccagtt tgcttgatat atttgttgat attaagattc ttgacttata 1440
ttttgaatgg gttctagtga aaaaggaatg atatatctct gaagacatcg atatacattt 1500
atttacactc ttgattctac aatgtagaaa atgaggaaat gccacaaatt gtatggtgat 1560
aaaagtcacg tgaacaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
a

```

<210> 108

<211> 382

<212> PRT

<213> Homo sapien

<400> 108

```

Met Ala Leu Gln Gly Ile Ser Val Met Glu Leu Ser Gly Leu Ala Pro
1      5      10      15
Gly Pro Phe Cys Ala Met Val Leu Ala Asp Phe Gly Ala Arg Val Val
20     25     30
Arg Val Asp Arg Pro Gly Ser Arg Tyr Asp Val Ser Arg Leu Gly Arg
35     40     45
Gly Lys Arg Ser Leu Val Leu Asp Leu Lys Gln Pro Arg Gly Ala Ala
50     55     60
Val Leu Arg Arg Leu Cys Lys Arg Ser Asp Val Leu Leu Glu Pro Phe
65     70     75     80
Arg Arg Gly Val Met Glu Lys Leu Gln Leu Gly Pro Glu Ile Leu Gln
85     90     95
Arg Glu Asn Pro Arg Leu Ile Tyr Ala Arg Leu Ser Gly Phe Gly Gln
100    105    110
Ser Gly Ser Phe Cys Arg Leu Ala Gly His Asp Ile Asn Tyr Leu Ala
115    120    125
Leu Ser Gly Val Leu Ser Lys Ile Gly Arg Ser Gly Glu Asn Pro Tyr
130    135    140
Ala Pro Leu Asn Leu Leu Ala Asp Phe Ala Gly Gly Gly Leu Met Cys
145    150    155    160
Ala Leu Gly Ile Ile Met Ala Leu Phe Asp Arg Thr Arg Thr Asp Lys
165    170    175
Gly Gln Val Ile Asp Ala Asn Met Val Glu Gly Thr Ala Tyr Leu Ser
180    185    190
Ser Phe Leu Trp Lys Thr Gln Lys Ser Ser Leu Trp Glu Ala Pro Arg
195    200    205
Gly Gln Asn Met Leu Asp Gly Gly Ala Pro Phe Tyr Thr Thr Tyr Arg
210    215    220
Thr Ala Asp Gly Glu Phe Met Ala Val Gly Ala Ile Glu Pro Gln Phe
225    230    235    240
Tyr Glu Leu Leu Ile Lys Gly Leu Gly Leu Lys Ser Asp Glu Leu Pro
245    250    255

```

Asn Gln Met Ser Met Asp Asp Trp Pro Glu Met Lys Lys Lys Phe Ala
 260 265 270
 Asp Val Phe Ala Lys Lys Thr Lys Ala Glu Trp Cys Gln Ile Phe Asp
 275 280 285
 Gly Thr Asp Ala Cys Val Thr Pro Val Leu Thr Phe Glu Glu Val Val
 290 295 300
 His His Asp His Asn Lys Glu Arg Gly Ser Phe Ile Thr Ser Glu Glu
 305 310 315 320
 Gln Asp Val Ser Pro Arg Pro Ala Pro Leu Leu Leu Asn Thr Pro Ala
 325 330 335
 Ile Pro Ser Phe Lys Arg Asp Pro Phe Ile Gly Glu His Thr Glu Glu
 340 345 350
 Ile Leu Glu Glu Phe Gly Phe Ser Arg Glu Glu Ile Tyr Gln Leu Asn
 355 360 365
 Ser Asp Lys Ile Ile Glu Ser Asn Lys Val Lys Ala Ser Leu
 370 375 380

<210> 109

<211> 1524

<212> DNA

<213> Homo sapien

<400> 109

```

ggcacgaggg tgcgccaggg cctgagcgga ggcgggggca gcctcgccag cggggggcccc      60
gggcctggcc atgcctcact gagccagcgc ctgcgcctct acctcgccga cagctggaac      120
cagtgcgacc tagtggtctt cacctgcttc ctccctggcg tgggctgccc gctgaccccc      180
ggtttgtaac acctgggccc cactgtcttc tgcctcgact tcatggtttt cacgggtgccc      240
ctgcttcaca tcttcacggt caacaaacag ctggggccca agatcgatcat cgtgagcaag      300
atgatgaagg acgtgttctt ctctctcttc ttctctggcg tgtggctggg agcctatggc      360
gtggccacgg aggggctcct gaggccacgg gacagtgact tcccaagtat cctgcgcgcg      420
gtcttctacc gtccctacct gcagatcttc gggcagattc cccaggagga catggacgtg      480
gccctcatgg agcacagcaa ctgctcgctg gagcccggtt tctgggcaca cctcctggg      540
gcccgagcgg gcacctgcgt ctcccagtat gccaaactggc tgggtggtgct gctcctcgtc      600
atcttctctg tcgtggccaa catcctgctg gtcaacttgc tcattgccat gttcagttac      660
acattcggca aagtacaggg caacagcgat ctctactgga aggcgcagcg ttaccgcctc      720
atccgggaat tccactctcg gcccgcgctg gcccgcctt ttatcgatcat ctcccacttg      780
cgctcctgct tcaggcaatt gtgcaggcga ccccgagacc cccagccgtc ctccccggcc      840
ctcgagcatt tccgggttta cttttctaag gaagccgagc ggaagctgct aacgtgggaa      900
tcgggtgcata aggagaactt tctgctggca cgcgctaggg acaagcggga gagcgactcc      960
gagcgtctga agcgacgctc ccagaagggt gacttggcac tgaaacagct gggacacatc     1020
cgcgagtacg aacagcgctt gaaagtgctg gagcgggagg tccagcagtg tagccgcgtc     1080
ctgggggtggg tggccgaggg cctgagccgc tctgccttgc tgccccagg tgggcccga      1140
ccccctgacc tgcctgggtc caaagactga gccctgctgg cggacttcaa ggagaagccc     1200
ccacagggga ttttgctcct agagtaaggc tcatctgggc ctcgggcccc gcacctggtg      1260
gccttgctct tgaggtgagc ccatgtcca tctggggccac tgtcaggacc acctttggga      1320
gtgtcatcct tacaaccac agcatgccc gctcctccca gaaccagtc cagcctggga      1380
ggatcaaggc ctggatcccc ggccgttatc catctggagg ctgcagggtc cttggggtaa      1440
cagggaccac agaccctca cactcacag attcctcaca ctggggaaat aaagccattt      1500
cagaggaaaa aaaaaaaaaa aaaa
cagaggaaaa aaaaaaaaaa aaaa

```

<210> 110

<211> 3410

<212> DNA

<213> Homo sapien

<400> 110

```

gggaaccagc ctgcacgcgc tggctccggg tgacagccgc gcgcctcggc caggatctga      60
gtgatgagac gtgtccccac tgaggtgccc cacagcagca ggtgttgagc atgggctgag      120

```


aagctggacc	ggcaccaaaag	ggctggcaga	aatggggcgcc	tggctgattc	ctaggcagtt	180
ggcggcagca	aggaggagag	gccgcagctt	ctggagcaga	gccgagacga	agcagttctg	240
gagtgccctga	acggccccct	gagccctacc	cgccctggccc	actatgggtcc	agaggctgtg	300
ggtgagccgc	ctgctgcggc	accggaaaagc	ccagctcttg	ctgggtcaacc	tgctaaccctt	360
tggcctggag	gtgtgttttg	ccgcaggcat	cacctatgtg	ccgcctctgc	tgctggaagt	420
gggggtagag	gagaagttca	tgaccatggg	gctgggcatt	ggtccagtgc	tgggcctggt	480
ctgtgtcccc	ctcctaggct	cagccagtga	ccactggcgt	ggacgctatg	gccgcgcgcg	540
gcccttcac	tgggcactgt	ccttgggcat	cctgctgagc	ctctttctca	tcccaagggc	600
cggctggcta	gcagggtctg	tgtgcccggg	tcccaggccc	ctggagctgg	cactgctcat	660
cctggggcgtg	gggctgctgg	acttctgtgg	ccagggtgtg	ttcactccac	tggaggccct	720
gctctctgac	ctcttcgggg	acccggacca	ctgtcgccag	gcctactctg	tctatgcctt	780
catgatcagt	cttgggggct	gcctgggcta	cctcctgcct	gccattgact	gggacaccag	840
tgccttgccc	ccctacctgg	gcaccagga	ggagtgcctc	tttggcctgc	tcaccctcat	900
cttctcacc	tgcgtagcag	ccacactgct	ggtggctgag	gaggcagcgc	tgggccccac	960
cgagccagca	gaagggtgtg	cgccccctc	cttgtcgccc	cactgctgtc	catgccgggc	1020
ccgcttggt	ttccggaacc	tgggcgcctt	gcttccccgg	ctgcaccagc	tgtgctgccc	1080
catgccccgc	accctgcgcc	ggctcttcgt	ggctgagctg	tgcagctgga	tggcactcat	1140
gaccttcacg	ctgttttaca	cggatttcgt	gggcgagggg	ctgtaccagg	gcgtgcccag	1200
agctgagccg	ggcaccgagg	cccggagaca	ctatgatgaa	ggcgttcgga	tgggcagcct	1260
ggggtctgtc	ctgcagtgcg	ccatctccct	ggtcttctct	ctgggtcatgg	accggctggt	1320
gcagcgatcc	ggcactcgag	cagtctatct	ggcagtggtg	gcagctttcc	ctgtggctgc	1380
cggtgccaca	tgcctgtccc	acagtgtggc	cgtggtgaca	gcttcagccg	ccctcaccgg	1440
gttcaccttc	tcagccctgc	agatcctgcc	ctacacactg	gcctccctct	accaccggga	1500
gaagcaggtg	ttcctgcccc	aataccgagg	ggacactgga	ggtgctagca	gtgaggacag	1560
cctgatgacc	agcttcctgc	caggccctaa	gcctggagct	cccttcccta	atggacacgt	1620
gggtgctgga	ggcagtggcc	tgtctcccacc	tccaccgcgc	ctctgcgggg	cctctgcctg	1680
tgatgtctcc	gtacgtgtgg	tgtgggtgga	gcccaccgag	gccagggtgg	ttccggggccg	1740
gggcatctgc	ctggacctcg	ccatcctgga	tagtgccttc	ctgctgtccc	aggtggcccc	1800
atccctgttt	atgggctcca	ttgtccagct	cagccagtct	gtcactgcct	atatggtgtc	1860
tgccgcaggg	ctgggtctgg	tcgccattta	ctttgctaca	caggtagtat	ttgacaagag	1920
cgacttgccc	aaatactcag	cgtagaaaac	ttccagcaca	ttgggggtgga	gggcctgcct	1980
cactgggtcc	cagctccccg	ctcctgttag	ccccatgggg	ctgccgggct	ggccgccagt	2040
ttctgttgct	gccaaagtaa	tgtggctctc	tgtgcccacc	ctgtgctgct	gaggtgcgta	2100
gctgcacagc	tgggggctgg	ggcgctccct	tcctctctcc	ccagtctcta	gggctgcctg	2160
actggaggcc	ttccaagggg	gtttcagctc	ggacttatac	agggaggcca	gaagggtccc	2220
atgcactgga	atgcggggac	tctgcagggtg	gattaccagg	gctcagggtt	aacagctagc	2280
ctcctagtgt	agacacacct	agagaagggt	ttttgggagc	tgaataaaact	cagtcacctg	2340
gtttcccatc	tctaagcccc	ttaacctgca	gcttcgttta	atgtagctct	tgcattgggag	2400
ttcttaggat	gaaacactcc	tccatgggat	ttgaacatat	gacttatttg	taggggaaga	2460
gtcctgaggg	gcaacacaca	agaaccaggt	ccctcagccc	cacagcactg	tctttttgct	2520
gatccacccc	cctcttacct	tttatcagga	tgtggcctgt	tggctcttct	gttgccatca	2580
cagagacaca	ggcattttaa	tatttaactt	atttatttta	caaagtagaa	gggaatccat	2640
tgttagcttt	tctgtgttgg	tgtctaatat	ttgggtaggg	tgggggatcc	ccaacaatca	2700
ggccccctga	gatagctggt	cattgggctg	atcattgcca	gaatcttctt	ctcctgggggt	2760
ctggcccccc	aaaatgccta	acccaggacc	ttggaaatcc	tactcatccc	aaatgataat	2820
tccaaatgct	gttacccaag	gttaggggtg	tgaagggaag	tagagggtgg	ggcttcagggt	2880
ctcaacggct	tccctaacca	ccctcttctt	cttggccccag	cctgggtccc	cccacttcca	2940
ctccccctcta	ctctctctag	gactgggctg	atgaaggcac	tgcacaaaat	ttccccctacc	3000
cccaactttc	ccctaccccc	aactttcccc	accagctcca	caacctgttt	tggagctact	3060
gcaggaccag	aagcacaag	tgcggtttcc	caagcctttg	tccatctcag	ccccagagt	3120
atatctgtgc	ttgggggaatc	tcacacagaa	actcaggagc	acccccctgcc	tgagctaagg	3180
gaggtcttat	ctctcagggg	gggtttaagt	gccgtttgca	ataatgtcgt	cttattttatt	3240
tagcgggggtg	aatattttat	actgtaagt	agcaatcaga	gtataatgtt	tatgggtgaca	3300
aaattaaagg	ctttcttata	tgtttaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3360
aaaaaaaaara	aaaaaaaaaa	aaaaaaaaaa	aaaaaaataa	aaaaaaaaaa		3410

<210> 111

<211> 1289

<212> DNA

<213> Homo sapien

<400> 111

```

agccaggcgt ccctctgcct gccactcag tggcaacacc cgggagctgt tttgtccttt      60
gtggagcctc agcagttccc tctttcagaa ctcactgcc aagagccctga acaggagcca      120
ccatgcagtg cttcagcttc attaaagacca tgatgatcct cttcaatttg ctcattcttc      180
tgtgtggtgc agccctgttg gcagtgggca tctgggtgtc aatcgatggg gcatcctttc      240
tgaagatctt cgggccactg tcgtccagtg ccatgcagtt tgtcaacgtg ggctacttcc      300
tcatcgcagc cggcgttgtg gtctttgtct ttggtttcct gggctgctat ggtgctaaga      360
ctgagagcaa gtgtgccttc gtgacgttct tcttcacctt cctcctcctc ttcattgctg      420
aggttgcagc tgctgtgggc gccttggtgt acaccacaat ggctgagcac ttcctgacgt      480
tgctggtagt gcctgccatc aagaaagatt atggttccca ggaagacttc actcaagtgt      540
ggaacaccac catgaaaggc ctcaagtgtc gtggcttcac caactatacg gatattgagg      600
actcacccta cttcaaagag aacagtgcct ttccccatt ctggtgcaat gacaacgtca      660
ccaacacagc caatgaaacc tgcaccaagc aaaaggctca cgaacaaaaa gtagagggtt      720
gcttcaatca gcttttgtat gacatccgaa ctaatgcagt caccgtgggt ggtgtggcag      780
ctggaattgg gggcctcgag ctggctgcc tgaattgtgt catgtatctg tactgcaatc      840
tacaataagt ccacttctgc ctctgccact actgtgccca catgggaact gtgaagaggc      900
accctggcaa gcagcagtga ttgggggagg ggacaggatc taacaatgtc acttgggcca      960
gaatggacct gccctttctg ctccagactt ggggctagat agggaccact ccttttagcg      1020
atgcctgact ttccttccat tgggtgggtg atgggtgggg ggcatccag agcctctaag      1080
gtagccagtt ctgttgccca ttccccagct ctattaaacc cttgatatgc cccctaggcc      1140
tagtggtgat cccagtgtct tactggggga tgagagaaag gcattttata gcctgggcat      1200
aagtgaaatc agcagagcct ctgggtggat gtgtagaagg cacttcaaaa tgcataaacc      1260
tgttacaatg ttaaaaaaaaa aaaaaaaaaa      1289

```

<210> 112

<211> 315

<212> PRT

<213> Homo sapien

<400> 112

```

Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val Asn Lys Gln
 1          5          10          15
Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys Asp Val Phe
 20          25          30
Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr Gly Val Ala
 35          40          45
Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro Ser Ile Leu
 50          55          60
Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly Gln Ile Pro
 65          70          75          80
Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn Cys Ser Ser
 85          90          95
Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala Gly Thr Cys
100          105          110
Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu Leu Val Ile Phe
115          120          125
Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile Ala Met Phe
130          135          140
Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu Tyr Trp Lys
145          150          155          160
Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg Pro Ala Leu
165          170          175
Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu Leu Arg Gln
180          185          190
Leu Cys Arg Arg Pro Arg Ser Pro Gln Pro Ser Ser Pro Ala Leu Glu

```

```

      195              200              205
His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys Leu Leu Thr
  210              215              220
Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg Ala Arg Asp
  225              230              235              240
Lys Arg Glu Ser Asp Ser Glu Arg Leu Lys Arg Thr Ser Gln Lys Val
      245              250              255
Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr Glu Gln Arg
      260              265              270
Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg Val Leu Gly
      275              280              285
Trp Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro Pro Gly Gly
      290              295              300
Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp
  305              310              315

```

```

<210> 113
<211> 553
<212> PRT
<213> Homo sapien

```

```

      <400> 113
Met Val Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala
  1              5              10              15
Gln Leu Leu Leu Val Asn Leu Leu Thr Phe Gly Leu Glu Val Cys Leu
      20              25              30
Ala Ala Gly Ile Thr Tyr Val Pro Leu Leu Leu Glu Val Gly Val
      35              40              45
Glu Glu Lys Phe Met Thr Met Val Leu Gly Ile Gly Pro Val Leu Gly
      50              55              60
Leu Val Cys Val Pro Leu Leu Gly Ser Ala Ser Asp His Trp Arg Gly
      65              70              75              80
Arg Tyr Gly Arg Arg Arg Pro Phe Ile Trp Ala Leu Ser Leu Gly Ile
      85              90              95
Leu Leu Ser Leu Phe Leu Ile Pro Arg Ala Gly Trp Leu Ala Gly Leu
      100              105              110
Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu Ala Leu Leu Ile Leu Gly
      115              120              125
Val Gly Leu Leu Asp Phe Cys Gly Gln Val Cys Phe Thr Pro Leu Glu
      130              135              140
Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg Gln Ala
      145              150              155              160
Tyr Ser Val Tyr Ala Phe Met Ile Ser Leu Gly Gly Cys Leu Gly Tyr
      165              170              175
Leu Leu Pro Ala Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu
      180              185              190
Gly Thr Gln Glu Glu Cys Leu Phe Gly Leu Leu Thr Leu Ile Phe Leu
      195              200              205
Thr Cys Val Ala Ala Thr Leu Leu Val Ala Glu Glu Ala Ala Leu Gly
      210              215              220
Pro Thr Glu Pro Ala Glu Gly Leu Ser Ala Pro Ser Leu Ser Pro His
      225              230              235              240
Cys Cys Pro Cys Arg Ala Arg Leu Ala Phe Arg Asn Leu Gly Ala Leu
      245              250              255
Leu Pro Arg Leu His Gln Leu Cys Cys Arg Met Pro Arg Thr Leu Arg
      260              265              270
Arg Leu Phe Val Ala Glu Leu Cys Ser Trp Met Ala Leu Met Thr Phe
      275              280              285

```

Thr Leu Phe Tyr Thr Asp Phe Val Gly Glu Gly Leu Tyr Gln Gly Val
 290 295 300
 Pro Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly
 305 310 315 320
 Val Arg Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile Ser Leu
 325 330 335
 Val Phe Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg
 340 345 350
 Ala Val Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala
 355 360 365
 Thr Cys Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu
 370 375 380
 Thr Gly Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr Leu Ala
 385 390 395 400
 Ser Leu Tyr His Arg Glu Lys Gln Val Phe Leu Pro Lys Tyr Arg Gly
 405 410 415
 Asp Thr Gly Gly Ala Ser Ser Glu Asp Ser Leu Met Thr Ser Phe Leu
 420 425 430
 Pro Gly Pro Lys Pro Gly Ala Pro Phe Pro Asn Gly His Val Gly Ala
 435 440 445
 Gly Gly Ser Gly Leu Leu Pro Pro Pro Pro Ala Leu Cys Gly Ala Ser
 450 455 460
 Ala Cys Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala
 465 470 475 480
 Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp
 485 490 495
 Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met Gly Ser
 500 505 510
 Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met Val Ser Ala Ala
 515 520 525
 Gly Leu Gly Leu Val Ala Ile Tyr Phe Ala Thr Gln Val Val Phe Asp
 530 535 540
 Lys Ser Asp Leu Ala Lys Tyr Ser Ala
 545 550

<210> 114
 <211> 241
 <212> PRT
 <213> Homo sapien

<400> 114
 Met Gln Cys Phe Ser Phe Ile Lys Thr Met Met Ile Leu Phe Asn Leu
 1 5 10 15
 Leu Ile Phe Leu Cys Gly Ala Ala Leu Leu Ala Val Gly Ile Trp Val
 20 25 30
 Ser Ile Asp Gly Ala Ser Phe Leu Lys Ile Phe Gly Pro Leu Ser Ser
 35 40 45
 Ser Ala Met Gln Phe Val Asn Val Gly Tyr Phe Leu Ile Ala Ala Gly
 50 55 60
 Val Val Val Phe Ala Leu Gly Phe Leu Gly Cys Tyr Gly Ala Lys Thr
 65 70 75 80
 Glu Ser Lys Cys Ala Leu Val Thr Phe Phe Phe Ile Leu Leu Leu Ile
 85 90 95
 Phe Ile Ala Glu Val Ala Ala Ala Val Val Ala Leu Val Tyr Thr Thr
 100 105 110
 Met Ala Glu His Phe Leu Thr Leu Leu Val Val Pro Ala Ile Lys Lys
 115 120 125
 Asp Tyr Gly Ser Gln Glu Asp Phe Thr Gln Val Trp Asn Thr Thr Met

130	135	140
Lys Gly Leu Lys Cys Cys Gly Phe Thr Asn Tyr Thr Asp Phe Glu Asp		
145	150	155
Ser Pro Tyr Phe Lys Glu Asn Ser Ala Phe Pro Pro Phe Cys Cys Asn		160
	165	170
Asp Asn Val Thr Asn Thr Ala Asn Glu Thr Cys Thr Lys Gln Lys Ala		175
	180	185
His Asp Gln Lys Val Glu Gly Cys Phe Asn Gln Leu Leu Tyr Asp Ile		190
	195	200
Arg Thr Asn Ala Val Thr Val Gly Gly Val Ala Ala Gly Ile Gly Gly		205
	210	215
Leu Glu Leu Ala Ala Met Ile Val Ser Met Tyr Leu Tyr Cys Asn Leu		220
225	230	235
Gln		240

<210> 115
 <211> 366
 <212> DNA
 <213> Homo sapien

<400> 115
 gctctttctc tcccctcctc tgaatttaat tctttcaact tgcaatttgc aaggattaca 60
 catttcactg tgatgtatat tgtgttgcaa aaaaaaaaaa gtgtctttgt ttaaaattac 120
 ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180
 actggtagaa aaacatctga agagctagtc tatcagcadc tgacagggtga attggatggg 240
 tctcagaacc atttcaccca gacagcctgt ttctatcctg ttttaataaat tagtttgggt 300
 tctctacatg cataacaaac cctgtccaa tctgtcacat aaaagtctgt gacttgaagt 360
 ttagtc 366

<210> 116
 <211> 282
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(282)
 <223> n = A,T,C or G

<400> 116
 acaaagatga accatttcct atattatagc aaaattaaaa tctaccgta ttctaattatt 60
 gagaaatgag atnaaacaca atnttataaa gtctacttag agaagatcaa gtgacctcaa 120
 agactttact attttcatat tttaagacac atgatttatc ctatttttagt aacctgggtc 180
 atacgttaaa caaaggataa tgtgaacagc agagaggatt tgttggcaga aaatctatgt 240
 tcaatctnga actatctana tcacagacat ttctattcct tt 282

<210> 117
 <211> 305
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(305)
 <223> n = A,T,C or G

<400> 117

```

acacatgtcg cttcaactgcc ttcttagatg cttctgggtca acatanagga acagggacca      60
tatttatcct ccctcctgaa acaattgcaa aataanacaa aatatatgaa acaattgcaa      120
aataaggcaa aatatatgaa acaacagggtc tcgagatatt ggaaatcagt caatgaagga      180
tactgatccc tgatcaactgt cctaatagcag gatgtgggaa acagatgagg tcacctctgt      240
gactgcccca gcttactgcc thtagagagt ttctangctg cagttcagac agggagaaat      300
tgggt                                           305

```

```

<210> 118
<211> 71
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (71)
<223> n = A,T,C or G

```

```

<400> 118
accaaggtgt ntgaatctct gacgtgggga tctctgattc ccgcacaatc tgagtggaaa      60
aantcctggg t                                           71

```

```

<210> 119
<211> 212
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (212)
<223> n = A,T,C or G

```

```

<400> 119
actccggttg gtgtcagcag cacgtggcat tgaacatngc aatgtggagc ccaaaccaca      60
gaaaatgggg tgaaattggc caactttcta tnaacttatg ttggcaantt tgccaccaac      120
agtaagctgg cccttctaataaaaagaaaat tgaaagggtt ctcactaanc ggaattaant      180
aatggantca aganactccc aggcctcagc gt                                           212

```

```

<210> 120
<211> 90
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (90)
<223> n = A,T,C or G

```

```

<400> 120
actcgttgca natcaggggc cccccagagt caccgttgca ggagtccttc tggtcttggc      60
ctccgccggc gcagaacatg ctggggtggt                                           90

```

```

<210> 121
<211> 218
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature

```

<222> (1)...(218)

<223> n = A,T,C or G

<400> 121

tgtancgtga anacgacaga nagggttgtc aaaaatggag aanccttgaa gtcattttga	60
gaataagatt tgctaaaaga tttggggcta aaacatgggtt attgggagac atttctgaag	120
atatncangt aaattangga atgaattcat gggtcttttg ggaattcctt tacgatngcc	180
agcatanact tcatgtgggg atancagcta cccttgta	218

<210> 122

<211> 171

<212> DNA

<213> Homo sapien

<400> 122

taggggtgta tgcaactgta aggacaaaaa ttgagactca actggcttaa ccaataaagg	60
catttgtagt ctcatggaac aggaagtcgg atggtggggc atcttcagtg ctgcatgagt	120
caccaccccg gcgggggtcat ctgtgccaca ggtccctgtt gacagtgcgg t	171

<210> 123

<211> 76

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(76)

<223> n = A,T,C or G

<400> 123

tgtagcgtga agacnacaga atggtgtgtg ctgtgctatc caggaacaca tttattatca	60
ttatcaanta ttgtgt	76

<210> 124

<211> 131

<212> DNA

<213> Homo sapien

<400> 124

acctttcccc aaggccaatg tctgtgtgtc taactggccg gctgcaggac agctgcaatt	60
caatgtgctg ggtcatatgg aggggaggag actctaaaat agccaatttt attctcttgg	120
ttaagatttg t	131

<210> 125

<211> 432

<212> DNA

<213> Homo sapien

<400> 125

actttatcta ctggctatga aatagatggg ggaattgtgc gttaccaact ataccactgg	60
cttgaaaaag aggtgatagc tcttcagagg acttgtgact tttgctcaga tgctgaagaa	120
ctacagtctg catttggcag aaatgaagat gaatttggat taaatgagga tgctgaagat	180
ttgcctcacc aaacaaaagt gaaacaactg agagaaaatt ttcaggaaaa aagacagtgg	240
ctcttgaagt atcagtcact tttgagaatg tttcttagtt actgcatact tcatggatcc	300
catgggtggg gtcttgcac tgtaagaatg gaattgattt tgcttttgca agaattctcag	360
caggaaacat cagaaccact attttctagc cctctgtcag agcaaacctc agtgcccttc	420
ctctttgctt gt	432

<210> 126
<211> 112
<212> DNA
<213> Homo sapien

<400> 126
acacaacttg aatagtaaaa tagaaactga gctgaaatth ctaattcact ttctaaccat 60
agtaagaatg atatttcccc ccagggatca ccaaataattt ataaaaattt gt 112

<210> 127
<211> 54
<212> DNA
<213> Homo sapien

<400> 127
accacgaaac cacaacaag atggaagcat caatccactt gccaaagcaca gcag 54

<210> 128
<211> 323
<212> DNA
<213> Homo sapien

<400> 128
acctcattag taattgtttt gttgtttcat ttttttctaa tgtctcccct ctaccagctc 60
acctgagata acagaatgaa aatggaagga cagccagatt tctcctttgc tctctgctca 120
ttctctctga agtctaggtt acccattttg gggacccatt ataggcaata aacacagttc 180
ccaaagcatt tggacagttt cttgttgtgt tttagaatgg ttttcccttt tcttagcctt 240
ttcctgcaaa aggctcactc agtcccttgc ttgctcagtg gactggggctc cccagggcct 300
aggctgcctt cttttccatg tcc 323

<210> 129
<211> 192
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (192)
<223> n = A,T,C or G

<400> 129
acatacatgt gtgtatatth ttaaataatca cttttgtatc actctgactt tttagcatac 60
tgaaaacaca ctaacataat ttntgtgaac catgatcaga tacaacccaa atcattcacc 120
tagcacattc atctgtgata naaagatagg tgagtttcat ttccttcacg ttggccaatg 180
gataaacaaa gt 192

<210> 130
<211> 362
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (362)
<223> n = A,T,C or G

<400> 130
ccctttttta tggaatgagt agactgtatg tttgaanatt tanccacaac ctctttgaca 60

tataatgacg caacaaaaag gtgctgttta gtctatggt tcagtttatg cccctgacaa 120
gtttccattg tgttttgccg atcttctggc taatcgtggt atcctccatg ttattagtaa 180
ttctgtattc cattttgtta acgcttgga gatgtaacct gctangaggc taactttata 240
cttatttaaa agctcttatt ttgtggcat taaaatggca atttatgtgc agcactttat 300
tgcagcagga agcacgtgtg gggtggtgt aaagctcttt gctaacttta aaaagtaatg 360
gg 362

<210> 131

<211> 332

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (332)

<223> n = A,T,C or G

<400> 131

ctttttgaaa gatcgtgtcc actcctgtgg acatcttgtt ttaatggagt tccccatgca 60
gtangactgg tatggttgca gctgtccaga taaaaacatt tgaagagctc caaaatgaga 120
gtttccag gtccgacctg ctgctccaag tctcagcagc agcctctttt aggaggcatc 180
ttctgaacta gattaaggca gcttgtaaat ctgatgtgat ttggtttatt atccaactaa 240
cttccatctg ttatcactgg agaaagccca gactccccan gacnggtacg gattgtgggc 300
atanaaggat tgggtgaagc tggcgttgtg gt 332

<210> 132

<211> 322

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (322)

<223> n = A,T,C or G

<400> 132

acttttgcca ttttgtatat ataaacaatc ttgggacatt ctctgaaaa ctaggtgtcc 60
agtggctaag agaactcgat ttcaagcaat tctgaaagga aaaccagcat gacacagaat 120
ctcaaattcc caaacagggg ctctgtggga aaaatgaggg aggaccttg tatctcgggt 180
tttagcaagt taaaatgaan atgacaggaa aggcttattt atcaacaaag agaagagttg 240
ggatgcttct aaaaaaaact ttggtagaga aaataggaat gctnaatcct aggaagcct 300
gtaacaatct acaattggtc ca 322

<210> 133

<211> 278

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)... (278)

<223> n = A,T,C or G

<400> 133

acaagccttc acaagtttaa ctaaattggg attaatcttt ctgtanttat ctgcataatt 60
cttgtttttc tttccatctg gctcctgggt tgacaatttg tggaaacaac tctattgcta 120
ctatttaaaa aaaatcacia atctttccct ttaagctatg ttnaattcaa actattcctg 180
ctattcctgt ttgtcaaag aaattatatt ttcaaaaata tgnatatttg tttgatgggt 240

cccacgaaac actaataaaa accacagaga ccagcctg

278

<210> 134

<211> 121

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(121)

<223> n = A,T,C or G

<400> 134

gtttanaaaa cttgttttagc tccatagagg aaagaatggt aaactttgta ttttaaaaca 60
tgattctctg aggttaaact tggttttcaa atgttatatt tacttgatt ttgcttttgg 120
t 121

<210> 135

<211> 350

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(350)

<223> n = A,T,C or G

<400> 135

acttanaacc atgcctagca catcagaatc cctcaaagaa catcagtata atcctataacc 60
atancaagtgt gtgactgggt aagcgtgcga caaagggtcag ctggcacatt acttggtgtgc 120
aaacttgata cttttgttct aagtaggaac tagtatacag tncctaggan tggtagtcca 180
gggtgcccc caactcctgc agccgctcct ctgtgccagn ccctgnaagg aactttcgct 240
ccacctcaat caagccctgg gccatgctac ctgcaattgg ctgaacaaac gtttgctgag 300
ttcccaagga tgcaaagcct ggtgctcaac tctggggcg tcaactcagt 350

<210> 136

<211> 399

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(399)

<223> n = A,T,C or G

<400> 136

tgtaccgtga agacgacaga agttgcatgg cagggacagg gcagggccga ggccagggtt 60
gctgtgattg tatccgaata ntccctgtga gaaaagataa tgagatgacg tgagcagcct 120
gcagacttgt gtctgccttc aanaagccag acaggaaggc cctgcctgcc ttggctctga 180
cctggcggcc agccagccag ccacaggtgg gcttcttct tttgtggtga caacnccaag 240
aaaactgcag aggccagggt tcaggtgtna gtgggtangt gaccataaaa caccagggtgc 300
tcccaggaac ccgggcaaag gccatcccca cctacagcca gcatgcccac tggcgtgatg 360
ggtgcagang gatgaagcag ccagntgttc tgctgtggt 399

<210> 137

<211> 165

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(165)
 <223> n = A,T,C or G

<400> 137
 actggtgtgg tnggggtga tgctggtgtg anaagttgan gtgacttcan gatggtgtgt 60
 ggaggaagtg tgtgaacgta gggatgtaga ngttttggcc gtgctaaatg agcttcggga 120
 ttggctggtc ccactggtgg tcaactgtcat tgggtggggtt cctgt 165

<210> 138
 <211> 338
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(338)
 <223> n = A,T,C or G

<400> 138
 actcactgga atgccacatt cacaacagaa tcagaggtct gtgaaaacat taatggctcc 60
 ttaacttctc cagtaagaat cagggacttg aaatggaaac gttaacagcc acatgcccaa 120
 tgctgggcag tctcccatgc ctccacagt gaaagggctt gagaaaaatc acatccaatg 180
 tcatgtgttt ccagccacac caaaagggtgc ttgggggtgga gggctggggg catananggt 240
 c'angcctcag gaagcctcaa gttccattca gctttgccac tgtacattcc ccatntttaa 300
 aaaaactgat gccttttttt tttttttttg taaaattc 338

<210> 139
 <211> 382
 <212> DNA
 <213> Homo sapien

<400> 139
 gggaatcttg gtttttggca tctggtttgc ctatagccga ggccactttg acagaacaaa 60
 gaaagggact tcgagtaaga aggtgattta cagccagcct agtgcccgaa gtgaaggaga 120
 attcaaacag acctcgatc tctggtgtg agcctggctg gctcaccgcc tatcatctgc 180
 atttgctta ctcaggtgct accgactct ggccctgat gtctgtagt tccacaggatg 240
 ccttatttgt cttctacacc ccacagggcc cctacttct tcggatgtgt ttttaataat 300
 gtcagctatg tgcccatcc tcttcatgc cctccctccc tttcctacca ctgctgagtgt 360
 gcctggaact tgtttaaagt gt 382

<210> 140
 <211> 200
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(200)
 <223> n = A,T,C or G

<400> 140
 accaaanctt ctttctgttg tgttngattt tactataggg gtttngcttn ttctaaanat 60
 acttttctatt taacancttt tgttaagtgt caggctgcac tttgctccat anaattattg 120
 ttttcacatt tcaacttgta tgtgtttgtc tcttanagca ttggtgaaat cacatatttt 180
 atattcagca taaaggagaa 200

<210> 141
 <211> 335
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(335)
 <223> n = A,T,C or G

<400> 141
 actttatttt caaaacactc atatgttgca aaaaacacat agaaaaataa agtttggtgg 60
 ggggtgctgac taaacttcaa gtcacagact tttatgtgac agattggagc aggggtttgtt 120
 atgcatgtag agaaccctaaa ctaattttatt aaacaggata gaaacaggct gtctgggtga 180
 aatgggtctg agaaccatcc aattcacctg tcagatgctg atanactagc tcttcagatg 240
 tttttctacc agttcagaga tnggttaatg actantttcca atgggggaaaa agcaagatgg 300
 attcacaac caagtaattt taaacaaaga cactt 335

<210> 142
 <211> 459
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(459)
 <223> n = A,T,C or G

<400> 142
 accagggttaa tattgccaca tatatccttt ccaattgcgg gctaaacaga cgtgtattta 60
 ggggtgtttaa aagacaaccc agcttaatat caagagaaat tgtgaccttt catggagtat 120
 ctgatggaga aaacactgag ttttgacaaa tcttatttta ttcagatagc agtctgatca 180
 cacatgggtcc aacaacactc aaataataaa tcaaataatna tcagatgtta aagattggtc 240
 ttcaaacatc atagccaatg atgccccgct tgcctataat ctctccgaca taaaaccaca 300
 tcaacacctc agtggccacc aaaccattca gcacagcttc cttaactgtg agctgtttga 360
 agctaccagt ctgagcacta ttgactatnt ttttcangct ctgaatagct ctagggatct 420
 cagcanggggt gggaggaacc agctcaacct tggcgctant 459

<210> 143
 <211> 140
 <212> DNA
 <213> Homo sapien

<400> 143
 acatttcctt ccaccaagtc aggactcctg gcttctgtgg gagttcttat cacctgaggg 60
 aaatccaaac agtctctcct agaaaggaat agtgtcacca accccaccca tctccctgag 120
 accatccgac ttccctgtgt 140

<210> 144
 <211> 164
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(164)
 <223> n = A,T,C or G

<400> 144
acttcagtaa caacatacaa taacaacatt aagtgtatat tgccatcttt gtcattttct 60
atctatacca ctctcccttc tgaaaacaan aatcactanc caatcactta tacaaatttg 120
aggcaattaa tccatatttg ttttcaataa ggaaaaaaag atgt 164

<210> 145
<211> 303
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(303)
<223> n = A,T,C or G

<400> 145
acgtagacca tccaactttg tatttgtaat ggcaaacatc cagnagcaat tcctaaacaa 60
actggagggt atttatcccc aattatcccc ttcattaaca tgccctcctc ctcaggctat 120
gcaggacagc tatcataagt cggcccaggc atccagatac taccatttgt ataaacttca 180
gtaggggagt ccatccaagt gacaggctca atcaaaggag gaaatggaac ataagcccag 240
tagtaaaatn ttgcttagct gaaacagcca caaaagactt accgccgtgg tgattaccat 300
caa 360

<210> 146
<211> 327
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(327)
<223> n = A,T,C or G

<400> 146
actgcagctc aattagaagt ggtctctgac tttcatcanc ttctccctgg gctccatgac 60
actggcctgg agtgactcat tgctctggtt ggttgagaga gctcctttgc caacaggcct 120
ccaagtcagg gctgggattt gtttccttcc cacattctag caacaatatg ctggccactt 180
cctgaacagg gaggggtgga ggagccagca tggaacaagc tgccacttcc taaagtagcc 240
agacttgccc ctgggcctgt cacacctact gatgaccttc tgtgcctgca ggatggaatg 300
taggggtgag ctgtgtgact ctatggt 360

<210> 147
<211> 173
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(173)
<223> n = A,T,C or G

<400> 147
acattgtttt ttgagataa agcattgana gagctctcct taacgtgaca caatggaagg 60
actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
atattcaagc acatatgtta tatattatcc agttccatgt ttatagccta gtt 173

<210> 148

<211> 477
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(477)
 <223> n = A,T,C or G

<400> 148
 acaaccactt tatctcatcg aattttttaac ccaaactcac tcactgtgcc tttctatcct 60
 atgggatata ttatttgatg ctccatttca tcacacatat atgaataata cactcatact 120
 gccctactac ctgctgcaat aatcacattc ccttcctgtc ctgaccctga agccattggg 180
 gtggctcctag tggccatcag tccangcctg caccttgagc ccttgagctc cattgctcac 240
 nccancccac ctccaccgacc ccatcctctt acacagctac ctcccttgctc tctaacccca 300
 tagattatnt ccaaattcag tcaattaagt tactattaac actctaccg acatgtccag 360
 caccactggg aagccttctc cagccaacac acacacacac acacncacac acacacatat 420
 ccaggcacag gctacctcat cttcacatc acccctttaa ttaccatgct atggtgg 477

<210> 149
 <211> 207
 <212> DNA
 <213> Homo sapien

<400> 149
 acagttgtat tataatatca agaaataaac ttgcaatgag agcatttaag agggaagaac 60
 taacgtatatt tagagagcca aggaagggtt ctgtggggag tgggatgtaa ggtggggcct 120
 gatgataaat aagagtcagc caggtaagtg ggtggtgtgg tatgggcaca gtgaagaaca 180
 ttccaggcag agggaacagc agtgaaa 207

<210> 150
 <211> 111
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(111)
 <223> n = A,T,C or G

<400> 150
 accttgattt cattgctgct ctgatggaaa ccaactatc taatttagct aaaacatggg 60
 cacttaaatg tggtcagtgt ttggacttgt taactantgg catctttggg t 111

<210> 151
 <211> 196
 <212> DNA
 <213> Homo sapien

<400> 151
 agcgcgccag gtcattatga acattccaga tacctatcat tactcgatgc tgttgataac 60
 agcaagatgg ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaacat 120
 ggataccaac cggaaaaccc ctatcccgca cagccactg tggteccac tgtctacgag 180
 gtgcatccgg ctgagt 196

<210> 152
 <211> 132
 <212> DNA

<213> Homo sapien

<400> 152

acagcacttt cacatgtaag aaggagagaaa ttcctaaatg taggagaaag ataacagAAC	60
cttccctttt tcatctagtgt gtggaaacct gatgctttat gttgacagga atagaaccag	120
gagggagtgt gt	132

<210> 153

<211> 285

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (285)

<223> n = A,T,C or G

<400> 153

acaanaccca nganaggcca ctggccgtgg tgtcatggcc tccaaacatg aaagtgtcag	60
cttctgtctt tatgtcctca tctgacaact ctttaccatt tttatcctcg ctcagcagga	120
gcacatcaat aaagtccaaa gtcttggaact tggccttggc ttggaggaag tcatcaacac	180
cctggctagt gaggtgtcgg cgccgtcctt ggatgacggc atctgtgaag tcgtgcacca	240
gtctgcaggc cctgtggaag cgccgtccac acggagtnag gaatt	285

<210> 154

<211> 333

<212> DNA

<213> Homo sapien

<400> 154

accacagtcc tgttggggcca gggcttcatg accctttctg tgaaaagcca tattatcacc	60
accccaaatt tttccttaaa tatctttaac tgaaggggtc agcctcttga ctgcaaagac	120
cctaagccgg ttacacagct aactcccact ggccctgatt tgtgaaattg ctgctgcctg	180
attggcacag gagtccaagg tgttcagctc ccctcctcgg tggaacgaga ctctgatttg	240
agtttcacaa attctcgggc cacctcgtca ttgctcctct gaaataaaat ccggagaatg	300
gtcaggcctg tctcatccat atggatcttc cgg	333

<210> 155

<211> 308

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (308)

<223> n = A,T,C or G

<400> 155

actggaata ataaaaccca catcacagtgt ttgtgtcaaa gatcatcagg gcatggatgg	60
gaaagtgtt tgggaactgt aaagtgccta acacatgac gatgattttt gttataatat	120
ttgaatcacg gtgcatacaa actctcctgc ctgctcctcc tgggccccag cccagcccc	180
atcacagctc actgctctgt tcatccaggc ccagcatgta gtggctgatt cttcttggct	240
gcttttagcc tccanaagtt tctctgaagc caaccaaacc tctangtgta aggcattgctg	300
gccctgggt	308

<210> 156

<211> 295

<212> DNA

<213> Homo sapien

<400> 156

accttgctcg	gtgcttggaa	catattagga	actcaaaata	tgagatgata	acagtgccta	60
ttattgatta	ctgagagaac	tgtagacat	ttagttgaag	attttctaca	caggaactga	120
gaataggaga	ttatgtttgg	cctcatatt	ctctcctatc	ctccttgcc	cattctatgt	180
ctaatatatt	ctcaatcaaa	taaggttagc	ataatcagga	aatcgaccaa	ataccaatat	240
aaaaccagat	gtctatcctt	aagattttca	aatagaaaac	aaattaacag	actat	295

<210> 157

<211> 126

<212> DNA

<213> Homo sapien

<400> 157

acaagtttaa	atagtgtgt	cactgtgcat	gtgctgaaat	gtgaaatcca	ccacatttct	60
gaagagcaaa	acaaattctg	tcatgtaatc	tctatcttgg	gtcgtgggta	tatctgtccc	120
cttagt						126

<210> 158

<211> 442

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (442)

<223> n = A,T,C or G

<400> 158

accactggt	cttggaaca	ccatcctta	atacgatgat	ttttctgtcg	tgtgaaaatg	60
aanccagcag	gctgccccta	gtcagtcctt	ccttccagag	aaaaagagat	ttgagaaagt	120
gcctgggtaa	ttcaccatta	atttctctcc	ccaaactctc	tgagtcttcc	cttaatatatt	180
ctggtggttc	tgaccaaaagc	aggatcatggt	ttgttgagca	tttgggatcc	cagtgaagta	240
natgtttgta	gccttgcata	cttagccctt	cccacgcaca	aacggagtgg	cagagtgggtg	300
ccaacctgt	tttcccagtc	cacgtagaca	gattcacagt	gcggaattct	ggaagctgga	360
nacagacggg	ctctttgcag	agccgggact	ctgagangga	catgagggcc	tctgcctctg	420
tgttcattct	ctgatgtcct	gt				442

<210> 159

<211> 498

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (498)

<223> n = A,T,C or G

<400> 159

acttccaggt	aacgttggtg	tttccgttga	gcctgaactg	atgggtgacg	ttgtaggttc	60
tccaacaaga	actgaggttg	cagagcgggt	aggaagagt	gctgttccag	ttgcacctgg	120
gctgctgtgg	actgttggtg	attcctcact	acggcccaag	gttggtggaac	tggcanaaag	180
gtgtgtgtgt	gganttgagc	tcgggaggct	gtggtagggt	gtgggctctt	caacaggggc	240
tgctgtggtg	ccgggangtg	aangtgttgt	gtcacttgag	cttggccagc	tctggaaagt	300
antanattct	tcctgaaggc	cagcgcttgt	ggagctggca	ngggtcantg	ttgtgtgtaa	360
cgaaccagtg	ctgctgtggg	tgggtgtana	tcctccacaa	agcctgaagt	tatggtgtcn	420
tcaggtaana	atgtggtttc	agtgtccctg	ggcngctgtg	gaaggttgta	nattgtcacc	480

aagggaataa gctgtggt

498

<210> 160

<211> 380

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(380)

<223> n = A,T,C or G

<400> 160

acctgcatcc agcttccctg ccaaactcac aaggagacat caacctctag acagggaaac	60
agcttcagga tacttccagg agacagagcc accagcagca aaacaaatat tcccatgcct	120
ggagcatggc atagaggaag ctganaaatg tggggtctga ggaagccatt tgagtctggc	180
cactagacat ctcacagcc acttgtgtga agagatgccc catgacccca gatgcctctc	240
ccacccttac ctccatctca cacacttgag ctttccactc tgtataattc taacatcctg	300
gagaaaaatg gcagtttgac cgaacctggt cacaacggta gaggctgatt tctaacgaaa	360
ctgtagaat gaagcctgga	380

<210> 161

<211> 114

<212> DNA

<213> Homo sapien

<400> 161

actccacatc ccctctgagc aggcggttgt cgttcaaggt gtatttgccc ttgcctgtca	60
cactgtccac tggccctta tccacttggt gcttaatccc tcgaaagagc atgt	114

<210> 162

<211> 177

<212> DNA

<213> Homo sapien

<400> 162

actttctgaa tcgaatcaaa tgatacttag tgtagtttta atatcctcat atatatcaaa	60
gttttactac tctgataatt ttgtaaacca ggtaaccaga acatccagtc atacagcttt	120
tggtgatata taacttgga ataaccagc ctggtgatac ataaaactac tcaactgt	177

<210> 163

<211> 137

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(137)

<223> n = A,T,C or G

<400> 163

catttataca gacaggcgtg aagacattca cgacaaaaac gcgaaattct atcccgtagc	60
canagaaggc agctacggct actcctacat cctggcgtgg gtggccttcg cctgcacctt	120
catcagcggc atgatgt	137

<210> 164

<211> 469

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(469)

<223> n = A,T,C or G

<400> 164

cttatcacaa tgaatgttct cctgggcagc gttgtgatct ttgccacctt cgtgacttta	60
tgcaatgcat catgctatct catacctaata gaggagattc aaccaggaaa	120
tgcatggatc tcaaaggaaa caaacaccca ataaactcgg agtggcagac tgacaactgt	180
gagacatgca cttgtctacga aacagaaatt tcatgttgca cccttgtttc tacacctgtg	240
ggttatgaca aagacaactg ccaaagaatc ttcaagaagg aggactgcaa gtatatcgtg	300
gtggagaaga aggacccaaa aaagacctgt tctgtcagtg aatggataat ctaatgtgct	360
tctagtaggc acagggctcc caggccaggc ctcattctcc tctggcctct aatagtcaat	420
gattgtgtag ccatgcctat cagtaaaaag atntttgagc aaacacttt	469

<210> 165

<211> 195

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(195)

<223> n = A,T,C or G

<400> 165

acagtttttt ataatatcgc acattgcccgc cacttgtgtt cagtttcata aagctgggtg	60
atccgctgtc atccactatt ccttggctag agtaaaaatt attcttatag cccatgtccc	120
tgcagggcgc ccgcccgtag ttctcgttcc agtcgtcttg gcacacaggg tgccaggact	180
tcctctgaga tgagt	195

<210> 166

<211> 383

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 166

acatcttagt agtgtggcac atcagggggc catcagggtc acagtcactc atagcctcgc	60
cgaggtcggg gtccacacca ccggtgtagg tgtgtcaat cttgggcttg gcgccacct	120
ttggagaagg gatatgctgc acacacatgt ccacaaagcc tgtgaactcg ccaaagaatt	180
tttgagacc agcctgagca aggggcggat gttcagcttc agctcctcct tcgtcagggtg	240
gatgccaacc tcgtctangg tccgtgggaa gctgggtgtc acntcaccta caacctgggc	300
gangatctta taaagaggct ccnagataaa ctccacgaaa cttctctggg agctgctagt	360
nggggccttt ttggtgaact ttc	383

<210> 167

<211> 247

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1)...(247)
 <223> n = A,T,C or G

<400> 167
 acagagccag accttggcca taaatgaanc agagattaag actaaacccc aagtcganat 60
 tggagcagaa actggagcaa gaagtgggcc tggggctgaa gtagagacca aggccactgc 120
 tatanccata cacagagcca actctcaggc caaggcnatg gttggggcag anccagagac 180
 tcaatctgan tccaaagtgg tggctggaac actggtcatg acanaggcag tgactctgac 240
 tgangtc 247

<210> 168
 <211> 273
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(273)
 <223> n = A,T,C or G

<400> 168
 acttctaagt tttctagaag tggaaggatt gtantcatcc tgaaaatggg tttacttcaa 60
 aatccctcan ccttgttctt cactactgtc tatactgana gtgtcatgtt tccacaaagg 120
 gctgacacct gagcctgnat tttactcat ccttgagaag ccctttccag taggggtgggc 180
 aattcccaac ttccttgcca caagcttccc aggcctttctc ccttggaata ctccagcttg 240
 agtcccatgat acactcatgg gctgccctgg gca 273

<210> 169
 <211> 431
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(431)
 <223> n = A,T,C or G

<400> 169
 acagccttgg cttccccaaa ctccacagtc tcagtgcaga aagatcatct tccagcagtc 60
 agctcagacc aggggtcaaag gatgtgacat caacagtttc tggtttcaga acaggttcta 120
 ctactgtcaa atgaccccc atacttctc aaaggctgtg gtaagttttg cacaggtgag 180
 ggcagcagaa aggggggtant tactgatgga caccatcttc tctgtatact ccacttgac 240
 cttgccatgg gcaaaggccc ctaccacaaa aacaatagga tctactgctgg gcaccagctc 300
 acgcacatca ctgacaaccg ggatggaaaa agaantgcc aactttcatac atccaactgg 360
 aaagtgatct gatactggat tcttaattac cttcaaaagc ttctgggggc catcagctgc 420
 tcgaacactg a 431

<210> 170
 <211> 266
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(266)
 <223> n = A,T,C or G

<400> 170

```

acctgtgggc tgggctgtta tgctgtgcc ggctgtgaa agggagttca gaggtggagc      60
tcaaggagct ctgcaggcat tttgccaanc ctctccanag canagggagc aacctacact      120
ccccgctaga aagacaccag attggagtcc tgggaggggg agttgggggtg ggcatttgat      180
gtatacttgt cacctgaatg aangagccag agaggaanga gacgaanatg anattggcct      240
tcaaagctag gggctctggca ggtgga                                         266

```

<210> 171

<211> 1248

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1248)

<223> n = A,T,C or G

<400> 171

```

ggcagccaaa tcataaacgg cgaggactgc agcccgact cgcagccctg gcaggcggca      60
ctggctcatgg aaaacgaatt gttctgctcg ggcgtcctgg tgcacccgca gtgggtgctg      120
tcagccgcac actgtttcca gaagtgaagt cagagtcctt acaccatcgg gctgggcctg      180
cacagtcttg aggccgacca agagccaggg agccagatgg tggaggccag cctctccgta      240
cggcaccag agtacaacag acccttgctc gctaacgacc tcatgctcat caagttggac      300
gaatccgtgt ccgagtctga caccatccgg agcatcagca ttgcttcgca gtgccctacc      360
gcggggaaact cttgcctcgt ttctggctgg ggtctgctgg cgaacggcag aatgcctacc      420
gtgctgcagt gcgtgaacgt gtccgtgggtg tctgaggagg tctgcagtaa gctctatgac      480
ccgctgtacc accccagcat gttctgcgcc ggccggagggc aagaccagaa ggactcctgc      540
aacggtgact ctgggggggcc cctgatctgc aacgggtact tgcagggcct tgtgtctttc      600
ggaaaagccc cgtgtggcca agttggcgtg ccagggtgtc acaccaacct ctgcaaattc      660
actgagtgga tagagaaaac cgtccaggcc agttaactct ggggactggg aaccatgaa      720
attgaccccc aaatacatcc tgcggaagga attcaggaat atctgttccc agccctcct      780
ccctcaggcc caggagtcca ggccccccag ccctcctccc tcaaaccaag ggtacagatc      840
cccagcccct cctccctcag acccaggagt ccagaccccc cagccctccc tccctcagac      900
ccaggagtcc agccctcct cctcagacc caggagtcca gacccccag cccctcctcc      960
ctcagaccca ggggtccagg cccccaaccc ctctcctc agactcagag gtccaagccc      1020
ccaaccntc attccccaga cccagaggtc caggtcctcc cccctcntcc ctcagaccca      1080
gcgggtccaat gccacctaga ctntccctgt acacagtgcc cccttggtgc acgttgaccc      1140
aaccttacca gttggttttt catttttngt ccctttcccc tagatccaga aataaagttt      1200
aagagaagng caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      1248

```

<210> 172

<211> 159

<212> PRT

<213> Homo sapien

<220>

<221> VARIANT

<222> (1)...(159)

<223> Xaa = Any Amino Acid

<400> 172

```

Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro
 1           5           10           15
Leu Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser
      20           25           30
Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr
      35           40           45
Ala Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly

```

50 55 60
 Arg Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu
 65 70 75 80
 Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe
 85 90 95
 Cys Ala Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser
 100 105 110
 Gly Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe
 115 120 125
 Gly Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn
 130 135 140
 Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 145 150 155

<210> 173
 <211> 1265
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1265)
 <223> n = A,T,C or G

<400> 173
 ggcagccgc actcgcagcc ctggcaggcg gcactgggtca tggaaaacga attgttctgc 60
 tcgggcgctc tgggtgcatcc gcagtgggtg ctgtcagccg cacactgttt ccagaactcc 120
 tacaccatcg ggctgggcct gcacagtctt gaggccgacc aagagccagg gagccagatg 180
 gtggaggcca gcctctccgt acggcaccca gagtacaaca gacccttgct cgctaacgac 240
 ctcattgctca tcaagttgga cgaatccgtg tccgagtctg acaccatccg gagcatcagc 300
 attgcttcgc agtgccttac cgcggggaac tcttgctcgt tttctggctg gggctctgctg 360
 gcgaacgggt agctcacggg tgtgtgtctg cctcttcaa ggaggctctc tgcccagtcg 420
 cgggggctga ccagagctc tgcgtcccag gcagaatgcc taccgtgctg cagtgcgtga 480
 acgtgtcggt ggtgtctgag gaggctctga gtaagctcta tgaccgctg taccaccca 540
 gcatgttctg gcgcggcgga gggcaagacc agaaggactc ctgcaacggt gactctgggg 600
 ggcccctgat ctgcaacggg tacttgacgg gccttgtgtc tttcggaaaa gcccctgtg 660
 gccaagttgg cgtgccaggt gtctacacca acctctgcaa attcactgag tggatagaga 720
 aaaccgtcca ggccagttaa ctctggggac tgggaaccca tgaaattgac ccccaatac 780
 atcctgcgga aggaattcag gaatatctgt tcccagcccc tctcctcaga ggcccaggag 840
 tccaggcccc cagcccctcc tccctcaaac caagggtaca gatecccgag ccctcctccc 900
 tcagaccagc gattccagac cccccagccc ctctcctc agaccagga gtccagcccc 960
 tctcctca gaccagggag tccagacccc ccagcccctc ctccctcaga cccaggggtt 1020
 gaggccccc acccctcctc cttcagagtc agagggtcaa gcccacaacc cctcgttccc 1080
 cagaccaga ggttnaggtc ccagcccctc ttcctcaga cccagnggtc caatgccacc 1140
 tagattttcc ctgnacacag tgccccttg tggngangttg acccaacctt accagttggt 1200
 ttttcatttt tngtcccttt cccctagatc cagaaataaa gtttaagaga ngngcaaaaa 1260
 aaaaa 1265

<210> 174
 <211> 1459
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1459)
 <223> n = A,T,C or G

<400> 174

ggtcagccgc	acactgtttc	cagaagttag	tgacagctc	ctacaccatc	gggctgggccc	60
tgacacagtct	tgaggccgac	caagagccag	ggagccagat	ggaggaggcc	agcctctccg	120
tacggcacc	agagtacaac	agacccttgc	tcgctaacga	cctcatgtc	atcaagttag	180
acgaatccgt	gtccgagtct	gacaccatcc	ggagcatcag	cattgtctcg	cagtgcctta	240
ccgcggggaa	ctcttgccctc	gtttctggct	ggggtctgct	ggcgaacgg	gagctcacgg	300
gtgtgtgtct	gccctcttca	aggaggtcct	ctgcccagtc	gcgggggctg	acccagagct	360
ctgctgcccc	ggcagaatgc	ctaccgtgct	gcagtgcgtg	aacgtgtcgg	tggtgtctga	420
ngaggtctgc	antaagctct	atgaccgct	gtaccacccc	ancatgttct	gcgccggcgg	480
agggcaagac	cagaaggact	cctgcaacgt	gagagagggg	aaaggggagg	gcaggcgact	540
caggggaagg	tggaagaagg	ggagacagag	acacacaggg	ccgcatggcg	agatgcagag	600
atggagagac	acacagggag	acagtgacaa	ctagagagag	aaactgagag	aaacagagaa	660
ataaacacag	gaataaagag	aagcaaagga	agagagaaac	agaaacagac	atggggaggc	720
agaaacacac	acacatagaa	atgcagttga	ccttccaaca	gcagggggcc	tgaggcggt	780
gacctccacc	caatagaaaa	tctctttata	acttttgact	ccccaaaaac	ctgactagaa	840
atagcctact	gttgacgggg	agccttacca	ataacataaa	tagtcgattt	atgcatacyl	900
tttatgcatt	catgatatac	ctttgttgga	attttttgat	atttctaagc	tacacagttc	960
gtctgtgaat	ttttttaaat	tgttgcaact	ctcctaaaa	ttttctgatg	tgtttattga	1020
aaaaatccaa	gtataagtgg	acttgtgcat	tcaaacagg	gttgttcaag	ggtcaactgt	1080
gtaccagag	ggaaacagtg	acacagattc	atagaggtga	aacacgaaga	gaaacaggaa	1140
aaatcaagac	tctacaaaga	ggctgggcag	ggtggctcat	gcctgtaatc	ccagcacttt	1200
gggaggcgag	gcaggcagat	cacttgaggt	aaggagttca	agaccagcct	ggccaaaatg	1260
gtgaaatcct	gtctgtacta	aaaatacaaa	agttagctgg	atatggtggc	aggcgccctgt	1320
aatcccagct	acttgggagg	ctgaggcagg	agaattgctt	gaatatggga	ggcagaggtt	1380
gaagtgaagt	gagatcacac	cactatactc	cagctggggc	aacagagtaa	gactctgtct	1440
caaaaaaaaa	aaaaaaaaa					1459

<210> 175

<211> 1167

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (1167)

<223> n = A,T,C or G

<400> 175

gcgcagccct	ggcaggcgcc	actggtcatg	gaaaacgaat	tgttctgtc	gggcgtcctg	60
gtgcattccg	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggg	120
ctgggectgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggt	ggaggccagc	180
ctctccgtac	ggcaccacga	gtacaacaga	ctcttgtctg	ctaaccgacct	catgtctatc	240
aagttggacg	aatccgtgtc	cgagtctgac	accatccgga	gcacagcat	tgcttcgcag	300
tgccctaccg	cggggaactc	ttgcctcgtn	tctggctggg	gtctgctggc	gaacggcaga	360
atgcctaccg	tgtgtcactg	cgtgaacgtg	tcggtgggtg	ctgaggangt	ctgcagtaag	420
ctctatgacc	cgctgtacca	ccccagcatg	ttctgcgcgg	gcggaggggca	agaccagaag	480
gactcctgca	acggtgactc	tggggggccc	ctgatctgca	acgggtactt	gcagggcctt	540
gtgtctttcg	gaaaagcccc	gtgtggccaa	cttggcgtgc	caggtgtcta	caccaacctc	600
tgcaaattea	ctgagtggat	agagaaaacc	gtccagncca	gttaactctg	gggactggga	660
acccatgaaa	ttgaccccc	aatacatcct	gcggaangaa	tcaggaata	tctgttccca	720
gcccctcctc	cctcaggccc	aggagtccag	gccccagcc	cctcctccct	caaaccaagg	780
gtacagatcc	ccagccccctc	ctccctcaga	cccaggagtc	cagaccccc	agccccctnt	840
cntcagacc	caggagtcca	gccccctcctc	cntcagacgc	aggagtccag	accccccagc	900
cntctcctg	tcagaccag	gggtgcaggc	ccccaaaccc	tcntcctntca	gagtcagagg	960
tccaagcccc	caacccctcg	ttccccagac	ccagaggtn	aggtcccage	ccctcctccc	1020
tcagaccag	cgggtccaatg	ccacctagan	tntccctgta	cacagtgcct	ccttgygca	1080
ngttgacca	accttaccag	ttggtttttc	attttttgtc	cctttccct	agatccagaa	1140
ataaagtnta	agagaagcgc	aaaaaaa				1167

<210> 176
 <211> 205
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)...(205)
 <223> Xaa = Any Amino Acid

<400> 176
 Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1 5 10 15
 Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
 20 25 30
 Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
 35 40 45
 Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Leu Leu Leu
 50 55 60
 Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
 65 70 75 80
 Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
 85 90 95
 Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met
 100 105 110
 Pro Thr Val Leu His Cys Val Asn Val Ser Val Val Ser Glu Xaa Val
 115 120 125
 Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala
 130 135 140
 Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly
 145 150 155 160
 Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys
 165 170 175
 Ala Pro Cys Gly Gln Leu Gly Val Pro Gly Val Tyr Thr Asn Leu Cys
 180 185 190
 Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Xaa Ser
 195 200 205

<210> 177
 <211> 1119
 <212> DNA
 <213> Homo sapien

<400> 177
 gcgcactcgc agccctggca ggcggcactg gtcattggaaa acgaattggt ctgctcgggc 60
 gtccctgggtgc atccgcagtg ggtgctgtca gccgcacact gtttcagaa ctcctacacc 120
 atcgggctgg gcctgcacag tcttgaggcc gaccaagagc caggagagcca gatggtggag 180
 gccagcctct ccgtacggca cccagagtag aacagaccct tgctcgctaa cgacctcatg 240
 ctcatcaagt tggacgaatc cgtgtccgag tctgacacca tccggagcat cagcattgct 300
 tcgcagtgcc ctaccgcggg gaactcttgc ctctgttctg gctgggtct gctggcgaac 360
 gatgctgtga ttgccatcca gtcccagact gtgggaggct gggagtgtga gaagctttcc 420
 caaccctggc aggtgtgtac catttcggca acttcagtg caaggacgtc ctgctgcac 480
 ctactcgggt gctcactact gtcactgca tcaccggaa cactgtgatc aactagccag 540
 caccatagtt ctccgaagtc agactatcat gattactgtg ttgactgtgc tgtctattgt 600
 actaaccatg ccgatgttta ggtgaaatta gcgtcacttg gcctcaacca tcttggtatc 660
 cagtatacct cactgaattg agatttctg cttcagtgtc agccattccc acataatttc 720
 tgacctacag aggtgagggg tcatatagct cttcaaggat gctggtactc ccctcacaaa 780

```

ttcattttctc ctgtttagt gaaaggtgcg cctcttgag cctcccaggg tgggtgtgca      840
ggtcacaatg atgaatgtat gatcgtgttc ccattaccca aagcctttaa atccctcatg      900
ctcagtacac cagggcaggt ctagcatttc ttcatttagt gtatgctgtc cattcatgca      960
accacctcag gactcctgga ttctctgcct agttgagctc ctgcatgctg cctccttggg     1020
gaggtgaggg agagggccca tggttcaatg ggatctgtgc agttgtaaca cattaggtgc     1080
ttaataaaca gaagctgtga tgttaaaaaa aaaaaaaaaa     1119

```

<210> 178
 <211> 164
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1) ... (164)
 <223> Xaa = Any Amino Acid

```

<400> 178
Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1          5          10          15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
          20          25          30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
          35          40          45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu
          50          55          60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
          65          70          75          80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
          85          90          95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Asp Ala Val
          100         105         110
Ile Ala Ile Gln Ser Xaa Thr Val Gly Gly Trp Glu Cys Glu Lys Leu
          115         120         125
Ser Gln Pro Trp Gln Gly Cys Thr Ile Ser Ala Thr Ser Ser Ala Arg
          130         135         140
Thr Ser Cys Cys Ile Leu Thr Gly Cys Ser Leu Leu Leu Thr Ala Ser
          145         150         155         160
Pro Gly Thr Leu

```

<210> 179
 <211> 250
 <212> DNA
 <213> Homo sapien

```

<400> 179
ctggagtgcc ttggtgtttc aagcccctgc aggaagcaga atgcaccttc tgaggcacct      60
ccagctgccc ccggccgggg gatgcgaggc tcggagcacc cttgcccggc tgtgattgct      120
gccaggcact gttcatctca gcttttctgt ccttttgctc ccggcaagcg cttctgctga      180
aagttcatat ctggagcctg atgtcttaac gaataaaggt cccatgctcc acccgaaaaa      240
aaaaaaaaaa                                     250

```

<210> 180
 <211> 202
 <212> DNA
 <213> Homo sapien

<400> 180

actagtccag tgtggtggaa ttccattgtg ttggggcccaa cacaatggct acctttaaca	60
tcacccagac cccgcccctg cccgtgcccc acgctgctgc taacgacagt atgatgctta	120
ctctgtact cggaactat ttttatgtaa ttaatgtatg ctttcttggt tataaatgcc	180
tgatttaaaa aaaaaaaaaa aa	202

<210> 181

<211> 558

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (558)

<223> n = A,T,C or G

<400> 181

tccytttgkt naggtttkkg agacamccck agacctwaan ctgtgtcaca gacttcyngg	60
aatgtttagg cagtgctagt aatttcytcg taatgattct gttattactt tccnattct	120
ttattcctct ttcttctgaa gattaatgaa gttgaaaatt gaggtggata aatacaaaaa	180
ggtagtgtga tagtataagt atctaagtgc agatgaaagt gtgttatata tatccattca	240
aaattatgca agttagtaat tactcagggc taactaaatt actttaatat gctgttgaaac	300
ctactctggt ccttggttag aaaaaattat aaacaggact ttgttagttt gggaagccaa	360
attgataata ttctatgttc taaaagttgg gctatacata aattattaag aaatatggaw	420
ttttattccc aggaatatgg kgttcathtt atgaatatta cscrggatag awgtwtgagt	480
aaaaycagtt ttggtwaata ygtwaatatg tcmtaaataa acaakgcttt gacttatttc	540
caaaaaaaaa aaaaaaaaa	558

<210> 182

<211> 479

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (479)

<223> n = A,T,C or G

<400> 182

acagggwttk grggatgcta agsecccrga rwtggtttga tccaaccctg gcttwttttc	60
agaggggaaa atggggccta gaagttacag mscatytagy tgggtgcmgt gcacccctgg	120
cstcacacag astcccgagt agctgggact acaggcacac agtcactgaa gcaggccctg	180
ttwgcaattc acgttgccac ctccaactta aacattcttc atatgtgatg tccttagtca	240
ctaaggttaa actttccac ccagaaaagg caacttagat aaaatcttag agtactttca	300
tactmttcta agtcctcttc cagcctcact kkgagtcctm cytgggggtt gataggaant	360
ntctcttggc tttctcaata aartctctat ycatctcatg tttaatttgg tacgcatara	420
awtgstgara aaattaaaat gttctggtty mactttaaaa aaaaaaaaaa aaaaaaaaaa	479

<210> 183

<211> 384

<212> DNA

<213> Homo sapien

<400> 183

aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc	60
agtaccagta ccaataacag tgccagtgcc agtgccagca ccagtgggtg cttcagtgtc	120
gggtgccagcc tgaccgccac tctcacattt gggtctctcg ctggccttgg tggagctggt	180
gccagcacca gtggcagctc tgggtgcctgt ggtttctcct acaagtgaga ttttagatat	240

tgттаатсст gccagtcttt ctcttcaagc cagggtgcat cctcagaaac ctactcaaca	300
cagcactcta ggcagccact atcaatcaat tgaagttgac actctgcatt aratctattt	360
gccatttcaa aaaaaaaaaa aaaa	384

<210> 184

<211> 496

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(496)

<223> n = A,T,C or G

<400> 184

accgaattgg gaccgctggc ttataagcga tcatgttynt ccrgtatcac ctcaacgagc	60
aggagatcg agtctatacg ctgaagaaat ttgacccgat gggacaacag acctgctcag	120
ccatcctgc tcggttctcc ccagatgaca aatactctsg acaccgaatc accatcaaga	180
aacgcttcaa ggtgctcatg acccagcaac cgcgcctgt cctctgaggg tcccttaaac	240
tgatgtcttt tctgccacct gttacccctc ggagactccg taaccaaact cttcggactg	300
tgagccctga tgcctttttg ccagccatac tctttggcat ccagtctctc gtggcgattg	360
attatgcttg tgtgaggcaa tcatggtggc atcacccata aagggaacac atttgacttt	420
tttttctcat attttaaatt actacmagaw tattwmagaw waaatgawtt gaaaaactst	480
taaaaaaaaa aaaaaa	496

<210> 185

<211> 384

<212> DNA

<213> Homo sapien

<400> 185

gctggtagcc tatggcgkgg cccacggagg ggctcctgag gccacggrac agtgacttcc	60
caagtatcyt ggcsgcgctc ttctaccgtc cctacctgca gatcttcggg cagattcccc	120
aggaggacat ggacgtggcc ctcatggagc acagcaactg ytcgtcgag cccggtctct	180
gggcacacc tccggggcc caggcgggca cctgcgtctc ccagtatgcc aactggctgg	240
tggtgctgct cctcgctatc ttctgctcg tggccaacat cctgctggtc aacttgctca	300
ttgccatgtt cagttacaca ttccggcaaag tacagggcaa cagcgatctc tactgggaag	360
gcgcagcgtt accgcctcat ccgg	384

<210> 186

<211> 577

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(577)

<223> n = A,T,C or G

<400> 186

gagttagctc ctccacaacc ttgatgaggt cgtctgcagt ggctctctgc ttcataccgc	60
tnccatcgct atactgtagg ttggccacca cytcctggca tcttggggcg gcntaatatt	120
ccaggaaact ctcaatcaag tcaccgtcga tgaaacctgt gggctgggtc tgtcttcgc	180
tcggtgtgaa aggatctccc agaaggagtg ctcgatcttc cccacacttt tgatgacttt	240
attgagtcga ttctgcatgt ccagcaggag gttgtaccag ctctctgaca gtgaggtcac	300
cagccctatc atgccgttga mcgtgccgaa gartaccgag ccttgtgttg gggkkgaagt	360
ctcaccaga ttctgcatta ccagagagcc gtggcaaaag acattgacaa actcgcccag	420
gtggaaaaag amcamctcct ggargtgctn gccgctctc gtcmgttggt ggcagcgctw	480

tccttttgac acacaaacaa gttaaaggca ttttcagccc ccagaaantt gtcacatcc 540
aagatntcgc acagcactna tccagttggg attaaat 577

<210> 187

<211> 534

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(534)

<223> n = A,T,C or G

<400> 187

aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgstg agaatycaaw	60
actkggaaaa gmaacattaa agcctggaca ctggtattaa aattcacaat atgcaacact	120
ttaaacagtg tgtcaatctg ctcccyynac tttgtcatca ccagctctggg aakaagggtg	180
tgccttatcc acacctgtta aaaggcgct aagcatTTTT gattcaacat cttttttttt	240
gacacaagtc cgaacaaagc aaaagtaaac agttatyaat ttgttagcca attcactttc	300
ttcatgggac agagccatyt gatttaaaaa gcaaattgca taatattgag ctyggggagc	360
tgatatttga gcggaagagt agcctttcta cttcaccaga cacaactccc tttcatattg	420
ggatgttnac naaagtwatg tctctwacag atgggatgct tttgtggcaa tttctgtctg	480
aggatctccc agttatttta ccacttgcac aagaaggcgt tttcttctc aggc	534

<210> 188

<211> 761

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(761)

<223> n = A,T,C or G

<400> 188

agaaaccagt atctctnaaa acaacctctc ataccttgtg gacctaatTT tgtgtgcgtg	60
tgtgtgtgcg cgcataattat atagacaggc acatcttttt tacttttTga aaagcttatg	120
cctctttTgt atctatatct gtgaaagttt taatgatctg ccataatgTc ttggggacct	180
ttgtcttctg tgtaaatggt actagagaaa acacctatnt tatgagtcaa tctagtTngt	240
tttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc ctkgackarg	300
ggggacaaaag aaaagcaaaa ctgamcataa raaacaatwa cctggTgaga arttgcataa	360
acagaaatwr ggtagtatat tgaarnacag catcattaaa rmgtttwktT wttctccctt	420
gcaaaaaaca tgtacngact tcccgttgag taatgccaaag ttgttttttt tatnataaaa	480
cttgcccttc attacatgTt tnaaagtggT gtggTgggcc aaaatattga aatgatggaa	540
ctgactgata aagctgtaca aataagcagt gtgcctaaca agcaacacag taatgttgac	600
atgcttaatt cacaatgct aatttcatta taaatgtttg ctaaaataca ctttgaacta	660
ttttctgtn tttccagagc tgagatntta gatTTtatgt agtatnaagt gaaaaantac	720
gaaaaataata acattgaaga aaaananaaa aaanaaaaaa a	761

<210> 189

<211> 482

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(482)

<223> n = A,T,C or G

<400> 189

tttttttttt	tttgccgatn	ctactatttt	attgcaggan	gtgggggtgt	atgcaccgca	60
caccggggct	atnagaagca	agaaggaagg	agggagggca	cagccccttg	ctgagcaaca	120
aagccgcctg	ctgccttctc	tgtctgtctc	ctggtgcagg	cacatgggga	gaccttcccc	180
aaggcagggg	ccaccagtcc	aggggtggga	atacaggggg	tgggagtgt	gcataagaag	240
tgataggcac	aggccacccg	gtacagaccc	ctcggctcct	gacaggtnga	tttcgaccag	300
gtcattgtgc	cctgcccagg	cacagcgtn	atctggaaaa	gacagaatgc	tttccttttc	360
aaatttggct	ngtcatngaa	ngggcanttt	tccaanttng	gctnggtctt	ggtacncttg	420
gttcggccca	gctccnctgc	caaaaantat	tcaccnnct	ccnaattgct	tgcnggnccc	480
cc						482

<210> 190

<211> 471

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(471)

<223> n = A,T,C or G

<400> 190

tttttttttt	ttttaaaaca	gtttttcaca	acaaaattta	ttagaagaat	agtggttttg	60
aaaactctcg	catccagtga	gaactacat	acaccacatt	acagctngga	atgtntctca	120
aatgtctggt	caaatgatac	aatggaacca	ttcaatctta	cacatgcacg	aaagaacaag	180
cgcttttgac	atacaatgca	caaaaaaaaa	aggggggggg	gaccacatgg	attaaaattt	240
taagtactca	tcacatacat	taagacacag	ttctagtcca	gtcnaaaatc	agaactgcnt	300
tgaaaaattt	catgtatgca	atccaaccaa	agaacttnat	tggtgatcat	gantnctcta	360
ctacatcnac	cttgatcatt	gccaggaacn	aaaagttnaa	ancacncngt	acaaaaanaa	420
tctgtaattn	anttcaacct	ccgtacngaa	aatnttnnt	tatacactcc	c	471

<210> 191

<211> 402

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(402)

<223> n = A,T,C or G

<400> 191

gagggattga	aggtctgttc	tastgtcggm	ctgttcagcc	accaactcta	acaagttgct	60
gtcttccact	cactgtctgt	aagcttttta	accagacwg	tatcttcata	aatagaacaa	120
attcttcacc	agtcacatct	tctaggacct	ttttggattc	agttagtata	agctcttcca	180
cttcctttgt	taagacttca	tctggtaaag	tcttaagttt	tgtagaaagg	aattyaattg	240
ctcgttctct	aacaatgtcc	tctccttgaa	gtatttggct	gaacaaccca	cctaaagtcc	300
ctttgtgcat	ccatttttaa	tatacttaat	agggcattgk	tncactaggt	taaattctgc	360
aagagtcate	tgtctgcaaa	agttgcgtta	gtatatctgc	ca		402

<210> 192

<211> 601

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(601)

<223> n = A,T,C or G

<400> 192

```

gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnaact      60
ggctctacccc acatgggagc agcatgccgt agntatataa ggtcattccc tgagtcagac      120
atgcytyttt gaytaccgtg tgccaagtgc tggtagttct yaacacacyt ccatcccggt      180
cttttgtgga aaaactggca cttktctgga actagcarga catcacttac aaattcaccc      240
acgagacact tgaaagggtg aacaaagcga ytcttgcat gctttttgtc cctccggcac      300
cagttgtcaa tactaaccgg ctggtttgcc tccatcacat ttgtgatctg tagctctgga      360
tacatctcct gacagtactg aagaacttct tcttttgttt caaaagcarg tcttggtgcc      420
tgttggatca ggttcccatt tcccagtcyg aatgttcaca tggcatattt wacttcccac      480
aaaacattgc gatttgaggc tcagcaacag caaatcctgt tccggcattg gctgcaagag      540
cctcgatgta gccggccagc gccaaaggcag gcgcggtgag cccaccagc agcagaagca      600
g

```

<210> 193

<211> 608

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(608)

<223> n = A,T,C or G

<400> 193

```

atacagcca natcccacca cgaagatgcg cttgttgact gagaacctga tgcggtcact      60
ggteccgctg tagccccagc gactctccac ctgctggaag cggttgatgc tgcactcytt      120
cccaacgcag gcagmagcgg gscgggtcaa tgaactccay tcgtggcttg gggtkgacgg      180
tkaagtgcag gaagaggctg accacctcgc ggtccaccag gatgcccgac tgtgcgggac      240
ctgcagcgaa actcctcgat ggtcatgagc gggaagcgaa tgaggcccag ggccttgccc      300
agaaccttcc gectgttctc tggcgtcacc tgcagctgct gccgctgaca ctgggcctcg      360
gaccagcgga caaacggcrt tgaacagccg cacctcacgg atgccagtg tgcgcgctc      420
caggammgsc accagcgtgt ccagggtcaat gtccggtgaag cctcccgcg gtrattggcgt      480
ctgcagtggt tttgtcgatg ttctccaggc acaggctggc cagctgcggt tcatcgaaga      540
gtcgcgcctg cgtgagcagc atgaaggcgt tgcgggctcg cagttcttct tcagggaactc      600
cacgcaat

```

<210> 194

<211> 392

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 194

```

gaacggctgg accttgctc gcattgtgct tgctggcagg gaataccttg gcaagcagyt      60
ccagtcggag cagccccaga ccgctgccgc ccgaagctaa gcctgctct ggccttcccc      120
tccgctcaa tgcagaacca gtatggggag cactgtgttt agagttaaga gtgaacactg      180
tttgatttta cttgggaatt tcctctgtta tatagctttt cccaatgcta atttccaaac      240
aacaacaaca aaataacatg ttgcctgtt aagttgtata aaagtaggtg attctgtatt      300
taaagaaaat attactgtta catatactgc ttgcaatttc tgtatttatt gktncsttgg      360
aaataaatat agttattaaa ggttgtcant cc

```

<210> 195
 <211> 502
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(502)
 <223> n = A,T,C or G

<400> 195
 ccsttkgagg ggtkaggkyc cagttyccga gtggaagaaa caggccagga gaagtgcgtg 60
 ccgagctgag gcagatgttc ccacagtgc cccagagacc stgggstata gtytctgacc 120
 cctcncaagg aaagaccacs ttctggggac atgggctgga gggcaggacc tagaggcacc 180
 aaggggaagg cccattccgg ggstgttccc cgaggaggaa ggggaagggc tctgtgtgcc 240
 ccccasgagg aagaggccct gagtccctgg atcagacacc ccttcacgtg tatccccaca 300
 caaatgcaag ctcaccaagg tccccctcga gtcccccttc stacaccctg amcggccact 360
 gscscacacc caccagagc acgccaccgc ccatggggar tgtgctcaag gartcgcnng 420
 gcarcgtgga catctngtcc cagaaggggg cagaatctcc aatagangga ctgarcmstt 480
 gctnanaaaa aaaaaaaaaa aa 502

<210> 196
 <211> 665
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(665)
 <223> n = A,T,C or G

<400> 196
 gggtacttgg ttctattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc 60
 cctctggaag ccttgccgag agcggacttt gtaattgttg gagaataact gctgaatttt 120
 wagctgtttk gagttgatts gcaccactgc acccacaact tcaatatgaa aacyawttga 180
 actwatattat tatcttgtga aaagtataac aatgaaaatt ttgttcatac tgtattkac 240
 aagtatgatg aaaagcaawa gatatatatt cttttattat gttaaattat gattgccatt 300
 attaateggc aaaatgtgga gtgtatgttc ttttcacagt aatatatgcc ttttgaact 360
 tcacttggtt attttattgt aaatgartta caaaattctt aatttaagar aatggatgt 420
 watatttatt tcattaattt ctttcctkgt ttacgtwaat ttgaaaaga wtgcatgatt 480
 tcttgacaga aatcgatctt gatgctgtgg aagtagtttg acccacatcc ctatgagttt 540
 ttcttagaat gtataaagggt tgtagcccat cnaacttcaa agaaaaaaat gaccacatac 600
 tttgcaatca ggctgaaatg tggcatgctn ttctaattcc aactttataa actagcaaan 660
 aagtg 665

<210> 197
 <211> 492
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(492)
 <223> n = A,T,C or G

<400> 197
 tttntttttt ttttttttgc aggaaggatt ccatttattg tggatgcatt ttcacaatat 60
 atgtttattg gagcgatcca ttatcagtga aaagtatcaa gtgtttataa natttttagg 120

```

aaggcagatt cacagaacat gctngtcngc ttgcagtttt acctcgtana gatnacagag      180
aattatagtc naaccagtaa acnaggaatt tactttttcaa aagattaaat ccaaactgaa      240
caaaattcta ccctgaaact tactccatcc aaatattgga ataanagtca gcagtgatac      300
attctcttct gaactttaga ttttctagaa aaatatgtaa tagtgatcag gaagagctct      360
tgttcaaaag tacaacnaag caatgttccc ttaccatagg ccttaattca aactttgatc      420
catttcactc ccatcacggg agtcaatgct acctgggaca cttgtatttt gttcatnctg      480
ancntggctt aa                                                              492

```

<210> 198

<211> 478

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (478)

<223> n = A,T,C or G

<400> 198

```

ttnttttgn atttcantct gtannaanta ttttcattat gtttattana aaaatatnaa      60
tgtntccacn acaaatcatn ttacntnagt aagaggccan ctacattgta caacatacac      120
tgagtatatt ttgaaaagga caagtttaaa gtanacncat attgccganc atancacatt      180
tatacatggc ttgattgata tttagcacag canaaactga gtgagttacc agaaanaaat      240
natatatgtc aatcngattt aagatacaaa acagatccta tggtagatan catcntgtag      300
gagttgtggc tttatgttta ctgaaagtca atgcagttcc tgtacaaaga gatggccgta      360
agcattctag tacctctact ccatggttaa gaatcgtaca cttatgttta catatgtntca      420
gggtaagaat tgtgttaagt naanttatgg agaggtccan gagaaaaatt tgatncaa      478

```

<210> 199

<211> 482

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (482)

<223> n = A,T,C or G

<400> 199

```

agtgacttgt cctccaacaa aacccttga tcaagtttgt ggcactgaca atcagaccta      60
tgctagttcc tgtcatctat tcgctactaa atgcagactg gagggggacca aaaaggggca      120
tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga      180
agtgattcag tttcctctac ggatgagaga ctggctcaag aatatectca tgcagcttta      240
tgaagccnac tctgaacacg ctggttatct nagatgagaa ncagagaaat aaagtcnaga      300
aaatttacct ggangaaaag aggctttngg ctggggacca tcccattgaa ccttctctta      360
anggacttta agaanaaaact accacatgtn tgtngtatcc tgggtgcngg ccgtttantg      420
aacntngaen ncacccttnt ggaatanant cttgaacngc tctgaactt gctcctctgc      480
ga                                                              482

```

<210> 200

<211> 270

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (270)

<223> n = A,T,C or G

<400> 200

```

cggccgcaag tgcaactcca gctggggccg tgcggacgaa gattctgccca gcagttggtc      60
cgactgcgac gacggcggcg gcgacagtcg caggtgcagc gcgggcgcct ggggtcttgc      120
aaggctgagc tgacgccgca gaggtcgtgt cacgtcccac gaccttgacg ccgtcgggga      180
cagccggaac agagcccgtt gaangcggga ggcctcgggg agccctcggg gaaggcgggc      240
ccgagagata cgcaggtgca ggtggccgcc

```

270

<210> 201

<211> 419

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(419)

<223> n = A,T,C or G

<400> 201

```

tttttttttt ttttgaatc tactgcgagc acagcaggtc agcaacaagt ttatttttga      60
gctagcaagg taacagggtg gggcatgggt acatgttcag gtcaacttcc tttgtcgtgg      120
ttgattggtt tgtctttatg ggggcggggg ggggtagggg aaancgaagc anaantaaca      180
tggagtgggt gcaccctccc tgtagaacct ggttacnaaa gcttggggca gttcacctgg      240
tctgtgaccg tcattttctt gacatcaatg ttattagaag tcaggatata ttttagagag      300
tccactgtnt ctggagggag attagggttt cttgccanaa tccaancaa atccacntga      360
aaaagtggga tgatncangt acngaatacc ganggcatan ttctcatant cggtgggcca      419

```

<210> 202

<211> 509

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(509)

<223> n = A,T,C or G

<400> 202

```

tttntttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt      60
tggcacttaa tccattttta tttcaaaatg tctacaaant ttnaatncnc cattatacng      120
gtnattttnc aaaatctaaa nnttattcaa atntnagcca aantccttac ncaaantnaa      180
tacnncnaaa aatcaaaaat atacntntct ttcagcaaac ttngttacat aaattaaaaa      240
aatatatacg gctgggtgtt tcaaagtaca attatcttaa cactgcaaac atnttttnaa      300
ggaactaaaa taiaaaaaaa cactnccgca aagggttaaag ggaacaacaa attcntttta      360
caacancnnc nattataaaa atcatatctc aaatcttagg ggaatatata cttcacacng      420
ggatcttaac ttttactnca ctttgtttat ttttttanaa ccattgtntt gggcccaaca      480
caatggnaat nccnccnncn tggactagt

```

509

<210> 203

<211> 583

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(583)

<223> n = A,T,C or G

<400> 203

tttttttttt	ttttttttga	ccccctctt	ataaaaaaca	agttaccatt	ttattttact	60
tacacatatt	tattttataa	ttggtattag	atattcaaaa	ggcagctttt	aaaatcaaac	120
taaatggaaa	ctgccttaga	tacataattc	ttaggaatta	gcttaaaatc	tgcctaaagt	180
gaaaatcttc	tctagctctt	ttgactgtaa	atttttgact	cttgtaaaac	atccaaattc	240
atttttcttg	tctttaaaat	tatctaattc	ttccattttt	tcctatttcc	aagtcaattt	300
gcttctctag	cctcatttcc	tagctcttat	ctactattag	taagtggctt	ttttcctaaa	360
agggaaaaca	ggaagagana	atggcacaca	aaacaaacat	tttatattca	tatttctacc	420
tacgttaata	aaatagcatt	ttgtgaagcc	agctcaaaag	aaggcttaga	tccttttatg	480
tccatttttag	tcactaaacg	atatcnaaag	tgccagaatg	caaaagggtt	gtgaacattt	540
attcaaaagc	taatataaga	tatttcacat	actcatcttt	ctg		583

<210> 204

<211> 589

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(589)

<223> n = A,T,C or G

<400> 204

ttttttttnt	tttttttttt	tttttttctc	ttcttttttt	ttganaatga	ggatcgagtt	60
tttcaactct	tagatagggc	atgaagaaaa	ctcatctttc	cagcttttaa	ataacaatca	120
aatctcttat	gctatatcat	atttttaagt	aaactaatga	gtcactggct	tatcttctcc	180
tgaaggaaat	ctgttcattc	ttctcattca	tatagttata	tcaagtacta	ccttgcatat	240
tgagagggtt	ttcttctcta	tttacacata	tatttccatg	tgaatttgta	tcaaaccctt	300
attttcatgc	aaactagaaa	ataatgtntt	cttttgcata	agagaagaga	acaatatnag	360
cattacaaaa	ctgctcaaat	tgtttgttaa	gnntatccat	tataattagt	tnggcaggag	420
ctaatacaaa	tcacattttac	ngacnagcaa	taataaaaact	gaagtaccag	ttaaatatcc	480
aaaataatta	aaggaacatt	tttagcctgg	gtataattag	ctaattcact	ttacaagcat	540
ttattnagaa	tgaattcaca	tgttattatt	centagccca	acacaatgg		589

<210> 205

<211> 545

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(545)

<223> n = A,T,C or G

<400> 205

tttttntttt	ttttttcagt	aataatcaga	acaatatatta	tttttatatt	taaaattcat	60
agaaaagtgc	cttacattta	ataaaagttt	gtttctcaaa	gtgatcagag	gaattagata	120
tngtcttgaa	caccaatatt	aatttgagga	aaatacacca	aaatacatta	agtaaattat	180
ttaagatcat	agagcttgta	agtgaaaaga	taaaatttga	cctcagaaac	tctgagcatt	240
aaaaatccac	tattagcaaa	taaattacta	tggacttctt	gctttaattt	tgtgatgaat	300
atggggtgtc	actggtaaac	caacacattc	tgaaggatac	attacttagt	gatagattct	360
tatgtacttt	gctanatnac	gtggatatga	gttgacaagt	ttctctttct	tcaatctttt	420
aaggggcnag	ngaaatgagg	aagaaaagaa	aaggattacg	catactgttc	tttctatngg	480
aaggattaga	tatgtttcct	ttgccaatat	taaaaaata	ataatgttta	ctactagtga	540
aacc						545

<210> 206

<211> 487

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(487)

<223> n = A,T,C or G

<400> 206

tttttttttt ttttttagtc aagtttctna tttttattat aattaaagtc ttggtcattt	60
catttattag ctctgcaact tacatattta aattaaagaa acgttnttag acaactgtna	120
caattttataa atgtaagggtg ccattattga gtanatatat tcctccaaga gtggatgtgt	180
cccttctccc accaactaat gaancagcaa cattagtta attttattag tagatnatac	240
actgtgcaa acgctaattc ttttctccat ccccatgtng atattgtgta tatgtgtgag	300
ttggtnagaa tgcacanca atctnacaat caacagcaag atgaagctag gcntgggctt	360
tcggtgaaaa tagactgtgt ctgtctgaat caaatgatct gacctatcct cgggtggcaag	420
aactcttcga accgcttcct caaaggcngc tgccacattt gtggcntctn ttgcacttgt	480
ttcaaaa	487

<210> 207

<211> 332

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(332)

<223> n = A,T,C or G

<400> 207

tgaattggct aaaagactgc atttttanaa ctagcaactc ttatttcttt cctttaaaaa	60
tacatagcat taaatcccaa atcctattta aagacctgac agcttgagaa ggtcactact	120
gcatttatag gaccttctgg tggttctgct gttacnttg aantctgaca atccttgana	180
atctttgcat gcagaggagg taaaagggtat tggattttca cagaggaana acacagcgca	240
gaaatgaagg ggccaggctt actgagcttg tccactggag ggctcatggg tgggacatgg	300
aaaagaaggc agcctaggcc ctggggagcc ca	332

<210> 208

<211> 524

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(524)

<223> n = A,T,C or G

<400> 208

agggcggtgt gcggagggcg ttactgtttt gtctcagtaa caataaatac aaaaagactg	60
gttggtgtcc ggccccatcc aaccacgaag ttgatttctc ttgtgtgcag agtgactgat	120
tttaaaggac atggagcttg tcacaatgtc acaatgtcac agtggtgaagg gcacactcac	180
tcccgcgtga ttcacattta gcaaccaaca atagctcatg agtccatact tgtaaatact	240
tttggcagaa tacttnttga aacttgcaag tgataactaa gatccaagat atttcccaaa	300
gtaaatagaa gtgggtcata atattaatta cctgttcaca tcagcttcca tttacaagtc	360
atgagcccag aactgacat caaactaagc ccacttagac tcctcaccac cagtctgtcc	420
tgatcatcaga caggaggctg tcaccttgac caaattctca ccagtcaatc atctatccaa	480
aaaccattac ctgatccact tccggtaatg caccaccttg gtga	524

<210> 209
 <211> 159
 <212> DNA
 <213> Homo sapien

<400> 209
 ggggtgaggaa atccagagtt gccatggaga aaattccagt gtcagcattc ttgtccttg 60
 tggccctctc ctacactctg gccagagata ccacagtcaa acctggagcc aaaaaggaca 120
 caaaggactc tcgacccaaa ctgccccaga ccctctcca 159

<210> 210
 <211> 256
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (256)
 <223> n = A,T,C or G

<400> 210
 actccctggc agacaaaggc agaggagaga gctctgttag ttctgtgttg ttgaactgcc 60
 actgaatttc tttccacttg gactattaca tgccanttga gggactaatg gaaaaacgta 120
 tggggagatt ttanccaatt tangtntgta aatggggaga ctggggcagg cgggagagat 180
 ttgcagggtg naaatgggan ggctgggttg ttanatgaac agggacatag gaggtaggca 240
 ccaggatgct aatca 256

<210> 211
 <211> 264
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (264)
 <223> n = A,T,C or G

<400> 211
 acattgtttt tttgagataa agcattgaga gagctctcct taacgtgaca caatggaagg 60
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
 atattcaagc acatatgtta tatattatc agttccatgt ttatagccta gttaaggaga 180
 ggggagatac attcngaaag aggactgaaa gaaatactca agtnggaaaa cagaaaaaga 240
 aaaaaaggag caaatgagaa gcct 264

<210> 212
 <211> 328
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (328)
 <223> n = A,T,C or G

<400> 212
 acccaaaaat ccaatgctga atatttggtc tcattattcc canattcttt gattgtcaaa 60
 ggatttaatg ttgtctcagc ttgggcactt cagttaggac ctaaggatgc cagccggcag 120
 gtttatatat gcagcaacaa tattcaagcg cgacaacagg ttattgaact tgcccgcag 180

ttnaattttca ttccattga cttgggatcc ttatcatcag ccagagagat tgaaaattta 240
 cccctacnac tctttactct ctgganaggg ccagtgggtg tagctataag cttggccaca 300
 ttttttttct cttttattct ttgtcaga 328

<210> 213

<211> 250

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(250)

<223> n = A,T,C or G

<400> 213

acttatgagc agagcgacat atccnagtgt agactgaata aaactgaatt ctctccagtt 60
 taaagcattg ctactgaag ggatagaagt gactgccagg agggaaagta agccaaggct 120
 cattatgcca aagganatat acatttcaat tctccaaact tcttctcat tccaagagtt 180
 ttcaatattt gcatgaacct gctgataanc catgttaana aacaaatata tctctnacct 240
 tctcatcggt 250

<210> 214

<211> 444

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(444)

<223> n = A,T,C or G

<400> 214

accagaatc caatgctgaa tatttggett cattattccc agattctttg attgtcaaag 60
 gatttaattg tgtctcagct tgggcacttc agttaggacc taaggatgcc agccggcagg 120
 tttatatatg cagcaacaat attcaagcgc gacaacagggt tattgaactt gcccgccagt 180
 tgaatttcat tccattgac ttgggatcct tatcatcagc canagagatt gaaaatttac 240
 ccctacgact ctttactctc tggagagggc cagtgggtgt agctataagc ttggccacat 300
 ttttttttcc tttattcctt tgtcagagat gcgattcctc catatgctan aaaccaacag 360
 agtgactttt acaaaattcc tataganatt gtgaataaaa ccttacctat agttgccatt 420
 actttgctct ccctaataata cctc 444

<210> 215

<211> 366

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(366)

<223> n = A,T,C or G

<400> 215

acttatgagc agagcgacat atccaagtgt anactgaata aaactgaatt ctctccagtt 60
 taaagcattg ctactgaag ggatagaagt gactgccagg agggaaagta agccaaggct 120
 cattatgcca aagganatat acatttcaat tctccaaact tcttctcat tccaagagtt 180
 ttcaatattt gcatgaacct gctgataagc catgttgaga aacaaatata tctctgacct 240
 tctcatcggt aagcagaggc tgtaggcaac atggaccata gcgaanaaaa aacttagtaa 300
 tccaagctgt tttctacact gtaaccagggt ttccaaccaa ggtggaaatc tctataactt 360

ggtgcc

366

<210> 216

<211> 260

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(260)

<223> n = A,T,C or G

<400> 216

ctgtataaac	agaactccac	tgcanagagg	agggccgggc	caggagaatc	tccgcttgtc	60
caagacaggg	gcctaaggag	ggtctccaca	ctgctnntaa	gggctnttnc	atTTTTtTat	120
taataaaaag	tnnaaaaggc	ctcttctcaa	ctTTTTtTccc	ttnggctgga	aaattTaaaa	180
atcaaaaatt	tctnaagtt	ntcaagctat	catatatact	ntatcctgaa	aaagcaacat	240
aattcttctt	tcctctcttt					260

<210> 217

<211> 262

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(262)

<223> n = A,T,C or G

<400> 217

acctacgtgg	gtaagtttan	aatgtttata	atttcaggaa	naggaacgca	tataattgta	60
tcttgcctat	aattttctat	tttaataagg	aaatagcaaa	ttgggggtggg	gggaatgtag	120
ggcattctac	agtttgagca	aatgcaatt	aatgtggaa	ggacagcact	gaaaaatttt	180
atgaataatc	tgtatgatta	tatgtctcta	gagtagattt	ataattagcc	acttaccta	240
atatccttca	tgcttgtaaa	gt				262

<210> 218

<211> 205

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(205)

<223> n = A,T,C or G

<400> 218

accaaggtgg	tgcatcaccg	gaantggatc	aangacacca	tcgtggccaa	cccctgagca	60
cccctatcaa	ctcccttttg	tagtaaaactt	ggaaccttgg	aatgaccag	gccaagactc	120
aggcctcccc	agttctactg	acctttgtcc	ttangnttna	ngtccagggt	tgctaggaaa	180
anaaatcagc	agacacaggt	gtaaa				205

<210> 219

<211> 114

<212> DNA

<213> Homo sapien

<400> 219

tactgttttg tctcagtaac aataaatata aaaagactgg ttgtgttccg gccccatcca 60
accacgaagt tgatttctct tgtgtgcaga gtgactgatt ttaaaggaca tgga 114

<210> 220
<211> 93
<212> DNA
<213> Homo sapien

<400> 220
actagccagc acaaaaggca gggtagcctg aattgctttc tgctctttac atttctttta 60
aaataagcat ttagtgctca gtccctactg agt 93

<210> 221
<211> 167
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(167)
<223> n = A,T,C or G

<400> 221
actangtgca ggtg'gcaca aatatttgct gatattccct tcatcttgga ttccatgagg 60
tcttttgccc agcctgtggc tctactgtag taagtttctg ctgatgagga gccagnatgc 120
ccccactac cttccctgac gctcccccana aatcacccaa cctctgt 167

<210> 222
<211> 351
<212> DNA
<213> Homo sapien

<400> 222
agggcgtggt gcggaggcg gtactgacct cattagtagg aggatgcatt ctggcacccc 60
gttcttcacc tgtcccccaa tccttaaaag gccatactgc ataaagtcaa caacagataa 120
atgtttgctg aattaaagga tggatgaaaa aaattaataa tgaatttttg cataatccaa 180
ttttctcttt tatatttcta gaagaagttt ctttgacct attagatccc gggaatcttt 240
tagtgagca tgattagaga gctttaggt tgcttttaca tatactctggc atatttgagt 300
ctcgtatcaa aacaatagat tggtaaaggt ggtattattg tattgataag t 351

<210> 223
<211> 383
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(383)
<223> n = A,T,C or G

<400> 223
aaaacaaaca acaaaaaaaaa acaattcttc attcagaaaa attatcttag ggactgatat 60
tggttaattat ggtcaattta atwrtrttkt ggggcatttc cttacattgt cttgacaaga 120
ttaaagtgc tgtgccaaaa ttttgatttt ttttgaggaga cttcttatca aaagtaatgc 180
tgccaaagga agtctaagga attagtagtg tccccmtcac ttgtttgagg tgtgctattc 240
taaaagattt tgatttctctg gaatgacaat tatattttta clttgggtggg ggaaanagtt 300
ataggaccac agtcttcact tctgatactt gtaaatattt cttttattgc acttgttttg 360
accattaagc tatatgttta aaa 383

<210> 224
 <211> 320
 <212> DNA
 <213> Homo sapien

<400> 224
 ccctgaagg cttcttggtta gaaaatagta cagttacaac caataggaac aacaaaaaga 60
 aaaagttgt gacattgtag tagggagtgt gtacccttca ctcccatca aaaaaaaaaat 120
 ggatacatgg ttaaaggata raagggaat attttatcat atgttctaaa agagaaggaa 180
 gagaaaatac tactttctcr aaatggaagc ccttaaagggt gctttgatac tgaaggacac 240
 aaatgtggcc gtccatcctc ctttaragtt gcatgacttg gacacggtaa ctgttgagcgt 300
 tttaractcm gcattgtgac 320

<210> 225
 <211> 1214
 <212> DNA
 <213> Homo sapien

<400> 225
 gaggactgca gcccgactc gcagccctgg caggcggcac tggatcatgga aaacgaattg 60
 ttctgctcgg gcgtcctggt gcatccgcag tgggtgctgt cagccgcaca ctgtttccag 120
 aactcctaca ccatcggtgt gggcctgcac agtcttgagg ccgaccaaga gccagggagc 180
 cagatggtgg aggccagcct ctccgtacgg caccagagt acaacagacc cttgctcgct 240
 aacgacctca tgctcatcaa gttggacgaa tccgtgtccg agtctgacac catccggagc 300
 atcagcattg cttgcagtg ccctaccgcg gggaactctt gctcgtttc tggctgggggt 360
 ctgctggcga acggcagaat gcctaccgtg ctgcagtgcg tgaacgtgtc ggtggtgtct 420
 gaggaggtct gcagtaagct ctatgaccg ctgtaccacc ccagcatgtt ctgcgccggc 480
 ggagggcaag accagaagga ctctgcaac ggtgactctg gggggcccct gatctgcaac 540
 gggactctgc agggccttgt gtctttcgga aaagccccgt gtggccaagt tggcgtgcca 600
 ggtgtctaca ccaacctctg caaattcact gagtggatag agaaaaccgt ccaggccagt 660
 taactctggg gactgggaac ccatgaaatt gacccccaaa tacatcctgc ggaaggaatt 720
 caggaatatc tgttcccagc ccctcctccc tcaggcccag gagtccaggc cccagcccc 780
 tcctccctca aaccaagggt acagatcccc agccccctct ccctcagacc caggagtcca 840
 gacccccag cccctcctcc ctccagacca ggagtcagc ccctcctccc tcagaccag 900
 gagtccagac cccccagccc ctctcctc agaccagggt gtccaggccc ccaaccctc 960
 ctccctcaga ctccagagtc caagccccca acccctcctt cccagaccc agaggtccag 1020
 gtcccagccc ctctcctc agaccagcg gtccaatgcc acctagactc tccctgtaca 1080
 cagtgcctcc ttgtggcacg ttgacccaac cttaccagtt ggtttttcat tttttgtccc 1140
 tttcccttag atccagaaat aaagtctaag agaagcgcaa aaaaaaaaaa aaaaaaaaaa 1200
 aaaaaaaaaa aaaa 1214

<210> 226
 <211> 119
 <212> DNA
 <213> Homo sapien

<400> 226
 acccagtatg tgcagggaga cggaacccca tgtgacagcc cactccacca gggttcccaa 60
 agaacctggc ccagtcataa tcattcatcc tgacagtggc aataatcacg ataaccagt 119

<210> 227
 <211> 818
 <212> DNA
 <213> Homo sapien

<400> 227
 acaattcata gggacgacca atgaggacag ggaatgaacc cggctctccc ccagccctga 60

tttttgctac	atatgggggtc	ccttttcatt	ctttgcaaaa	acactggggtt	ttctgagaac	120
acggacgggtt	cttagcacaa	tttgtgaaat	ctgtgtaraa	ccgggctttg	caggggagat	180
aattttcctc	ctctggagga	aagggtggtga	ttgacaggca	gggagacagt	gacaaggcta	240
gagaaagcca	cgctcggcct	tctctgaacc	aggatggaac	ggcagacccc	tgaaaacgaa	300
gcttgtcccc	ttccaatcag	ccacttctga	gaaccccat	ctaacttcct	actggaaaag	360
agggcctcct	caggagcagt	ccaagagttt	tcaaagataa	cgtgacaact	accatctaga	420
ggaaagggtg	caccctcagc	agagaagccg	agagcttaac	tctggtcgtt	tccagagaca	480
acctgctggc	tgtcttggga	tgcgcccagc	ctttgagagg	ccactacccc	atgaacttct	540
gccatccact	ggacatgaag	ctgaggacac	tgggcttcaa	cactgagttg	tcagagagg	600
gacaggtctt	gcctcaagc	cggctgaggg	cagcaaccac	tctcctcccc	tttctcacgc	660
aaagccattc	ccacaaatcc	agaccatacc	atgaagcaac	gagacccaaa	cagtttggct	720
caagaggata	tgaggactgt	ctcagcctgg	ctttgggctg	acaccatgca	cacacacaag	780
gtccacttct	aggttttcag	cctagatggg	agtctgtg			818

<210> 228

<211> 744

<212> DNA

<213> Homo sapien

<400> 228

actggagaca	ctgttgaact	tgatcaagac	ccagaccacc	ccagggtctcc	ttcgtgggat	60
gtcatgacgt	ttgacatacc	tttggaaacga	gcctcctcct	tggaagatgg	aagaccgtgt	120
tcgtggccga	cctggcctct	cctggcctgt	ttcttaagat	gcggagtcac	atttcaatgg	180
taggaaaagt	ggcttcgtaa	aatagaagag	cagtcactgt	ggaactacca	aatggcgaga	240
tgctcgggtc	acattggggg	gctttgggat	aaaagattta	tgagccaact	attctctggc	300
accagattct	aggccagttt	gttccactga	agcttttccc	acagcagtc	acctctgcag	360
gctggcagct	gaatggcttg	ccgggtggctc	tgtggcaaga	tcacactgag	atcgatgggt	420
gagaaggcta	ggatgcttgt	ctagtgttct	tagctgtcac	gttggctcct	tccaggttgg	480
ccagacgggtg	ttggccactc	ccttctaaaa	cacaggcgcc	ctcctggtga	cagtgaccgc	540
ccgtgggatg	ccttggccca	ttccagcagt	cccagttatg	catttcaagt	ttggggtttg	600
ttcttttcgt	taatgttctt	ctgtgttgtc	agctgtcttc	atttctctgg	ctaagcagca	660
ttgggagatg	tggaccagag	atccactcct	taagaaccag	tggcgaaaaga	cactttcttt	720
cttcactctg	aagtagctgg	tggt				744

<210> 229

<211> 300

<212> DNA

<213> Homo sapien

<400> 229

cgagctctggg	ttttgtctat	aaagtgtgat	ccctcctttt	ctcatccaaa	tcagtgaac	60
cattacacat	cgaaataaaa	gaaaggtggc	agacttgccc	aacgccaggc	tgacatgtgc	120
tgcagggttg	ttgtttttta	attattattg	ttagaaacgt	caccacacagt	ccctgttaat	180
ttgtatgtga	cagccaactc	tgagaaggtc	ctatttttcc	acctgcagag	gatccagtct	240
cactaggctc	ctccttgccc	tcacactgga	gtctccgcca	gtgtgggtgc	ccactgacat	300

<210> 230

<211> 301

<212> DNA

<213> Homo sapien

<400> 230

cagcagaaca	aatacaata	tgaagagtgc	aaagatctca	taaaatctat	gctgaggaat	60
gagcgacagt	tcaaggagga	gaagcttgca	gagcagctca	agcaagctga	ggagctcagg	120
caatataaag	tcctggttca	cactcaggaa	cgagagctga	cccagttaag	ggagaagttg	180
cggggaaggga	gagatgcctc	cctctcattg	aatgagcatc	tccaggccct	cctcactccg	240
gatgaaccgg	acaagtccca	ggggcaggac	ctccaagaaa	cagacctcgg	ccgcgaccac	300
g						301

<210> 231
<211> 301
<212> DNA
<213> Homo sapien

<400> 231
gcaagcacgc tggcaaactct ctgtcaggtc agctccagag aagccattag tcatttttagc 60
caggaactcc aagtccacat ccttggcaac tggggacttg cgcaggttag ccttgaggat 120
ggcaacacgg gacttctcat caggaagtgg gatgtagatg agctgatcaa gacggccagg 180
tctgaggatg gcaggatcaa tgatgtcagg ccggttggtta ccgccaatga tgaacacatt 240
tttttttgtg gacatgccat ccatttctgt caggatctgg ttgatgactc ggtcagcagc 300
c 301

<210> 232
<211> 301
<212> DNA
<213> Homo sapien

<400> 232
agtaggtatt tcgtgagaag ttcaacacca aaactggaac atagttctcc ttcaagtgtt 60
ggcgacagcg gggcttcttg attctggaat ataactttgt gttaaattaac agccacctat 120
agaagagtcc atctgctgtg aaggagagac agagaactct gggttccgtc gtctgttcca 180
cgtgctgtac caagtgtctg tgccagcctg ttacctgttc tcaactgaaaa tctggctaata 240
gctcttgtgt atcacttctg attctgacaa tcaatcaatc aatggcctag agcactgact 300
g 301

<210> 233
<211> 301
<212> DNA
<213> Homo sapien

<400> 233
atgactgact tcccagtaag gctctctaag gggtaagtag gaggatccac aggatttgag 60
atgctaaggc cccagagatc gtttgatcca accctcttat ttccagaggg gaaaatgggg 120
cctagaagtt acagagcatc tagctggtgc gctggcacc cttggcctcac acagactccc 180
gagtagctgg gactacaggc acacagtcac tgaagcaggc cctgttagca attctatgcg 240
tacaaattaa catgagatga gtagagactt tattgagaaa gcaagagaaa atcctatcaa 300
c 301

<210> 234
<211> 301
<212> DNA
<213> Homo sapien

<400> 234
aggctctaca catcgagact catccatgat tgatatgaat ttaaaaatta caagcaaaga 60
cattttattc atcatgatgc tttcttttgt ttcttctttt cgttttcttc tttttctttt 120
tcaatttcag caacatactt ctcaatttct tcaggattta aaatcttgag ggattgatct 180
cgctcatga cagcaagttc aatgtttttg ccacctgact gaaccacttc caggagtgcc 240
ttgatcacca gcttaatggg cagatcatct gtttcaatgg ctctcgtcagt atagttcttc 300
t 301

<210> 235
<211> 283
<212> DNA
<213> Homo sapien

<400> 235

tggggctgtg catcaggcgg gtttgagaaa tattcaattc tcagcagaag ccagaatttg	60
aattccctca tcttttaggg aatcatttac caggtttgga gaggattcag acagctcagg	120
tgctttcact aatgtctctg aacttctgtc cctctttgtt catggatagt ccaataaata	180
atgttatctt tgaactgatg ctcataggag agaataaag aactctgagt gatatcaaca	240
ttagggattc aaagaaatat tagatttaag ctacactgg tca	283

<210> 236

<211> 301

<212> DNA

<213> Homo sapien

<400> 236

aggtcctcca ccaactgcct gaagcacggt taaaattggg aagaagtata gtgcagcata	60
aatactttta aatcgatcag atttccctaa cccacatgca atcttcttca ccagaagagg	120
tcggagcagc atcattaata ccaagcagaa tgcgtaatag ataaatacaa tgggtatatag	180
tgggtagacg gcttcatgag tacagtgtac tgtgggtatcg taatctggac ttgggttgta	240
aagcatcgtg taccagtcag aaagcatcaa tactcgacat gaacgaatat aaagaacacc	300
a	301

<210> 237

<211> 301

<212> DNA

<213> Homo sapien

<400> 237

cagtggtagt ggtgggtggac gtggcggttg tcgtgggtgcc ttttttggtg cccgtcacaa	60
actcaatfff tgctcgctcc tttttggcct tttccaatff gtccatctca attttctggg	120
ccttggtcaa tgcctcatag taggagtcct cagaccagcc atggggatca aacatatcct	180
ttgggtagtt ggtgccaagc tcgtcaatgg cacagaatgg atcagcttct cgtaaatcta	240
gggttccgaa attctttctt cctttggata atgtagttca tatccattcc ctcttttate	300
t	301

<210> 238

<211> 301

<212> DNA

<213> Homo sapien

<400> 238

gggcagggtt tttttttttt ttttttgatg gtgcagaccc ttgctttatt tgtctgactt	60
gttcacagtt cagccccctg ctcaaaaaac caacgggcca gctaaggaga ggaggaggca	120
ccttgagact tccggagtcg aggctctcca gggttcccca gcccatcaat cattttctgc	180
acccctgcc tgggaagcag ctccctgggg ggtgggaatg ggtgactaga agggatttca	240
gtgtgggacc cagggtctgt tcttcacagt aggaggtgga agggatgact aatttcttta	300
t	301

<210> 239

<211> 239

<212> DNA

<213> Homo sapien

<400> 239

ataagcagct agggaattct ttatttagta atgtcctaac ataaaagtgc acataactgc	60
ttctgtcaaa ccatgatact gagctttgtg acaaccaga aataactaag agaaggcaaa	120
cataatacct tagagatcaa gaaacattta cacagttcaa ctgtttaaaa atagctcaac	180
attcagccag tgagtagagt gtgaatgccg gcatacacag tatacaggtc cttcaggga	239

<210> 240

<211> 300
 <212> DNA
 <213> Homo sapien

<400> 240
 ggtcctaagt aagcagcagc ttccacattt taacgcaggt ttacgggtgat actgtccttt 60
 gggatctgcc ctccagtga accctttaag gaagaagtgg gcccaagcta agttccacat 120
 gctgggtgag ccagatgact tctgttccct ggtcactttc ttcaatgggg cgaatggggg 180
 ctgccagggt tttaaaatca tgcttcatct tgaagcacac ggtcacttca cctcctcac 240
 gctgtgggtg tactttgatg aaaataccca ctttgttggc ctttctgaag ctataatgtc 300

<210> 241
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 241
 gaggtctggt gctgaggtct ctgggctagg aagaggagtt ctgtggagct ggaagccaga 60
 cctcttttga ggaaactcca gcagctatgt tgggtgtctct gaggggaatgc aacaaggctg 120
 ctctccatg tattggaaaa ctgcaaactg gactcaactg gaagggaagt ctgctgccag 180
 tgtgaagaac cagcctgagg tgacagaaac ggaagcaaac aggaacagcc agtcttttct 240
 tctcctcct gtcatacggg ctctctcaag catcctttgt tgtcaggggc ctaaaaggga 300
 g 301

<210> 242
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 242
 ccgaggtcct gggatgcaac caatcactct gtttcacgtg acttttatca ccatacaatt 60
 tgtggcattt cctcattttc tacattgtag aatcaagagt gtaaataaat gtatatcgat 120
 gtcttcaaga atatatcatt cctttttcac tagaaccat tcaaaatata agtcaagaat 180
 cttaatatca acaaatatat caagcaaact ggaaggcaga ataactacca taatttagta 240
 taagtaccca aagttttata aatcaaaagc cctaagtata accattttta gaattcaatc 300
 a 301

<210> 243
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 243
 aggtaagtcc cagtttgaag ctcaaaagat ctggtatgag cataggctca tcgacgacat 60
 ggtggcccaa gctatgaaat cagagggagg ctcatctggt gctgtataaa actatgatgg 120
 tgacgtgcag tcggactctg tggcccaagg gtatggctct ctggcatga tgaccagcgt 180
 gctggtttgt ccagatggca agacagtaga agcagaggct gccacggga ctgtaaccgg 240
 tcaactaccg atgttccaga aaggacagga gacgtccacc aatccattg cttccatttt 300
 t 301

<210> 244
 <211> 300
 <212> DNA
 <213> Homo sapien

<400> 244
 gctggtttgc aagaatgaaa tgaatgattc tacagctagg acttaacctt gaaatggaaa 60
 gtcatgcaat cccatttgca ggtctgtct gtgcacatgc ctctgtagag agcagcattc 120

ccagggacct tggaaacagt tgacactgta aggtgcttgc tccccaagac acatcctaaa 180
 aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc ccttcttatt tatgtgaaca 240
 actgtttgtc ttttgtgtat cttttttaaa ctgtaaagtt caattgtgaa aatgaatc 300

<210> 245
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 245
 gtctgagtat ttaaaatgtt attgaaatta tccccaacca atgtagaaa agaaagaggt 60
 tatatactta gataaaaaat gaggtgaatt actatccatt gaaatcatgc tcttagaatt 120
 aaggccagga gatattgtca ttaatgtara cttcaggaca cttagagtata gcagccctat 180
 gttttcaaag agcagagatg caattaaata ttgttttagca tcaaaaaggc cactcaatac 240
 agctaataaa atgaaagacc taatttctaa agcaattcct tataatttac aaagttttaa 300
 g 301

<210> 246
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 246
 ggtctgtcct acaatgcctg cttcttgaaa gaagtcggca ctttctagaa tagctaaata 60
 acctgggctt attttaaaga actatttgta gctcagattg gttttcctat ggctaaaata 120
 agtgccttct gtgaaaatta aataaaacag ttaattcaaa gccttgatat atgttaccac 180
 taacaatcat actaaatata ttttgaagta caaagtttga catgctctaa agtgacaacc 240
 caaatgtgtc ttacaaaaca cgttcctaac aaggtatgct ttacactacc aatgcagaaa 300
 c 301

<210> 247
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 247
 aggtcctttg gcagggctca tggatcagag ctcaaactgg agggaaaggc atttcgggta 60
 gcctaagagg gcgactggcg gcagcacaac caaggaaggc aaggttggtt cccccacgct 120
 gtgtcctgtg ttcaggtgcg acacacaatc ctcatgggaa caggatcacc catgcgctgc 180
 ccttgatgat caaggttggg gcttaagtgg attaagggag gcaagttctg ggttccttgc 240
 cttttcaaac catgaagtca ggctctgtat ccctcctttt cctaactgat attctaacta 300
 a 301

<210> 248
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 248
 aggtccttgg agatgccatt tcagccgaag gactcttctw ttcggaagta caccctcact 60
 attaggaaga ttcttagggg taatttttct gaggaaggag aactagccaa cttaagaatt 120
 acaggaagaa agtggttttg aagacagcca aagaaataaa agcagattaa attgtatcag 180
 gtacattcca gcctgtttgg aactccataa aaacatttca gattttaatc ccgaatttag 240
 ctaatgagac tggatttttg ttttttatgt tgtgtgtcgc agagctaaaa actcagttcc 300
 c 301

<210> 249
 <211> 301

<212> DNA

<213> Homo sapien

<400> 249

```
gtccagagga agcacctggg gctgaactag gcttgccctg ctgtgaactt gcacttggag      60
ccctgacgct gctgttctcc ccgaaaaacc cgaccgacct ccgcgatctc cgteccgccc      120
ccagggagac acagcagtga ctacagagctg gtcgcacact gtgcctccct cctcaccgcc      180
catcgtaatg aattattttg aaaattaatt ccaccatcct ttcagattct ggatggaaag      240
actgaatctt tgactcagaa ttgtttgctg aaaagaatga tgtgactttc ttagtcattt      300
a                                          301
```

<210> 250

<211> 301

<212> DNA

<213> Homo sapien

<400> 250

```
ggctctgtgac aaggacttgc aggctgtggg aggcaagtga cccttaacac tacactttctc      60
cttatcttta ttggcttgat aaacataatt atttctaaca ctactgttatt tccagttgcc      120
cataagcaca tcagtacttt tctctggctg gaatagtaaa ctaaagtatg gtacatctac      180
ctaaaagact actatgtgga ataatacata ctaatgaagt attacatgat ttaaagacta      240
caataaaacc aaacatgctt ataacattaa gaaaaacaat aaagatacat gattgaaacc      300
a                                          301
```

<210> 251

<211> 301

<212> DNA

<213> Homo sapien

<400> 251

```
gccgaggtcc tacatttggc ccagtttccc cctgcacccct ctccagggcc cctgcctcat      60
agacaacctc atagagcata ggagaactgg ttgccctggg ggcaggggga ctgtctggat      120
ggcagggggtc ctcaaaaatg ccactgtcac tgccaggaaa tgcttctgag cagtacacct      180
cattggggtac aatgaaaagc ttcaagaaat cttcaggctc actctcttga aggcccgaa      240
cctctggagg ggggcagtgg aatcccagct ccaggacgga tctgtctgaa aagatatcct      300
c                                          301
```

<210> 252

<211> 301

<212> DNA

<213> Homo sapien

<400> 252

```
gcaaccaatc actctgtttc acgtgacttt tatcaccata caatttgtgg catttcctca      60
ttttctacat tgtagaatca agagtgtaaa taaatgtata tcgatgtctt caagaatata      120
tcattccttt ttcactagga acccattcaa aatataagtc aagaatctta atatcaacaa      180
atatatcaag caaactggaa ggcagaataa ctaccataat ttagtataag taccctaaag      240
tttataaatc aaaagcccta atgataacca tttttagaat tcaatcatca ctgtagaatc      300
a                                          301
```

<210> 253

<211> 301

<212> DNA

<213> Homo sapien

<400> 253

```
ttccctaaga agatgttatt ttgttgggtt ttgttcccc tccatctcga ttctcgtacc      60
caactaaaaa aaaaaaataa agaaaaaatg tgctgcgttc tgaaaaataa ctccttagct      120
```

tggtctgatt gttttcagac cttaaaatat aaacttgttt cacaagcttt aatccatgtg	180
gatttttttt cttagagaac cacaaaacat aaaaggagca agtcggactg aatacctgtt	240
tccatagtgc ccacagggtg ttcctcacat tttctccata ggaaaatgct ttttccaag	300
g	301

<210> 254

<211> 301

<212> DNA

<213> Homo sapien

<400> 254

cgctgcgcct ttcccttggg ggaggggcaa ggccagaggg ggtccaagtg cagcacgagg	60
aacttgacca attcccttga agcgggtggg ttaaaccctg taaatgggaa caaaatcccc	120
ccaaatctct tcatcttacc ctggtggact cctgactgta gaattttttg gttgaaacaa	180
gaaaaaata aagctttgga cttttcaagg ttgcttaaca ggtactgaaa gactggcctc	240
acttaactg agccaggaaa agctgcagat ttattaatgg gtgtgttagt gtgcagtgc	300
t	301

<210> 255

<211> 302

<212> DNA

<213> Homo sapien

<400> 255

agcttttttt tttttttttt tttttttttt ttcattaaaa aatagtgtct tttattataa	60
attactgaaa tgtttctttt ctgaatataa atataaatat gtgcaaagtt tgacttggat	120
tgggattttg ttgagttctt caagcatctc ctaataccct caagggcctg agtagggggg	180
aggaaaaagg actggaggtg gaatctttat aaaaaacaag agtgattgag gcagattgta	240
aacattatta aaaaacaaga aacaaacaaa aaaatagaga aaaaaaccac cccaacacac	300
aa	302

<210> 256

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 256

gttccagaaa acattgaagg tggcttccca aagtctaact agggataccc cctctagcct	60
aggacctctc tccccacacc tcaatccacc aaaccatcca taatgcaccc agataggccc	120
acccccaaaa gcttgagcac cttgagcaca cagttatgac caggacagac tcatctctat	180
aggcaaatag ctgctggcaa actggcatta cctggtttgt ggggatgggg gggaagtgt	240
gtggcctctc ggctgggta gcaagaacat tcagggtagg cctaagttn tcgtgttagt	300
t	301

<210> 257

<211> 301

<212> DNA

<213> Homo sapien

<400> 257

gttggtggagg aactctggct tgctcattaa gtectactga ttttactat cccctgaall	60
tccccactta tttttgtctt tcaactatcg aggccttaga agaggtctac ctgcctccag	120
tcttacctag tccagtctac cccctggagt tagaatggcc atcctgaagt gaaaagtaat	180

gtcacattac tcccttcagt gattttcttgt agaagtgcc atccctgaat gccaccaaga 240
 tcttaattctt cacatcttta atcttatctc tttgactcct ctttacaccg gagaaggctc 300
 c 301

<210> 258
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (301)
 <223> n = A,T,C or G

<400> 258
 cagcagtagt agatgccgta tgccagcacg cccagcactc ccaggatcag caccagcacc 60
 aggggccag ccaccaggcg cagaagcaag ataaacagta ggctcaagac cagagccacc 120
 cccagggcaa caagaatcca ataccaggac tgggcaaaat cttcaaagat cttaacactg 180
 atgtctcggg cattgaggct gtcaataana cgctgatccc ctgctgtatg gtgggtgcat 240
 tggatgaccc tgggagcgcc ggtggagtaa cgttgggtcca tggaaagcag cgccccaac 300
 t 301

<210> 259
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)... (301)
 <223> n = A,T,C or G

<400> 259
 tcatatatgc aaacaaatgc agactangcc tcaggcagag actaaaggac atctcttggg 60
 gtgtcctgaa gtgatttggg cccctgaggg cagacaccta agtaggaatc ccagtgggaa 120
 gcaaagccat aaggaagccc aggattcctt gtgatcagga agtgggcccag gaaggctctgt 180
 tccagctcac atctcatctg catgcagcac ggaccggatg cgcccactgg gtcttggett 240
 ccctcccac tctcaagca gtgtccttgt tgagccattt gcaccccttg ctccagggtg 300
 c 301

<210> 260
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 260
 ttttttttct ccctaaggaa aaagaaggaa caagtctcat aaaaccaa at aagcaatgg 60
 aaggtgtctt aacttgaaaa agattaggag tcactgggtt acaagttata attgaatgaa 120
 agaactgtaa cagccacagt tggccatttc atgccaatgg cagcaaacia caggattaac 180
 tagggcaaaa taataagtgt tgggaagcc ctgataagt cttaataaac agactgattc 240
 actgagacat cagtacctgc ccgggcggcc gctcgagccg aattctgcag atatccatca 300
 c 301

<210> 261
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 261

```

aatatttoga gcaaactctg taactaatgt gtctccataa aaggctttga actcagtga      60
tctgcttcca tccacgattc tagcaatgac ctctcggaca tcaaagctcc tcttaagggt      120
agcaccaact attccatata attcatcagc aggaaataaa ggctcttcag aaggttcaat      180
ggtgacatcc aatttcttct gataatttag attcctcaca accttcctag ttaagtgaag      240
ggcatgatga tcattccaaag cccagtgggc acttactcca gactttctgc aatgaagatc      300
a                                                                 301

```

<210> 262

<211> 301

<212> DNA

<213> Homo sapien

<400> 262

```

gaggagagcc tgttacagca tttgtaagca cagaatactc caggagtatt tgtaattgtc      60
tgtgagcttc ttgccgcaag tctctcagaa atttaaaaag atgcaaaacc ctgagtcacc      120
cctagacttc ctaaaccaga tcctctgggg ctggaacctg gcactctgca tttgtaatga      180
gggctttctg gtgcacacct aattttgtgc atctttgccc taaatcctgg attagtgcgc      240
catcattacc cccacattat aatgggatag attcagagca gatactctcc agcaaagaat      300
c                                                                 301

```

<210> 263

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 263

```

tttagcttgt ggtaaagtac tcacaaaact gattttaaaa tcaagttaat gtgaattttg      60
aaaattacta cttaattcta attcacaata acaatggcat taagggttga cttgagttgg      120
ttcttagtat tatttatggg aaataggctc ttaccacttg caaataactg gccacatcat      180
taatgactga cttcccagta aggcctctca aggggtaagt angaggatcc acaggatttg      240
agatgctaag gccccagaga tcgtttgatc caaccctctt attttcagag gggaaaatgg      300
g                                                                 301

```

<210> 264

<211> 301

<212> DNA

<213> Homo sapien

<400> 264

```

aaagacgtta aaccactcta ctaccacttg tggaactctc aaagggtaaa tgacaaascc      60
aatgaatgac tctaaaaaca atatttacat ttaatgggtt gtagacaata aaaaaacaag      120
gtggatagat ctagaattgt aacattttta gaaaaccata scatttgaca gatgagaaag      180
ctcaattata gatgcaaagt tataactaaa ctactatagt agtaaagaaa tacatttcac      240
acccttcata taaattcact atcttggctt gaggcactcc ataaaatgta tcacgtgcat      300
a                                                                 301

```

<210> 265

<211> 301

<212> DNA

<213> Homo sapien

<400> 265

tgcccaagtt atgtgtaagt gtatccgcac ccagaggtaa aactacactg tcattcttgt 60
 cttcttgga cgcagtattt cttctctggg gagaagccgg gaagtcttct cctggctcta 120
 catattcttg gaagtctcta atcaactttt gttccatttg tttcatttct tcaggaggga 180
 ttttcagttt gtcaacatgt tctctaacaa cacttgccca tttctgtaaa gaatccaaag 240
 cagtcgaagg ctttgacatg tcaacaacca gcataactag agtatccttc agagatacgg 300
 c 301

<210> 266
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 266
 taccgtctgc ccttcctccc atccaggcca tctgcgaatc tacatgggtc ctccattctg 60
 acaccagatc actcttttct ctaccacacag gcttgctatg agcaagagac acaacctcct 120
 ctctctctgtg ttccagcttc ttttctgtgt ctcccacccc cttaagttct attcctgggg 180
 atagagacac caatacccat aacctctctc ctaagcctcc ttataacca ggggtgcacag 240
 cacagactcc tgacaactgg taaggccaat gaactgggag ctacacagctg gctgtgcctg 300
 a 301

<210> 267
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 267
 aaagagcaca ggccagctca gctgcccctg gccatctaga ctacgcctgg ctccatgggg 60
 gttctcagtg ctgagtccat ccaggaaaag ctacacctaga ccttctgagg ctgaatcttc 120
 atcctcacag gcagcttctg agagcctgat attcctagcc ttgatgggtc ggagtaaagc 180
 ctcatctga ttctctctct tcttttcttt caagttggct ttctcacat cctctgttc 240
 aattcgttc agcttgtctg ctttagccct catttccaga agcttcttct ctttggcatc 300
 t 301

<210> 268
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 268
 aatgtctcac tcaactactt cccagcctac cgtggcctaa ttctgggagt tttcttctta 60
 gatcttgga gagctgggtc ttctaaggag aaggaggaag gacagatgta actttggatc 120
 tcgaagagga agtctaattg aagtaattag tcaacgggtc ttgttttagac tcttggaata 180
 tgctgggtgg ctacgtgagc ccttttgagg aaagcaagta ttattcttaa ggagtaacca 240
 cttccattg ttctactttc taccatcatc aattgtatat tatgtattct ttggagaact 300
 a 301

<210> 269
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 269
 taacaatata cactagctat ctttttaact gtccatcatt agcaccaatg aagattcaat 60
 aaaattacct ttattcacac atctcaaaac aattctgcaa attcttagtg aagtttaact 120
 atagtcacag accttaaata ttacattgt tttctatgtc tactgaaaat aagttcacta 180
 cttttctgga tattctttac aaaatcttat taaaattcct ggtattatca cccccaatta 240
 tacagtagca caaccacctt atgtagtttt tacatgatag ctctgtagaa gtttcacatc 300
 t 301

<210> 270
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 270
 cattgaagag cttttgcgaa acatcagaac acaagtgcctt ataaaattaa ttaagcctta 60
 cacaagaata catattcctt ttattttctaa ggagttaaac atagatgtag ctgatgtgga 120
 gagcttgctg gtgcagtgca tattggataa cactattcat ggccgaattg atcaagtcaa 180
 ccaactcctt gaactggatc atcagaagaa gggtggtgca cgatatactg cactagataa 240
 tggaccaacc aactaaattc tctcaccagg ctgtatcagt aaactggctt aacagaaaac 300
 a 301

<210> 271
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 271
 aaaagggttct cataagatta acaattttaa taaatatttg atagaacatt ctttctcatt 60
 tttatagctc atcttttaggg ttgatattca gttcatgctt cccttgctgt tcttgatcca 120
 gaattgcaat cacttcatca gcctgtattc gctccaattc tctataaagt gggccaagg 180
 tgaaccacag agccacagca cacctcttcc ccttggtgac tgccttcacc ccatganggt 240
 tctctcctcc agatganaac tgatcatgcg cccacatttt gggttttata gaagcagtca 300
 c 301

<210> 272
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 272
 taaattgcta agccacagat aacaccaatc aaatggaaca aatcactgtc ttcaaagtgc 60
 ttatcagaaa accaaatgag cctggaatct tcataatacc taaacatgcc gtatttagga 120
 tccaataatt ccctcatgat gagcaagaaa aattctttgc gcacccctcc tgcattccaca 180
 gcatcttctc caacaaatat aaccttgagt ggcttcttgc aatctatggt ctttggtttc 240
 ctaaggactt ccattgcac cctacaata ttttctctac gcaccactag aattaagcag 300
 g 301

<210> 273
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 273
 acatgtgtgt atgtgtatct ttgggaaaan aanaagacat cttgtttayt atttttttgg 60
 agagangctg ggacatggat aatcacwtaa tttgctayta tyactttaat ctgactyga 120

```

gaaccgtcta aaaataaaat ttaccatgtc dtatattcct tatagtatgc ttatttcacc      180
ttytttctgt ccagagagag tatcagtgac ananatttma ggggtgaamac atgmattggg      240
gggacttnty ttacngagm accctgcccg sgcgccctcg makcngantt ccgcsananc      300
t                                                                           301

```

<210> 274

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 274

```

cttatatact ctttctcaga ggcaaaagag gagatgggta atgtagacaa ttctttgagg      60
aacagtaaat gattattaga gagaangaat ggaccaagga gacagaaatt aacttgtaaa      120
tgattctctt tggaatctga atgagatcaa gaggccagct ttagcttggt gaaaagtcca      180
tctaggtatg gttgcattct cgtcttcttt tctgcagtag ataatgaggt aaccgaaggc      240
aattgtgctt cttttgataa gaagctttct tggtcatatc aggaaattcc aganaaagtc      300
c                                                                           301

```

<210> 275

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 275

```

tcgggtgtcag cagcacgtgg cattgaacat tgcaatgtgg agcccaaacc acagaaaatg      60
gggtgaaatt ggccaacttt ctattaactt atgttggcaa ttttgccacc aacagtaagc      120
tggcccttct aataaaagaa aattgaaagg tttctcacta aacggaatta agtagtgagg      180
tcaagagact cccaggcctc agcgtacctg cccgggcggc cgctcgaagc cgaattctgc      240
agatatccat cacactggcg gncgctcgan catgcatcta gaaggnccaa ttcgcctat      300
a                                                                           301

```

<210> 276

<211> 301

<212> DNA

<213> Homo sapien

<400> 276

```

tgtacacata ctcaataaat aatgactgc atttgtgtat tattactata ctgattatat      60
ttatcatgtg acttctaatt agaaaatgta tccaaaagca aaacagcaga tatacaaaat      120
taaagagaca gaagatagac attaacagat aaggcaactt atacattgag aatccaaatc      180
caatacatth aaacatttgg gaaatgaggg ggacaaatgg aagccagatc aaatttgtgt      240
aaaactattc agtatgtttc ctttgcttca tgtctgagaa ggctctcctt caatggggat      300
g                                                                           301

```

<210> 277

<211> 301

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 277
 ttgttgatg tcagtatttt attacttgcg ttatgagtgc tcacctggga aattctaaag 60
 atacagagga cttggaggaa gcagagcaac tgaatttaac ttaaaagaag gaaaacattg 120
 gaatcatggc actcctgata ctttcccaaa tcaacactct caatgccccca cctcgtcct 180
 caccatagtg gggagactaa agtggccacg gatttgcctt angtgtgcag tgcgttctga 240
 gttcnctgtc gattacatct gaccagtctc ctttttccga agtccttccg ttcaatcttg 300
 c 301

<210> 278
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 278
 taccactaca ctccagcctg ggcaacagag caagacctgt ctcaaagcat aaaatggaat 60
 aacatatcaa atgaaacagg gaaaatgaag ctgacaattt atggaagcca gggcttgta 120
 cagtctctac tgttattatg cattacctgg gaatttatat aagcccttaa taataatgcc 180
 aatgaacatc tcatgtgtgc tcacaatggt ctggcactat tataagtgtc tcacaggttt 240
 tatgtgttct tcgtaacttt atggantagg tactcggccg cgaacacgct aagccgaatt 300
 c 301

<210> 279
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 279
 aaagcaggaa tgacaaagct tgcttttctg gtatgttcta ggtgtattgt gacttttact 60
 gttatattaa ttgccaatat aagtaaatat agattatata tgtatagtgt ttcacaaagc 120
 ttagaccttt acctccagc caccacacag tgcttgatat ttcagagtca gtcattgggt 180
 atacatgtgt agttccaaag cacataagct agaanaanaa atatttctag ggagcactac 240
 catctgtttt cacatgaaat gccacacaca tagaactcca acatcaattt cattgcacag 300
 a 301

<210> 280
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 280
 ggtactggag ttttctccc ctgtgaaaac gtaactactg ttgggagtga attgaggatg 60
 tagaaagggt gtggaaccaa attgtggtca atggaaatag gagaatatgg ttctcactct 120

tgagaaaaaa acctaagatt agcccaggta gttgcctgta acttcagttt ttctgcctgg 180
 gtttgatata gtttaggggtt ggggttagat taagatctaa attacatcag gacaaagaga 240
 cagactatta actccacagt taattaagga ggtatgttcc atgtttattt gttaaagcag 300
 t 301

<210> 281
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 281
 aggtacaaga aggggaatgg gaaagagctg ctgctgtggc attgttcaac ttggatatcc 60
 gccgagcaat ccaaatacctg aatgaagggg catcttctga aaaaggagat ctgaatctca 120
 atgtggtagc aatggcttta tcgggttata cggatgagaa gaactccctt tggagagaaa 180
 tgtgtagcac actgcgatta cagctaaata acccgtattt gtgtgtcatg tttgcatttc 240
 tgacaagtga aacaggatct tacgatggag ttttgtatga aaacaaagtt gcagtacctc 300
 g 301

<210> 282
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 282
 caggtactac agaattaa tactgacaag caagtagttt cttggcgtgc acgaattgca 60
 tccagaaccc aaaaattaag aaattcaaaa agacattttg tgggcacctg ctagcacaga 120
 agcgcagaag caaagcccag gcagaacctat gctaacctta cagctcagcc tgcacagaag 180
 cgcagaagca aagcccaggc agaaccatgc taaccttaca gctcagcctg cacagaagcg 240
 cagaagcaaa gccccaggcag aacatgctaa ccttacagct cagcctgcac agaagcacag 300
 a 301

<210> 283
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 283
 atctgtatac ggcagacaaa ctttatarag tgtagagagg tgagcgaaag gatgcaaaag 60
 cactttgagg gctttataat aatatgctgc ttgaaaaaaa aaatgtgtag ttgatactca 120
 gtgcattccc agacatagta aggggttgct ctgaccaatc aggtgatcat tttttctatc 180
 acttcccagg ttttatgcaa aaattttggt aaattctata atggtgatat gcattcttta 240
 ggaaacatat acatttttaa aaatctattt tatgtaagaa ctgacagacg aatttgcttt 300
 g 301

<210> 284
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 284
 caggtacaaa acgctattaa gtggcttaga atttgaacat ttgtggtctt tatttacttt 60
 gcttcgtgtg tgggcaaagc aacatcttcc ctaaaatat attaccaaga aaagcaagaa 120
 gcagattagg tttttgacaa aacaaacagg ccaaaagggg gctgacctgg agcagagcat 180
 ggtgagaggc aaggcatgag agggcaagtt tgttgtggac agatctgtgc ctactttatt 240
 actggagtaa aagaaaacaa agttcattga tgtcgaagga tatatacagt gttagaaatt 300
 a 301

<210> 285

<211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 285
 acatcaccat gatcggatcc cccacccatt atacgttgta tgtttacata aatactcttc 60
 aatgatcatt agtgttttaa aaaaaatact gaaaactcct tctgcatccc aatctctaac 120
 caggaaagca aatgctatct acagacctgc aagccctccc tcaaacnaaa ctatttctgg 180
 attaaatatg tctgacttct tttgaggtca cacgactagg caaatgctat ttacgatctg 240
 caaaagctgt ttgaagagtc aaagcccca tgtgaacacg atttctggac cctgtaacag 300
 t 301

<210> 286
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 286
 taccactgca ttccagcctg ggtgacagag tgagactccg tctccaaaaa aaactttgct 60
 tgtatattat ttttgcccta cagtggatca ttctagtagg aaaggacagt aagatTTTTT 120
 atcaaaatgt gtcatgccag taagagatgt tatattcttt tctcatttct tccccacca 180
 aaaataagct accatatagc ttataagtct caaatttttg ccttttacta aaatgtgatt 240
 gtttctgttc attgtgtatg cttoatcacc tatattagge aaattccatt tttcccttg 300
 t 301

<210> 287
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 287
 tacagatctg ggaactaaat attaaaaatg agtgtggctg gatatatgga gaatgttggg 60
 ccagaagga acgtagagat cagatattac aacagctttg ttttgagggg tagaaatatg 120
 aaatgatttg gttatgaacg cacagttagg gcagcagggc cagaatcctg accctctgcc 180
 cegtgttat ctctcccca gcttggtgc ctcatgttat cacagtatc cattttgttt 240
 gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt tttcctctca ttggtaatgc 300
 t 301

<210> 288
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 288
 gtacacctaa ctgcaaggac agctgaggaa tgtaatgggc agccgctttt aaagaagtag 60
 agtcaatagg aagacaaatt ccagttccag ctcatctgg gtatctgcaa agctgcaaaa 120
 gatctttaa gacaatttca agagaatatt tctttaaagt tggcaatttg gagatcatac 180
 aaaagcatct gcttttgtga ttttaatttag ctcatctggc cactggaaga atccaaacag 240
 tctgccttaa ttttgatga atgcatgatg gaaattcaat aatttagaaa gttaaaaaaa 300
 a 301

<210> 289
 <211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 289

```
ggtagactgt ttccatgtta tgtttctaca cattgctacc tcagtgtccc tggaaactta      60
gcttttgatg tctccaagta gtccaccttc atttaactct ttgaaactgt atcatctttg      120
ccaagtaaga gtggtggcct atttcagctg ctttgacaaa atgactggct cctgacttaa      180
cgttctataa atgaatgtgc tgaagcaaag tgcccatggt ggcggcgaan aagagaaaga      240
tgtgttttgt tttggactct ctgtgggtccc ttccaatgct gtgggtttcc aaccagnnga      300
a
```

<210> 290

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 290

```
acactgagct cttcttgata aatatacaga atgcttggca tatacaagat tctatactac      60
tgactgatct gttcatttct ctccacagctc ttaccccca aagcttttcc accctaagtg      120
ttctgacctc cttttctaata cacagtaggg atagaggcag anccacctac aatgaacatg      180
gagttctatc aagaggcaga aacagcacag aatcccagtt ttaccattcg ctagcagtgc      240
tgccctgaac aaaaacattt ctccatgtct cattttcttc atgcctcaag taacagtggag      300
a
```

<210> 291

<211> 301

<212> DNA

<213> Homo sapien

<400> 291

```
caggtacca tttcttctat cctagaacaa tttcatttta tgttgttgaa acataacaac      60
tatatcagct agattttttt tctatgcttt acctgctatg gaaaatttga cacattctgc      120
tttactcttt tgtttatagg tgaatcacia aatgtatttt tatgtattct gtagttcaat      180
agccatggct gtttacttca tttaatttat ttagcataaa gacattatga aaaggcctaa      240
acatgagctt cacttcccca ctaactaatt agcatctggt atttcttaac cgtaatgcct      300
a
```

<210> 292

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 292

```

accttttagt agtaatgtct aataataaat aagaaatcaa ttttataagg tccatatagc      60
tgtattaaat aatttttaag tttaaaagat aaaataccat cattttaaat gttggtattc      120
aaaaccaaag natataaccg aaaggaaaaa cagatgagac ataaaatgat ttgcnagatg      180
ggaaatatag tasttyatga atgttnatta aattccagtt ataatagtgg ctacacactc      240
tcactacaca cacagacccc acagtcctat atgccacaaa cacatttcca taacttgaaa      300
a                                                                                   301

```

<210> 293
 <211> 301
 <212> DNA
 <213> Homo sapien

```

<400> 293
ggtaccaaagt gctgggtgcca gcctgttacc tgttctcact gaaaagtctg gctaattgctc      60
ttgtgtagtc acttctgatt ctgacaatca atcaatcaat ggcctagagc actgactggt      120
aacacaaacg tcactagcaa agtagcaaca gctttaagtc taaatacaaa gctgttctgt      180
gtgagaattt tttaaaaggc tacttgtata ataacccttg tcatttttaa tgtacctcgg      240
ccgcgaccac gctaagccga attctgcaga tatccatcac actggcgccc gctcgagcat      300
g                                                                                   301

```

<210> 294
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

```

<400> 294
tgaccataaa caatatacac tagctatctt tttaactgtc catcattagc accaatgaag      60
attcaataaa attaccttta ttcacacatc tcaaaacaat tctgcaaatt cttagtgaag      120
tttaactata gtcacaganc ttaaattatc acattgtttt ctatgtctac tgaaaataag      180
ttcactactt ttctgggata ttctttacaa aatcttatta aaattcctgg tattatcacc      240
cccaattata cagtagcaca accaccttat gtagttttta catgatagct ctgtagaggt      300
t                                                                                   301

```

<210> 295
 <211> 305
 <212> DNA
 <213> Homo sapien

```

<400> 295
gtactctttc tctcccctcc tctgaattta attctttcaa cttgcaattt gcaaggatta      60
cacatttcac tgtgatgtat attgtgttgc aaaaaaaaaa gtgtctttgt ttaaaattac      120
ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccattctctga      180
actggtagaa aaacrctctga agagctagtc tatcagcatc tgacagggtga attggatggt      240
tctcagaacc atttcaccca gacagcctgt ttctatcctg tttaataaat tagtttgggt      300
tctct                                                                                   305

```

<210> 296
 <211> 301
 <212> DNA
 <213> Homo sapien

```

<400> 296
aggtactatg ggaagctgct aaaataatat ttgatagtaa aagtatgtaa tgtgctatct      60

```



```

cacctagtag taaactaaaa ataaactgaa actttatgga atctgaagtt attttccttg      120
attaataaga attaataaac caatatgagg aaacatgaaa ccatgcaatc tactatcaac      180
tttgaaaaag tgattgaacg aaccacttag ctttcagatg atgaacactg ataagtcatt      240
tgtcattact ataaatttta aaatctgtta ataagatggc ctatagggag gaaaaagggg      300
c                                                                           301

```

<210> 297

<211> 300

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (300)

<223> n = A,T,C or G

<400> 297

```

actgagtttt aactggacgc caagcaggca aggctggaag gttttgctct ctttgtgcta      60
aaggttttga aaaccttgaa ggagaatcat ttgacaaga agtacttaag agtctagaga      120
acaaagangt gaaccagctg aaagctctcg ggggaanctt acatgtgttg ttaggcctgt      180
tccatcattg ggagtgcact ggccatccct caaaatttgt ctgggctggc ctgagtggtc      240
accgcacctc ggccgcgacc acgctaagcc gaattctgca gatatccatc aactggcgcg      300

```

<210> 298

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (301)

<223> n = A,T,C or G

<400> 298

```

tatggggttt gtcacccaaa agctgatgct gagaaaggcc tccctggggc cctcccgcg      60
ggcatctgag agacctgggtg ttccagtgtt tctggaaatg ggtcccagtg ccgccggctg      120
tgaagctctc agatcaatca cgggaagggc ctggcggtgg tggccacctg gaaccacct      180
gtcctgtctg ttacatttc actaycaggt tttctctggg cattacnatt tgttccccta      240
caacagtgac ctgtgcattc tgctgtggcc tgctgtgtct gcagggtggc ctcagcgagg      300
t                                                                           301

```

<210> 299

<211> 301

<212> DNA

<213> Homo sapien

<400> 299

```

gttttgagac ggagtttcac tcttgttgcc cagactggac tgcaatggca ggggtctctgc      60
tcaactgcacc ctctgcctcc caggttcgag caattctcct gcctcagcct cccaggtagc      120
tggtattgca ggctcagcc accataccca gctaattttt ttgtattttt agtagagacg      180
gagtttgcgc atgttgccca gctgggtctca aactcctgac ctcaagcgac ctgcctgcct      240
cggcctccca aagtgtgga attataggca tgagtcaaca cgcccagcct aaagatattt      300
t                                                                           301

```

<210> 300

<211> 301

<212> DNA

<213> Homo sapien

<400> 300

attcagtttt	atttgcctgcc	ccagtatctg	taaccaggag	tgccacaaaa	tcttgccaga	60
tatgtccac	accactggg	aaaggctccc	acctggctac	tctctctatc	agctgggtca	120
gctgcattcc	acaaggttct	cagcctaata	agtttacta	cctgccagtc	tcaaaactta	180
gtaaagcaag	accatgacat	tccccacgg	aatcagagt	ttgccccacc	gtcttggtac	240
tataaagcct	gcctctaaca	gtccttgctt	cttcacacca	atcccgagcg	catcccccat	300
g						301

<210> 301

<211> 301

<212> DNA

<213> Homo sapien

<400> 301

ttaaattttt	gagaggataa	aaaggacaaa	taatctagaa	atgtgtcttc	ttcagttctgc	60
agaggacccc	aggtctccaa	gcaaccacat	ggtcaagggc	atgaataatt	aaaagttggt	120
gggaactcac	aaagaccctc	agagctgaga	caccacacaac	agtgggagct	cacaaagacc	180
ctcagagctg	agacacccac	aacagtggga	gtccacaaag	accctcagag	ctgagacacc	240
cacaacagca	cctcgttcag	ctgccacatg	tgtgaataag	gatgcaatgt	ccagaagtgt	300
t						301

<210> 302

<211> 301

<212> DNA

<213> Homo sapien

<400> 302

aggtacacat	ttagcttggt	gtaaatgact	cacaaaactg	attttaaaat	caagttaatg	60
tgaattttga	aaattactac	ttaatcctaa	ttcacaataa	caatggcatt	aaggtttgac	120
ttgagttggt	tcttagtatt	atztatggta	aataggctct	taccacttgc	aaataactgg	180
ccacatcatt	aatgactgac	ttcccagtaa	ggctctctaa	ggggtaagta	ggaggatcca	240
caggatttga	gatgctaagg	ccccagagat	cgtttgatcc	aaccctctta	ttttcagagg	300
g						301

<210> 303

<211> 301

<212> DNA

<213> Homo sapien

<400> 303

aggtaccaac	tgtggaaata	ggtagaggat	cattttttct	ttccatatca	actaagttgt	60
atattgtttt	ttgacagttt	aacacatctt	cttctgtcag	agattctttc	acaatagcac	120
tggctaattg	aactaccgct	tgcatgttaa	aatgggtggt	ttgtgaaatg	atcataggcc	180
agtaacgggt	atgtttttct	aactgatctt	ttgctcgttc	caaagggacc	tcaagacttc	240
catcgatttt	atatctgggg	tctagaaaag	gagttaatct	gttttccctc	ataaattcac	300
c						301

<210> 304

<211> 301

<212> DNA

<213> Homo sapien

<400> 304

acatggatgt	tattttgcag	actgtcaacc	tgaatttgta	tttgcttgac	attgcctaata	60
tattagtttc	agtttcagct	taccactttt	ttgtctgcaa	catgcaraas	agacagtggc	120
cttttttagtg	tatcatatca	ggaatcatct	cacattgggt	tgtgccatta	ctggtgcagt	180
gacttttcagc	cacttgggta	aggtggagtt	ggccatatgt	ctccactgca	aaattactga	240

ttttcctttt gtaattaata agtgtgtgtg tgaagattct ttgagatgag gtatatatct 300
c 301

<210> 305

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 305

gangtacagc gtgggtcaagg taacaagaag aaaaaaatgt gagggtgcatc ctgggatgag 60
caggggggaca gacctggaca gacacgttgt catttgcctgc tggggtagg aaaatgggag 120
taaaggagga gaaacagata caaatctcc aactcagtat taaggatttc tcatgcctag 180
aatattggta gaaacaagaa tacattcata tggcaataa ctaaccatgg tggaacaaaa 240
ttctgggatt taagttggat accaangaaa ttgtattaaa agagctgttc atggaataag 300
a 301

<210> 306

<211> 8

<212> PRT

<213> Homo sapien

<400> 306

Val Leu Gly Trp Val Ala Glu Leu
1 5

<210> 307

<211> 637

<212> DNA

<213> Homo sapien

<400> 307

acagggtratg aagggaaagg gagaggatga ggaagccccc ctggggattt ggtttggtcc 60
ttgtgatcag gtgggtctatg gggcttatcc ctacaaagaa gaatccagaa ataggggcac 120
attgaggaat gatacttgag cccaaagagc attcaatcat tgttttattt gccttmtttt 180
cacaccattg gtgaggagg gattaccacc ctggggttat gaagatggtt gaacacccca 240
cacatagcac cggagatatg agatcaacag tttcttagcc atagagattc acagcccaga 300
gcaggaggac gcttgcacac catgcaggat gacatggggg atgcgctcgg gattggtgtg 360
aagaagcaag gactgttaga ggcaggcttt atagtaacaa gacggtaggg caaactctga 420
tttcgtaggg ggaatgtcat ggtcttgctt tactaagttt tgagactggc aggtagtga 480
actcattagg ctgagaacct tgtggaatgc acttgacca sctgatagag gaagtagcca 540
ggtagggagcc tttccagtg ggtgtgggac atatctggca agattttgtg gcactcctgg 600
ttacagatac tggggcagca aataaaactg aatcttg 637

<210> 308

<211> 647

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(647)

<223> n = A,T,C or G

<400> 308

acgattttca	ttatcatgta	aatcgggtca	ctcaaggggc	caaccacagc	tgggagccac	60
tgctcagggg	aaggttcata	tgggactttc	tactgcccac	ggttctatac	aggatataaa	120
ggngcctcac	agtatagatc	tggtagcaaa	gaagaagaaa	caaacactga	tctctttctg	180
ccacccctct	gaccctttgg	aactcctctg	accctttaga	acaagcctac	ctaatactctg	240
ctagagaaaa	gaccaacaac	ggcctcaaag	gatctcttac	catgaaggtc	tcagctaatt	300
cttggttaag	atgtgggttc	cacattaggt	tctgaatatg	gggggaaggg	tcaatttgct	360
cattttgtgt	gtggataaag	tcaggatgcc	caggggccag	agcagggggc	tgcttgcttt	420
gggaacaatg	gctgagcata	taaccatagg	ttatggggaa	caaaacaaca	tcaaagtcac	480
tgtatcaatt	gcatgaaga	cttgagggac	ctgaatctac	cgattcatct	taaggcagca	540
ggaccagttt	gagtggcaac	aatgcagcag	cagaatcaat	ggaaacaaca	gaatgattgc	600
aatgtccttt	ttttctcct	gcttctgact	tgataaaagg	ggaccgt		647

<210> 309

<211> 460

<212> DNA

<213> Homo sapien

<400> 309

actttatagt	ttaggctgga	cattggaaaa	aaaaaaaaagc	cagaacaaca	tgtgatagat	60
aatatgattg	gctgcacact	tccagactga	tgaatgatga	acgtgatgga	ctattgtatg	120
gagcacatct	tcagcaagag	ggggaaatac	tcatcatttt	tggccagcag	ttgtttgatc	180
accaaacatc	atgccagaat	actcagcaaa	ccttcttagc	tcttgagaag	tcaaagtcg	240
ggggaattta	ttcctggcaa	ttttaattgg	actccttatg	tgagagcagc	ggctaccag	300
ctggggtggt	ggagcgaacc	cgtcactagt	ggacatgcag	tggcagagct	cctggttaac	360
acctagagga	atacacaggc	acatgtgtga	tgccaagcgt	gacacctgta	gcactcaaat	420
ttgtcttggt	tttgtctttc	ggtgtgtaag	attcttaagt			460

<210> 310

<211> 539

<212> DNA

<213> Homo sapien

<400> 310

acgggactta	tcaaataaag	ataggaaaag	aagaaaactc	aaatattata	ggcagaaatg	60
ctaaaggttt	taaaatatgt	caggattgga	agaaggcatg	gataaagaac	aaagttcagt	120
taggaaagag	aaacacagaa	ggaagagaca	caataaaagt	cattatgtat	tctgtgagaa	180
gtcagacagt	aagatttggt	ggaaatgggt	tggtttgttg	tatggtatgt	atttttagcaa	240
taatctttat	ggcagagaaa	gctaaaatcc	tttagcttgc	gtgaatgata	acttgctgaa	300
ttcctcaagg	taggcatgat	gaaggagggt	ttagaggaga	cacagacaca	atgaactgac	360
ctagatagaa	agccttagta	tactcagcta	ggaatagtga	ttctgagggc	acactgtgac	420
atgattatgt	cattacatgt	atggtagtga	tggggatgat	aggaaggaag	aacttatggc	480
atattttcac	ccccacaaaa	gtcagttaaa	tattgggaca	ctaaccatcc	aggtcaaga	539

<210> 311

<211> 526

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (526)

<223> n = A,T,C or G

<400> 311

caaatttgag	ccaatgacat	agaattttac	aaatcaagaa	gcttattctg	gggccatttc	60
ttttgacgtt	ttctctaaac	tactaaagag	gcattaatga	tcataaatt	atattatcta	120
catttacagc	atttaaaatg	tggtcagcat	gaaatattag	ctacagggga	agctaaataa	180

atataacatg gaataaagat ttgtccttaa atataatcta caagaagact ttgatatttg 240
tttttcacaa gtgaagcatt cttataaagt gtcataacct ttttggggaa actatgggaa 300
aaaatgggga aactctgaag gggtttaagt atcttacctg aagctacaga ctccataacc 360
tctctttaca gggagctcct gcagccccta cagaaatgag tggctgagat tcttgattgc 420
acagcaagag cttctcatct aaacccttcc ccttttttagt atctgtgtat caagtataaa 480
agttctataa actgtagtnt acttatttta atcccaaaag cacagt 526

<210> 312

<211> 500

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(500)

<223> n = A,T,C or G

<400> 312

cctctctctc cccaccccct gactctagag aactgggttt tctcccagta ctccagcaat 60
tcattttctga aagcagttga gccactttat tccaaagta actgcagatg ttcaaactct 120
ccattttctct tccccttcca cctgccagtt ttgctgactc tcaacttgct atgagtgtaa 180
gcatlaagga cattatgctt cttcgattct gaagacaggc cctgctcatg gatgactctg 240
gcttcttagg aaaatatttt tcttccaaa tcagtaggaa atctaaactt atcccctctt 300
tgcagatgct tagcagcttc agacatttgg ttaagaacct atgggaaaaa aaaaaatcct 360
tgctaagtgt gtttcccttg taaaccanga ttcttatttg nctggtatag aatatcagct 420
ctgaacgtgt ggtaagatt tttgtgttg aatataggag aaatcagttt gctgaaaagt 480
tagtcttaat tatctattgg 500

<210> 313

<211> 718

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(718)

<223> n = A,T,C or G

<400> 313

ggagatttgt gtggttttga gccgaggag accaggaaga tctgcatggt gggaaggacc 60
tgatgataca gaggtgagaa ataagaaagg ctgctgactt taccatctga ggccacacat 120
ctgctgaaat ggagataatt aacatcacta gaaacagcaa gatgacaata taatgtctaa 180
gtagtgacat gtttttgcac atttccagcc cttttaaata tccacacaca caggaagcac 240
aaaaggaagc acagagatcc ctgggagaaa tgcccggccg ccatcttggg tcatcgatga 300
gcctcgccct gtgcctgntc ccgcttggtga gggaaggaca ttagaaaatg aattgatgtg 360
ttccttaaag gatggcagga aaacagatcc tgttggtgat atttatttga acgggattac 420
agatttgaaa tgaagtcaca aagtgagcat taccaatgag aggaaaacag acgagaaaat 480
cttgatggtt cacaagacat gcaacaaaca aaatggaata ctgtgatgac acgagcagcc 540
aactggggag gagataccac ggggcagagg tcaggattct ggccctgctg cctaactgtg 600
cgttatacca atcattttcta tttctaccct caaacaagct gtngaataac tgacttacgg 660
ttctnttggc ccacattttc atnatccacc cntcntttt aannttantic caaantgt 718

<210> 314

<211> 358

<212> DNA

<213> Homo sapien

<400> 314

gtttattttac attacagaaa aaacatcaag acaatgtata ctatttcaaa tatatccata 60
 cataatcaaa tatagctgta gtacatgttt tcattggtgt agattaccac aaatgcaagg 120
 caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg tgtagtccaa 180
 gctctcggta gtccagccac tgtgaaacat gctcccttta gattaacctc gtggacgctc 240
 ttgttggtatt gctgaactgt agtgccctgt attttgcttc tgtctgtgaa ttctgttget 300
 tctggggcat ttccttggtga tgcagaggac caccacacag atgacagcaa tctgaatt 358

<210> 315

<211> 341

<212> DNA

<213> Homo sapien

<400> 315

taccacctcc ccgctggcac tgatgagccg catcaccatg gtcaccagca ccatgaaggc 60
 ataggtgatg atgaggacat ggaatgggccc cccaaggatg gtctgtccaa agaagcgagt 120
 gacccccatt ctgaagatgt ctggaacctc taccagcagg atgatgatag ccccaatgac 180
 agtcaccagc tccccagcca gccggatata gtccttaggg gtcatgtagg ctctctgaag 240
 tagcttctgc tgtaagaggg tgttgccccg ggggctcgtg cggttattgg tctgggctt 300
 gagggggcgg tagatgcagc acatgggtgaa gcagatgatg t 341

<210> 316

<211> 151

<212> DNA

<213> Homo sapien

<400> 316

agactgggca agactcttac gcccacact gcaatttggt cttgttgccg tatccattta 60
 tgtgggcctt tctcgagttt ctgattataa acaccactgg agcgatgtgt tgactggact 120
 cattcagggg gctctggttg caatattagt t 151

<210> 317

<211> 151

<212> DNA

<213> Homo sapien

<400> 317

agaactagt gatacctaag aaataacctga aacatatatt ggcatttatac aatggctcaa 60
 atcttcattt atctctggcc ttaaccctgg ctctcgaggg tcgggccagc agatcccagg 120
 ccagggctct gttcttgcca cacctgcttg a 151

<210> 318

<211> 151

<212> DNA

<213> Homo sapien

<400> 318

actggtggga ggcgctgttt agttggctgt tttcagaggg gtcttttcgga gggacctcct 60
 gctgcaggct ggagtgtctt tattcttggc gggagaccgc acattccact gctgaggctg 120
 tgggggcggg ttatcaggca gtgataaaca t 151

<210> 319

<211> 151

<212> DNA

<213> Homo sapien

<400> 319

aactagtga tccagagcta taggtacagt gtgatctcag ctttgcaaac acattttcta 60
 catagatagt actaggtatt aatagatatg taaagaaaga aatcacacca ttaataatgg 120

taagattggg tttatgtgat tttagtgggt a 151

<210> 320
<211> 150
<212> DNA
<213> Homo sapien

<400> 320
aactagtgga tccactagtc cagtgtgggtg gaattccatt gtgttggggt tctagatcgc 60
gagcggtgc cctttttttt tttttttttg ggggggaatt tttttttttt aatagttatt 120
gagtgttcta cagcttacag taaataccat 151

<210> 321
<211> 151
<212> DNA
<213> Homo sapien

<400> 321
agcaactttg tttttcatcc aggttatattt aggcttagga ttctctctca cactgcagtt 60
taggtggga ttgtaaccag ctatggcata ggtgttaacc aaaggctgag taaacatggg 120
tgctctgag aaatcaaagt cttcatacac t 151

<210> 322
<211> 151
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(151)
<223> n = A,T,C or G

<400> 322
atccagcatc ttctcctgtt tcttgcttcc cttttttctt ttcttasatt ctgcttgagg 60
tttgggcttg gtcagtttgc cacagggtt ggagatggtg acagtcttct ggcattcggc 120
attgtgcagg gctcgttca nacttccagt t 151

<210> 323
<211> 151
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(151)
<223> n = A,T,C or G

<400> 323
tgaggacttg tktttttttt ctttatattt aatcctetta ckttgtaa atattgccta 60
nagactcant tactaccag tttgtggtt twtgggagaa atgtaactgg acagttagct 120
gttcaatyaa aaagacactt ancccatgtg g 151

<210> 324
<211> 461
<212> DNA
<213> Homo sapien

<220>

<221> misc_feature
<222> (1)...(461)
<223> n = A,T,C or G

<400> 324

acctgtgtgg aatttcagct ttcctcatgc aaaaggattt tgtatccccg gcctacttga	60
agaagtgggc agctaaagga atccagggtg ttgggtggac tgtaataacc tttgatgaaa	120
agagttacta cgaatcccat cttggttcca gctatatcac tgacagcatg gtagaagact	180
gcgaacctca cttctagact ttcacgggtg gacgaaacgg gttcagaaac tgccaggggc	240
ctcatacagg gatatacaaaa taccctttgt gctaccagg ccctggggaa tcaggtgact	300
cacacaaatg caatagttgg tcaactgcatt ttacactgaa ccaaagctaa acccggtgtt	360
gccaccatgc accatggcat gccagagttc aacactgttg ctcttgaaaa ttgggtctga	420
aaaaacgcac aagagccctt gccctgccct agctgangca c	461

<210> 325

<211> 400

<212> DNA

<213> Homo sapien

<400> 325

acactgtttc catgttatgt ttctacacat tgctacctca gtgctcctgg aaacttaget	60
tttgatgtct ccaagtagtc caccttcatt taactotttg aaactgtatc atctttgcca	120
agtaagagtg gtggcctatt tcagctgctt tgacaaaatg actggctcct gacttaacgt	180
tctataaatg aatgtgctga agcaaagtgc ccatgggtggc ggcgaagaag agaaagatgt	240
gttttgtttt ggactctctg tggctccctc caatgctgtg ggtttccaac caggggaagg	300
gtcccttttg cattgccaag tgccataacc atgagcacta cgctaccatg gttctgcctc	360
ctggccaagc aggtctggtt gcaagaatga aatgaatgat	400

<210> 326

<211> 1215

<212> DNA

<213> Homo sapien

<400> 326

ggaggactgc agcccgcact cgcagccctg gcaggcggca ctggtcatgg aaaacgaatt	60
gttctgctcg ggcgtcctgg tgcattccgc gtgggtgctg tcagccgcac actgtttcca	120
gaactcctac accatcgggc tgggcctgca cagtcttgag gccgaccaag agccaggag	180
ccagatgggtg gaggccagcc tctccgtacg gcacccagag tacaacagac ccttgctcgc	240
taacgacctc atgctcatca agttggacga atccgtgtcc gagtctgaca ccatccggag	300
catcagcatt gcttcgcagt gccctaccgc ggggaactct tgccctcgtt ctggctgggg	360
tctgctggcg aacggcagaa tgccctaccg gctgcagtgc gtgaacgtgt cgggtggtgc	420
tgaggaggtc tgacagtaagc tctatgaccc gctgtaccac cccagcatgt tctgcgcgg	480
cggaggggcaa gaccagaagg actcctgcaa cgggtgactct ggggggcccc tgatctgcaa	540
cgggtacttg cagggccttg tgtctttcgg aaaagccccg tgtggccaag ttggcgtgcc	600
aggtgtctac accaacctct gcaaattcac tgagtggata gagaaaaccg tccaggccag	660
ttaactctgg ggactgggaa cccatgaaat tgacccccaa atacatcctg cgggaaggat	720
tcaggaatat ctgttcccag cccctcctcc ctcaggccca ggagtccagg cccccagccc	780
ctcctccctc aaaccaaggg tacagatccc cagccctccc tccctcagac ccaggagtcc	840
agacccccca gcccctcctc cctcagaccc aggagtccag cccctcctcc ctacagacca	900
ggagtccaga cccccagcc cctcctccct cagaccagg ggtccaggcc cccaaccct	960
cctccctcag actcagaggt ccaagcccc aaccctcct tccccagacc cagaggtcca	1020
ggtcccagcc cctcctccct cagaccagc ggtccaatgc cacctagact ctccctgtac	1080
acagtgcccc cttgtggcac gttgaccaca ccttaccagt tggtttttca tttttgtcc	1140
ctttccctca gatccagaaa taaagtctaa gagaagcgca aaaaaaaaaa aaaaaaaaaa	1200
aaaaaaaaaa aaaaa	1215

<210> 327

<211> 220

<212> PRT

<213> Homo sapien

<400> 327

Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met
 1 5 10 15
 Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val
 20 25 30
 Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly
 35 40 45
 Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu
 50 55 60
 Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu Ala
 65 70 75 80
 Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp
 85 90 95
 Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn
 100 105 110
 Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met Pro
 115 120 125
 Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu Val Cys
 130 135 140
 Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala Gly
 145 150 155 160
 Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly Pro
 165 170 175
 Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys Ala
 180 185 190
 Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu Cys Lys
 195 200 205
 Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 210 215 220

<210> 328

<211> 234

<212> DNA

<213> Homo sapien

<400> 328

cgctcgtctc tggtagctgc agccaaatca taaacggcga ggactgcagc ccgcactcgc 60
 agccctggca ggcggcactg gtcattggaaa acgaattggt ctgctcgggc gtccctgggtgc 120
 atccgcagtg ggtgctgtca gccacacact gtttccagaa ctctacacc atcgggctgg 180
 gcctgcacag tcttgaggcc gaccaagagc caggagacca gatggtggag gcca 234

<210> 329

<211> 77

<212> PRT

<213> Homo sapien

<400> 329

Leu Val Ser Gly Ser Cys Ser Gln Ile Ile Asn Gly Glu Asp Cys Ser
 1 5 10 15
 Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met Glu Asn Glu Leu
 20 25 30
 Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val Leu Ser Ala Thr
 35 40 45
 His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly Leu His Ser Leu
 50 55 60

Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu Ala
 65 70 75

<210> 330
 <211> 70
 <212> DNA
 <213> Homo sapien

<400> 330
 cccaacacaa tggcccgatc ccatccctga ctccgccctc aggatcgctc gtctctggta 60
 gctgcagcca 70

<210> 331
 <211> 22
 <212> PRT
 <213> Homo sapien

<400> 331
 Gln His Asn Gly Pro Ile Pro Ser Leu Thr Pro Pro Ser Gly Ser Leu
 1 5 10 15
 Val Ser Gly Ser Cys Ser
 20

<210> 332
 <211> 2507
 <212> DNA
 <213> Homo sapien

<400> 332
 tgggtgccgct gcagccggca gagatgggtg agctcatgtt cccgctgttg ctctccttc 60
 tgcccttct tctgtatatg gctgcgcccc aaatcaggaa aatgctgtcc agtgggggtgt 120
 gtacatcaac tgttcagctt cctgggaaag tagttgtggt cacaggagct aatacaggta 180
 tcgggaagga gacagccaaa gagctggctc agagaggagc tcgagtatat ttagcttgcc 240
 gggatgtgga aaagggggaa ttggtggcca aagagatcca gaccacgaca gggaaccagc 300
 aggtgttggg gcggaactg gacctgtctg atactaagtc tattcgagct ttgctaagg 360
 gcttcttagc tgaggaaaag cacctccacg ttttgatcaa caatgcagga gtgatgatgt 420
 gtccgtactc gaagacagca gatggctttg agatgcacat aggagtcaac cacttgggtc 480
 acttctcctt aacctatctg ctgctagaga aactaaagga atcagcccca tcaaggatag 540
 taaatgtgtc ttcctcgca catcacctgg gaaggatcca ctcccataac ctgcagggcg 600
 agaaattcta caatgcaggc ctggcctact gtcacagcaa gctagccaac atcctcttca 660
 cccaggaact ggcccgga ga ctaaaaggct ctggcggttac gacgtattct gtacacctg 720
 gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg tgggtgcttt 780
 tctccttttt catcaagact cctcagcagg gagcccagac cagcctgcac tgtgccttaa 840
 cagaaggtct tgagattcta agtgggaatc atttcagtga ctgtcatgtg gcatgggtct 900
 ctgcbcaagc tcgtaatatg actatagcaa ggcggtgtg ggacgtcagt tgtgacctgc 960
 tgggcctccc aatagactaa caggcagtg cagttggacc caagagaaga ctgcagcaga 1020
 ctacacagta cttcttgta aaatgattct ccttcaaggt tttcaaaacc tttagcaca 1080
 agagagcaaa acctccagc cttgcctgct tgggtgccag ttaaaactca gtgtactgcc 1140
 agattcgtct aaatgtctgt catgtccaga tttactttgc ttctgttact gccagagtta 1200
 ctagagatat cataatagga taagaagacc ctcatatgac ctgcacagct cattttctt 1260
 ctgaaagaaa ctactaccta ggagaatcta agctatagca gggatgattt atgcaaattt 1320
 gaactagctt ctttgttcac aattcagttc ctcccaacca accagctctt acttcaagag 1380
 ggccactg caacctcagc ttaacatgaa taacaaagac tggctcagga gcagggttg 1440
 cccaggcatg gtggatcacc ggaggtcagt agttcaagac cagcctggcc aacatggtga 1500
 aacccacct ctactaaaaa ttgtgtatat ctttgtgtgt ctctctgttt atgtgtgcca 1560
 agggagtatt ttcacaaagt tcaaacagc cacaataatc agagatggag caaacagtg 1620
 ccatccagtc tttatgcaa tgaaatgctg caaagggaag cagattctgt atatgttgt 1680
 aactaccac caagagcaca tgggtagcag ggaagaagta aaaaaagaga aggagaatac 1740

tggaagataa	tgcacaaaat	gaagggacta	gttaaggatt	aactagccct	ttaaggatta	1800
actagttaag	gattaatagc	aaaagayatt	aaatatgcta	acatagctat	ggaggaattg	1860
agggcaagca	cccaggactg	atgaggtctt	aacaaaaacc	agtgtggcaa	aaaaaaaaaa	1920
aaaaaaaaaa	aaaaatccta	aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	1980
attatcttag	ggactgatat	tggttaattat	ggtcaattta	ataatatattt	ggggcatttc	2040
cttacattgt	cttgacaaga	ttaaaatgtc	tgtgccaaaa	ttttgtattt	tatttggaga	2100
cttcttatca	aaagtaaatgc	tgccaaagga	agtctaagga	attagtagtg	ttcccatcac	2160
ttgtttggag	tgtgctattc	taaaagattt	tgatttcctg	gaatgacaat	tatattttaa	2220
ctttggtggg	ggaaagagtt	ataggaccac	agtcttcact	tctgatactt	gtaaattaat	2280
cttttattgc	acttgttttg	accattaagc	tatatgttta	gaaatggtca	ttttacggaa	2340
aaattagaaa	aattctgata	atagtgcaga	ataaatgaat	taatgtttta	cttaatttat	2400
attgaactgt	caatgacaaa	taaaaattct	ttttgattat	tttttgtttt	catttaccag	2460
aataaaaacg	taagaattaa	aagtttgatt	acaaaaaaaa	aaaaaaa		2507

<210> 333

<211> 3030

<212> DNA

<213> Homo sapien

<400> 333

gcagggcact	tgcgagctgg	gagcgattta	aaacgctttg	gattcccccg	gcctgggtgg	60
ggagagcgag	ctgggtgccc	cctagattcc	ccgccccgcg	acctcatgag	ccgaccctcg	120
gctccatgga	gcccggcaat	tatgccacct	tggtatggagc	caaggatata	gaaggcttgc	180
tgggagcggg	agggggggcg	aatctggctg	cccactcccc	tctgaccagc	caccacagcg	240
cgctacgct	gatgcctgct	gtcaactatg	cccccttggg	tctgccaggc	tcggcgggagc	300
cgccaaagca	atgccaccca	tgccctgggg	tgccccaggg	gacgtcccca	gctcccgtgc	360
cttatggtta	ctttggaggc	gggtactact	cctgcccagc	gtcccggagc	tcgctgaaac	420
cctgtgcccc	ggcagccacc	ctggccgcgt	accccgcgga	gactcccacg	gccgggggaag	480
agtacccag	ycgccccact	gagtttgctt	tctatccggg	atatccggga	acctaccagc	540
ctatggccag	ttacctggac	gtgtctgtgg	tgcagactct	gggtgctcct	ggagaaccgc	600
gacatgactc	cctgtttgct	gtggacagtt	accagtcttg	ggctctcgct	ggtggctgga	660
acagccagat	gtgttgccag	ggagaacaga	acccaccagg	tcccttttgg	aaggcagcat	720
ttgcagactc	cagcgggcag	caccctcctg	acgcctgcgc	ctttcgctgc	ggccgcaaga	780
aacgcattcc	gtacagcaag	gggcagttgc	gggagctgga	gcgggagtat	gcggctaaca	840
agttcatcac	caaggacaag	aggcgcaaga	tctcggcagc	caccagcctc	tcggagcgcc	900
agattaccat	ctggtttcag	aaccgcccgg	tcaaagagaa	gaaggttctc	gccaaaggta	960
agaacagcgc	taccctttaa	gagatctcct	tgccctgggtg	ggaggagcga	aagtgggggt	1020
gtcctgggga	gaccaggaac	ctgccaagcc	caggctgggg	ccaaggactc	tgctgagagg	1080
cccctagaga	caacaccctt	cccaggccac	tggtctgtgg	actgttcctc	aggagcggcc	1140
tgggtaccca	gtatgtgcag	ggagacggaa	ccccatgtga	cagcccactc	caccaggggt	1200
cccaaagaac	ctggcccagc	cataatcatt	catcctgaca	gtggcaataa	tcacgataac	1260
cagtactagc	tgccatgata	gttagcctca	tattttctat	ctagagctct	gtagagcact	1320
ttagaaaccg	ctttcatgaa	ttgagcta	tatgaataaa	tttggagggc	gatccctttg	1380
cagggaagct	ttctctcaga	cccccttcca	ttacacctct	caccttggtg	acagcaggaa	1440
gactgaggag	aggggaacgg	gcagattcgt	tgtgtggctg	tgatgtccgt	ttagcatttt	1500
tctcagctga	cagctgggta	ggtggacaat	tgtagaggct	gtctcttctc	ccctccttgt	1560
ccaccccata	gggtgtaccc	actggtcttg	gaagcaccca	tccttaatac	gatgattttt	1620
ctgtcgtgtg	aaaatgaagc	cagcaggctg	cccctagtca	gtccttctct	ccagagaaaa	1680
agagatttga	gaaagtgcct	gggtaattca	ccattaattt	cctcccccaa	actctctgag	1740
tcttccctta	atatttctgg	tggttctgac	caaagcaggt	catggtttgt	tgagcatttg	1800
ggatcccagt	gaagtagatg	tttgtagcct	tgcatactta	gcccttccca	ggcacaaaacg	1860
gagtggcaga	gtggtgccaa	ccctgttttc	ccagtccacg	tagacagatt	cacagtgcgg	1920
aattctggaa	gctggagaca	gacgggctct	ttgcagagcc	gggactctga	gagggacatg	1980
agggcctctg	cctctgtgtt	cattctctga	tgtcctgtac	ctgggctcag	tgcccgggtgg	2040
gactcatctc	ctggccgcgc	agcaaaagca	gcgggttcgt	gctggtcctt	cctgcacctt	2100
aggctggggg	tggggggcct	gccggcgcat	tctccacgat	tgagcgacaa	ggcctgaagt	2160
ctggacaacc	cgcagaaccg	aagctccgag	cagcgggtcg	gtggcgagta	gtggggctcg	2220
tggcgagcag	ttggtggtgg	gccgcggccg	ccactacctc	gaggacattt	ccctccccga	2280

gccagctctc	ctagaaaccc	cgcggcgccc	gccgcagcca	agtgtttatg	gcccgcggtc	2340
gggtgggac	ctagccctgt	ctcctctcct	gggaaggagt	gaggggtgga	cgtgacttag	2400
acacctacaa	atctattttac	caaagaggag	cccgggactg	agggaaaagg	ccaaagagtg	2460
tgagtgcag	cggactgggg	gttcagggga	agaggacgag	gaggaggaag	atgaggtcga	2520
tttctgatt	taaaaaatcg	tccaagcccc	gtggtccagc	ttaaggtcct	cggttacatg	2580
cgcgcgtcag	agcaggtcac	tttctgcctt	ccacgtcttc	cttcaaggaa	gccccatgtg	2640
ggtagctttc	aatatcgag	gttcttactc	ctctgcctct	ataagctcaa	acccaccaac	2700
gatcgggcaa	gtaaaccccc	tccctgcgcy	acttcggaac	tggcgagagt	tcagcgagag	2760
tgggcctgtg	gggagggggc	aagatagatg	agggggagcg	gcatggtgcy	gggtgacccc	2820
ttggagagag	gaaaaaggcc	acaagagggg	ctgccaccgc	cactaacgga	gatggccctg	2880
gtagagacct	ttgggggtct	ggaacctctg	gactccccat	gctctaactc	ccacactctg	2940
ctatcagaaa	cttaaaactg	aggattttct	ctgtttttca	ctcgcaataa	aytcagagca	3000
aacaaaaaaa	aaaaaaaaaa	aaaactcgag				3030

<210> 334

<211> 2417

<212> DNA

<213> Homo sapien

<400> 334

ggcggccgct	ctagagctag	tgggacccc	cgggctgcac	gaattcggca	cgagtgaagt	60
ggagttttac	ctgtattgtt	ttaatttcaa	caagcctgag	gactagccac	aaatgtaccc	120
agtttacaaa	tgaggaaaca	ggtgcaaaaa	ggttggtacc	tgtcaaagg	cgtatgtggc	180
agagccaaga	tttgagccca	gttatgtctg	atgaacttag	cctatgctct	ttaaacttct	240
gaatgctgac	cattgaggat	atctaaactt	agatcaattg	cattttccct	ccaagactat	300
ttacttatca	atacaataat	accaccttta	ccaatctatt	gttttgatac	gagactcaaa	360
tatgccagat	atatgtaaaa	gcaacctaca	agctctctaa	tcatgctcac	ctaaaagatt	420
cccgggatct	aataggctca	aagaaacttc	ttctagaaat	ataaaagaga	aaattggatt	480
atgcaaaaat	tcattattaa	tttttttcat	ccatccttta	attcagcaaa	catttatctg	540
ttgttgactt	tatgcagtat	ggccttttaa	ggattggggg	acagggtgaag	aacggggtgc	600
cagaatgcat	cctcctacta	atgaggctag	tacacatttg	cattttaaaa	tgccctgtcc	660
agctgggcat	ggtggatcat	gcctgtaatc	tcaacatttg	aaggccaagg	caggaggatt	720
gcttcagccc	aggagttcaa	gaccagcctg	ggcaacatag	aaagacccca	tctctcaatc	780
aatcaatcaa	tgccctgtct	ttgaaaataa	aactctttaa	gaaaggttta	atgggcaggg	840
tgtggtagct	catgcctata	atacagcact	ttgggaggct	gaggcaggag	gatcacttta	900
gcccagaagt	tcaagaccag	cctgggcaac	aagtgcacac	tcattctcaat	tttttaataa	960
aatgaataca	tacataagga	aagataaaaa	gaaaagttaa	atgaaagaat	acagtataaa	1020
acaaatctct	tggacctaaa	agtatttttg	ttcaagccaa	atattgtgaa	tcacctctct	1080
gtgttgagga	tacagaatat	ctaagcccag	gaaactgagc	agaaagtcca	tgtactaact	1140
aatcaacccg	aggcaaggca	aaaatgagac	taactaatca	atccgaggca	agggggcaaat	1200
tagacggaac	ctgactctgg	tctattaaag	gacaactttc	cctctgttgt	atttttcttt	1260
tattcaatgt	aaaaggataa	aaactctcta	aaactaaaaa	caatgtttgt	caggagttaac	1320
aaaccatgac	caactaatta	tggggaatca	taaaatatga	ctgtatgaga	tcttgatggg	1380
ttacaaagt	taccactgt	taatcacttt	aaacattaat	gaacttaaaa	atgaatttac	1440
ggagattgga	atgtttcttt	cctgttgtat	tagttggctc	aggctgccat	aacaaaatac	1500
cacagactgg	gaggtttaag	taacagaaat	tcattttctca	cagttctggg	ggctggaagt	1560
ccacgatcaa	ggtgcaggaa	aggcaggctt	cattctgagg	cccctctctt	ggctcacatg	1620
tggccaccct	cccactgcgt	gtcacatga	cctctttgtg	ctcctggaaa	gaggggtgtg	1680
gggacagagg	gaaagagaag	gagagggaaac	tctctggtgt	ctcgtctttc	aaggacccta	1740
acctgggcca	ctttggccca	ggcactgtgg	ggtggggggg	tgtggctgct	ctgctctgag	1800
tggccaagat	aaagcaacag	aaaaatgtcc	aaagctgtgc	agcaaagaca	agccaccgaa	1860
cagggatctg	ctcatcagtg	tggggacctc	caagtcggcc	accctggagg	caagccccc	1920
cagagcccat	gcaaggtggc	agcagcagaa	gaagggaatt	gtccctgtcc	ttggcacatt	1980
cctcacccgac	ctggtgatgc	tggacactgc	gatgaatggg	aatgtggatg	agaatatgat	2040
ggactcccag	aaaaggagac	ccagctgtct	aggtggctgc	aaatcattac	agccttcac	2100
ctggggagga	actggggggc	tggttctggg	tcagagagca	gcccagtgag	ggtgagagcl	2160
acagcctgtc	ctgccagctg	gatccccagt	cccggccaac	cagtaataca	ggctgagcag	2220
atcaggcttc	ccggagctgg	tcttgggaag	ccagccctgg	ggtgagttgg	ctcctgctgt	2280

ggtactgaga caatattgtc ataaattcaa tgcgcccttg tatccctttt tcttttttat 2340
 ctgtctacat ctataatcac tatgcatact agtctttgtt agtgtttcta ttcmaacttaa 2400
 tagagatatg ttataact 2417

<210> 335

<211> 2984

<212> DNA

<213> Homo sapien

<400> 335

atccctcctt cccactctc ctttccagaa ggcacttggg gtcttatctg ttggactctg 60
 aaaacacttc aggcgccctt ccaaggcttc cccaaacccc taagcagccg cagaagcgt 120
 cccgagctgc cttctccac actcaggtga tgcagttgga gaggaagttc agccatcaga 180
 agtacctgtc ggcccttgaa cgggccacc tggccaagaa cctcaagctc acggagaccc 240
 aagtgaagat atggttccag aacagacgct ataagactaa gcgaaagcag ctctcctcgg 300
 agctgggaga cttggagaag cactcctctt tgcgggccct gaaagaggag gccttclccc 360
 gggcctccct ggtctccgtg tataacagct atccttacta cccatacctg tactgcgtgg 420
 gcagctggag cccagctttt tggtaatgcc agctcaggtg acaaccatta tgatcaaaaa 480
 ctgccttccc cagggtgtct ctatgaaaag cacaaggggc caaggtcagg gagcaagagg 540
 tgtgcacacc aaagctattg gagatttgcg tggaaatctc asattcttca ctggtgagac 600
 aatgaaacaa cagagacagt gaaagtttta atacctaatg cattccccca gtgcatactg 660
 taggtcattt tttttgcttc tggctacctg tttgaagggg agagagggaa aatcaagtgg 720
 tattttccag cactttgtat gattttggat gagctgtaca cccaaggatt ctgttctgca 780
 actccatcct cctgtgtcac tgaatatcaa ctctgaaaga gcaaacctaa caggagaaaag 840
 gacaaccagg atgaggatgt caccaactga attaaactta agtccagaag cctcctgttg 900
 gccttggaa atggccaagg ctctctctgt cctgtaaaa gagaggggca aatagagagt 960
 ctccaagaga acgcctcat gctcagcaca tatttgcctg ggagggggag atgggtggga 1020
 ggagatgaaa atatcagctt ttcttattcc tttttattcc ttttaaaatg gtatgccaac 1080
 ttaagtattt acaggggtggc ccaaatagaa caagatgcac tcgctgtgat ttaagacaa 1140
 gctgtataaa cagaactcca ctgcaagagg gggggccggg ccaggagaat ctccgcttgt 1200
 ccaagacagg ggcctaagga ggtctccac actgctgcta ggggctgttg cattttttta 1260
 ttagtagaaa gtggaaaggc ctcttctcaa cttttttccc ttgggctgga gaatttagaa 1320
 tcagaagttt cctggagttt tcaggctatc atatatactg tatectgaaa ggcaacataa 1380
 ttcttcttcc cctcctttta aaattttgtg ttcttttttg cagcaattac tcaactaaagg 1440
 gcttcatttt agtccagatt tttagtctgg ctgcacctaa cttatgcctc gcttatttag 1500
 cccgagatct ggtctttttt tttttttttt tttttccgtc tccccaaagc tttatctgtc 1560
 ttgacttttt aaaaaagttt gggggcagat tctgaattgg ctaaaagaca tgcattttta 1620
 aaactagcaa ctcttatttc tttcctttta aaatacatag cattaaatcc caaatcctat 1680
 ttaaagacct gacagcttga gaaggtcact actgcattta taggaccttc tgggtggtct 1740
 gctgttacgt ttgaagtctg acaatccttg agaactcttg catgcagagg aggttaagagg 1800
 tattggattt tcacagagga agaacacagc gcagaatgaa gggccaggct tactgagctg 1860
 tccagtggag ggctcatggg tgggacatgg aaaagaaggc agcctaggcc ctggggagcc 1920
 cagtccactg agcaagcaag ggactgagtg agccttttgc aggaaaaggc taagaaaaag 1980
 gaaaaccatt ctaaaacaca acaagaaact gtccaaatgc tttgggaact gtgtttattg 2040
 cctataatgg gtcccaaaaa tgggtaacct agacttcaga gagaatgagc agagagcaaa 2100
 ggagaaatct ggctgtcctt ccattttcat tctgttatct cagggtgagct ggtagagggg 2160
 agacattaga aaaaaatgaa acaacaaaac aattactaat gaggtacgct gaggcctggg 2220
 agtctcttga ctccactact taattccgtt tagtgagaaa cctttcaatt ttcttttatt 2280
 agaagggcca gcttactgtt ggtggcaaaa ttgccaacat aagttaatag aaagttggcc 2340
 aatttcaccc cattttctgt ggtttgggct ccacattgca atgttcaatg ccacgtgctg 2400
 ctgacaccga ccggagtact agccagcaca aaaggcaggg tagcctgaat tgctttctgc 2460
 tctttacatt tcttttaaaa taagcattta gtgctcagtc cctactgagt actctttctc 2520
 tcccctctc tgaatttaat tctttcaact tgcaatttgc aaggattaca catttcaactg 2580
 tgatgtatat tgtgttgcaa aaaaaaaaaa aagtgtcttt gtttaaaatt acttgggttg 2640
 tgaatccatc ttgctttttc ccatttggaa ctagtcaata acccatctct gaactggtag 2700
 aaaaacatct gaagagctag tctatcagca tctgacaggt gaattggatg gttctcagaa 2760
 ccatttcacc cagacagcct gtttctatcc tgtttaataa attagtttgg gttctctaca 2820
 tgcataacaa accctgtctc aatctgtcac ataaaagtct gtgacttgaa gtttagtcag 2880

cacccccacc aaacttttatt tttctatgtg ttttttgcaa catatgagtg ttttgaaaat 2940
 aaagtaccca tgtcttttatt agaaaaaaaa aaaaaaaaaa aaaa 2984

<210> 336
 <211> 147
 <212> PRT
 <213> Homo sapien

<400> 336
 Pro Ser Phe Pro Thr Leu Leu Ser Arg Arg His Leu Gly Ser Tyr Leu
 1 5 10 15
 Leu Asp Ser Glu Asn Thr Ser Gly Ala Leu Pro Arg Leu Pro Gln Thr
 20 25 30
 Pro Lys Gln Pro Gln Lys Arg Ser Arg Ala Ala Phe Ser His Thr Gln
 35 40 45
 Val Ile Glu Leu Glu Arg Lys Phe Ser His Gln Lys Tyr Leu Ser Ala
 50 55 60
 Pro Glu Arg Ala His Leu Ala Lys Asn Leu Lys Leu Thr Glu Thr Gln
 65 70 75 80
 Val Lys Ile Trp Phe Gln Asn Arg Arg Tyr Lys Thr Lys Arg Lys Gln
 85 90 95
 Leu Ser Ser Glu Leu Gly Asp Leu Glu Lys His Ser Ser Leu Pro Ala
 100 105 110
 Leu Lys Glu Glu Ala Phe Ser Arg Ala Ser Leu Val Ser Val Tyr Asn
 115 120 125
 Ser Tyr Pro Tyr Tyr Pro Tyr Leu Tyr Cys Val Gly Ser Trp Ser Pro
 130 135 140
 Ala Phe Trp
 145

<210> 337
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 337
 Ala Leu Thr Gly Phe Thr Phe Ser Ala
 1 5

<210> 338
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 338
 Leu Leu Ala Asn Asp Leu Met Leu Ile
 1 5

<210> 339
 <211> 318
 <212> PRT
 <213> Homo sapien

<400> 339
 Met Val Glu Leu Met Phe Pro Leu Leu Leu Leu Leu Pro Phe Leu
 1 5 10 15
 Leu Tyr Met Ala Ala Pro Gln Ile Arg Lys Met Leu Ser Ser Gly Val

20 25 30
 Cys Thr Ser Thr Val Gln Leu Pro Gly Lys Val Val Val Val Thr Gly
 35 40 45
 Ala Asn Thr Gly Ile Gly Lys Glu Thr Ala Lys Glu Leu Ala Gln Arg
 50 55 60
 Gly Ala Arg Val Tyr Leu Ala Cys Arg Asp Val Glu Lys Gly Glu Leu
 65 70 75 80
 Val Ala Lys Glu Ile Gln Thr Thr Thr Gly Asn Gln Gln Val Leu Val
 85 90 95
 Arg Lys Leu Asp Leu Ser Asp Thr Lys Ser Ile Arg Ala Phe Ala Lys
 100 105 110
 Gly Phe Leu Ala Glu Glu Lys His Leu His Val Leu Ile Asn Asn Ala
 115 120 125
 Gly Val Met Met Cys Pro Tyr Ser Lys Thr Ala Asp Gly Phe Glu Met
 130 135 140
 His Ile Gly Val Asn His Leu Gly His Phe Leu Leu Thr His Leu Leu
 145 150 155 160
 Leu Glu Lys Leu Lys Glu Ser Ala Pro Ser Arg Ile Val Asn Val Ser
 165 170 175
 Ser Leu Ala His His Leu Gly Arg Ile His Phe His Asn Leu Gln Gly
 180 185 190
 Glu Lys Phe Tyr Asn Ala Gly Leu Ala Tyr Cys His Ser Lys Leu Ala
 195 200 205
 Asn Ile Leu Phe Thr Gln Glu Leu Ala Arg Arg Leu Lys Gly Ser Gly
 210 215 220
 Val Thr Thr Tyr Ser Val His Pro Gly Thr Val Gln Ser Glu Leu Val
 225 230 235 240
 Arg His Ser Ser Phe Met Arg Trp Met Trp Trp Leu Phe Ser Phe Phe
 245 250 255
 Ile Lys Thr Pro Gln Gln Gly Ala Gln Thr Ser Leu His Cys Ala Leu
 260 265 270
 Thr Glu Gly Leu Glu Ile Leu Ser Gly Asn His Phe Ser Asp Cys His
 275 280 285
 Val Ala Trp Val Ser Ala Gln Ala Arg Asn Glu Thr Ile Ala Arg Arg
 290 295 300
 Leu Trp Asp Val Ser Cys Asp Leu Leu Gly Leu Pro Ile Asp
 305 310 315

<210> 340
 <211> 483
 <212> DNA
 <213> Homo sapien

<400> 340
 gccgaggtct gccttcacac ggaggacacg agactgcttc ctcaagggct cctgcctgcc 60
 tggacactgg tgggaggcgc tgttagttg gctgttttca gaggggtctt tcggagggac 120
 ctctgtctgc aggctggagt gtctttattc ctggcgggag accgcacatt ccaactgtga 180
 ggttggtggg gcggtttatc aggcagtgat aaacataaga tgtcatttcc ttgactccgg 240
 ccttcaattt tctctttggc tgacgacgga gtccgtggtg tcccgatgta actgaccct 300
 gctccaaacg tgacatcact gatgctcttc tcgggggtgc tgatggccc cttgggtcacg 360
 tgctcaatct cgccattcga ctcttgctcc aaactgtatg aagacacctg actgcacgtt 420
 tttctgtggc ttccagaatt taaagtgaag ggcagcactc ctaagctccg actccgatgc 480
 ctg 483

<210> 341
 <211> 344
 <212> DNA
 <213> Homo sapien

<400> 341

ctgctgctga gtcacagatt tcattataaa tagcctccct aaggaaaata cactgaatgc	60
tatttttact aaccattcta tttttataga aatagctgag agtttctaaa ccaactctct	120
gctgccttac aagtattaaa tattttactt ctttccataa agagtagctc aaaatatgca	180
attaatttaa taatttctga tgatggtttt atctgcagta atatgtatat catctattag	240
aatttactta atgaaaaact gaagagaaca aaatttgtaa ccactagcac ttaagtactc	300
ctgattctta acattgtctt taatgaccac aagacaacca acag	344

<210> 342

<211> 592

<212> DNA

<213> Homo sapien

<400> 342

acagcaaaaa agaaactgag aagcccaaty tgctttcttg ttaacatcca cttatccaac	60
caatgtggaa acttcttata cttggttcca ttatgaagtt ggacaattgc tgctatcaca	120
cctggcaggt aaaccaatgc caagagagtg atggaaacca ttggcaagac tttgttgatg	180
accaggattg gaattttata aaaatattgt tgatgggaag ttgctaaagg gtgaattact	240
tcctcagaa gagtgtaaag aaaagtcaga gatgctataa tagcagctat ttttaattggc	300
aagtgccact gtggaaagag ttctgtgtg tgctgaagtt ctgaagggca gtcaaattca	360
tcagcatggg ctgtttgggtg caaatgcaaa agcacaggtc tttttagcat gctggctct	420
cccgtgtcct tatgcaaata atcgtcttct tctaaatttc tcttaggctt cattttccaa	480
agttcttctt ggtttgtgat gtcttttctg ctttccatta attctataaa atagtatggc	540
ttcagccacc cactcttcgc cttagcttga ccgtgagtct cggctgccgc tg	592

<210> 343

<211> 382

<212> DNA

<213> Homo sapien

<400> 343

ttcttgacct cctctcctt caagctcaaa caccacctcc cttattcagg accggcactt	60
cttaatgttt gtggctttct ctcagcctc tcttaggagg ggtaatgggtg gatttggcat	120
cttgtaactc tcctttctcc tttctctgcc cgccttccc atcctgctgt	180
agacttcttg attgtcagtc tgtgtcacat ccagtgattg ttttggtttc tgttcccttt	240
ctgactgccc aaggggctca gaacccagc aatcccttcc tttcactacc ttcttttttg	300
ggggtagtgt gaagggactg aaattgtggg gggaaggtag gaggcacatc aataaagagg	360
aaaccaccaa gctgaaaaaa aa	382

<210> 344

<211> 536

<212> DNA

<213> Homo sapien

<400> 344

ctgggcctga agctgtaggg taaatcagag gcaggcttct gagtgatgag agtcctgaga	60
caataggcca cataaacttg gctggatgga acctcacaat aagggtgtca cctcttgttt	120
gtttaggggg atgccaagga taaggccagc tcagttatat gaagagaagc agaacaaca	180
agtctttcag agaaatggat gcaatcagag tgggatcccg gtcacatcaa ggtcacactc	240
caccttcattg tgcctgaatg gttgccaggt cagaaaaatc cacccttac gagtgcggct	300
tcgaccctat atcccccgcc cgcgtccctt tctccataaa attcttctta gtagctatta	360
ccttcttatt atttgatcta gaaattgcc tccttttacc cctaccatga gccctacaaa	420
caactaacct gccactaata gttatgtcat cctcttatt aatcatcatc ctagccctaa	480
gtctggecta tgagtgacta caaaaaggat tagactgagc cgaataacaa aaaaaa	536

<210> 345

<211> 251

<212> DNA

<213> Homo sapien

<400> 345

accttttgag gtctctctca ccacctccac agccaccgtc accgtgggat gtgctggatg	60
tgaatgaagc ccccatcttt gtgctctctg aaaagagagt ggaagtgtcc gaggactttg	120
gcgtgggcca ggaaatcaca tcctacactg ccagagagcc agacacattt atggaacaga	180
aaataacata tcgattttgg agagacactg ccaactggct ggagattaat ccggacactg	240
gtgccatttc c	251

<210> 346

<211> 282

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(282)

<223> n = A,T,C or G

<400> 346

cgcgtctctg acactgtgat catgacaggg gttcaaacag aaagtgcctg ggccctcctt	60
ctaagtcttg ttaccaaaaa aaggaaaaag aaaagatctt ctcaattaca aattctggga	120
agggagacta tacctggctc ttgccctaag tgagaggtct tccctccgc accaaaaaat	180
agaaaggctt tctatttcac tggcccaggt agggggaagg agagtaactt tgagtctgtg	240
ggtctcattt cccaagggtgc cttcaatgct catnaaaacc aa	282

<210> 347

<211> 201

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(201)

<223> n = A,T,C or G

<400> 347

acacacataa tattataaaa tgccatctaa ttggaaggag ctttctatca ttgcaagtca	60
taaatataac ttttaaaaa ntactancag cttttaccta ngctcctaaa tgcttgtaaa	120
tctgagactg actggacca cccagacca gggcaaagat acatgttacc atatcatctt	180
tataaagaat tttttttgt c	201

<210> 348

<211> 251

<212> DNA

<213> Homo sapien

<400> 348

ctgttaatca caacatttgt gcatcacttg tgccaagtga gaaaatgttc taaaatcaca	60
agagagaaca gtgccagaat gaaactgacc ctaagtcca ggtgccctg ggcaggcaga	120
aggagacact ccagcatgg aggaggggtt atcttttcat cctaggtcag gtctacaatg	180
ggggaagggt ttattataga actcccaaca gccacactca ctctgccac ccaccgatg	240
gccctgcctc c	251

<210> 349

<211> 251

<212> DNA

<213> Homo sapien

<400> 349

taaaaatcaa gccatttaaat tgtatctttg aaggtaaaca atatattgga gctggatcac	60
aaccctgag gatgccagag ctatgggtcc agaactgggt gtggtattat caacagagtt	120
cagaagggtc tgaactctac gtgttaccag agaacataat gcaattcatg cattccactt	180
agcaattttg taaaatacca gaaacagacc ccaagagtct ttcaagatga ggaaaattca	240
actctggtt t	251

<210> 350

<211> 908

<212> DNA

<213> Homo sapien

<400> 350

ctggacactt tgcgagggt tttgctggt gctgctgctg cccgtcatgc tactcatcgt	60
agcccgcccg gtgaagctcg ctgctttccc tacctcctta agtgactgcc aaacgcccac	120
cggctggaat tgcctcgtgt atgatgacag agaaaatgat ctcttctctt gtgacaccaa	180
cacctgtaaa tttgatgggg aatgtttaag aattggagac actgtgactt gcgtctgtca	240
gttcaagtgc aacaatgact atgtgcctgt gtgtggctcc aatggggaga gctaccagaa	300
tgagtgttac ctgacgacag ctgcatgcaa acagcagagt gagatacttg tgggtgcaga	360
aggatcatgt gccacagtcc atgaaggctc tggagaaaact agtcaaaaagg agacatccac	420
ctgtgatatt tgccagtttg gtgcagaatg tgacgaagat gccgaggatg tctggtgtgt	480
gtgtaatat gactgttctc aaaccaactt caatcccctc tgcgttctct atgggaaatc	540
ttatgataat gcatgccaaa tcaagaagc atcgtgtcag aaacaggaga aaattgaagt	600
catgtctttg ggtcgatgtc aagataacac aactacaact actaagtctg aagatgggca	660
ttatgcaaga acagattatg cagagaatgc taacaaatta gaagaaagtg ccagagaaca	720
ccacatacct tgtccggaac attacaatgg cttctgcatg catgggaagt gtgagcattc	780
tatcaatatg caggagccat cttgcagggt tgatgctggt tatactggac aacactgtga	840
aaaaaaggac tacagtgttc tatacgttgt tcccggctct gtacgatttc agtatgtctt	900
aatcgcat	908

<210> 351

<211> 472

<212> DNA

<213> Homo sapien

<400> 351

ccagttattt gcaagtggta agagcctatt taccataaat aatactaaga accaactcaa	60
gtcaaacctt aatgccattg ttattgtgaa ttaggattaa gtagtaattt tcaaaattca	120
cattaacttg attttaaaat cagwtttgyg agtcatttac cacaagctaa atgtgtacac	180
tatgataaaa acaaccattg tattcctgtt tttctaaaca gtcctaattt ctaacactgt	240
atatatcctt cgacatcaat gaactttgtt ttcttttact ccagtaataa agtaggcaca	300
gatctgtcca caacaaactt gccctctcat gccttgctc tcaccatgct ctgctccagg	360
tcagccccc tttggcctgt ttgttttgtc aaaaacctaa tctgcttctt gcttttcttg	420
gtaatatata tttagggaag atgttgcttt gccacacac gaagcaaagt aa	472

<210> 352

<211> 251

<212> DNA

<213> Homo sapien

<400> 352

ctcaaagcta atctctcggg aatcaaacca gaaaagggca aggatcttag gcatgggtgga	60
tgtggataag gccagggtcaa tggctgcaag catgcagaga aagaggtaca tgggagcgtg	120
caggctgcgt tccgtcctta cgatgaagac cacgatgcag tttccaaaca ttgccactac	180
atacatggaa aggaggggga agccaaccca gaaatgggct ttctctaata ctgggatacc	240
aataagcaca a	251

<210> 353
 <211> 436
 <212> DNA
 <213> Homo sapien

<400> 353
 tttttttttt tttttttttt tttttttacaa caatgcagtc atttatttat tgagtatgtg 60
 cacattatgg tattattact atactgatta tatttatcat gtgacttcta attaraaaat 120
 gtatccaaaa gcaaaacagc agatatacaa aattaaagag acagaagata gacattaaca 180
 gataaggcaa cttatacatt gacaatccaa atccaatata tttaaacatt tgggaaatga 240
 gggggacaaa tggaagccar atcaaatttg tgtaaaacta ttcagtatgt ttcccttgc 300
 tcatgtctga raaggctctc ccttcaatgg ggatgacaaa ctccaaatgc cacacaaatg 360
 ttaacagaat actagattca cactggaacg ggggtaaaga agaaattatt ttctataaaa 420
 gggctcctaa tgtagt 436

<210> 354
 <211> 854
 <212> DNA
 <213> Homo sapien

<400> 354
 ccttttctag ttcaccagtt ttctgcaagg atgctgggta gggagtgtct gcaggaggag 60
 caagtctgaa accaaatcta ggaaacatag gaaacgagcc aggcacaggg ctgggtgggccc 120
 atcagggacc accctttggg ttgatatttt gcttaatctg catcttttga gtaagatcat 180
 ctggcagtag aagctgttct ccaggtagat ttctctagct catgtacaaa aacatcctga 240
 aggactttgt caggtgcctt gctaaaagcc agatgcgttc ggcacttcct tgggtctgagg 300
 ttaattgcac acctacaggg actgggctca tgctttcaag tattttgtcc tcactttagg 360
 gtgagtgaag gatccccatt ataggagcac ttgggagaga tcatataaaa gctgactctt 420
 gactacatgc agtaatgggg tagatgtgtg tgggtgtgtct tcattcctgc aagggtgctt 480
 gttagggagt gtttcaggga ggaacaagtc tgaaaccaat catgaaataa atggtaggtg 540
 tgaactggaa aactaattca aaagagagat cgtgatatca gtgtggttga tacaccttgg 600
 caatatggaa ggctctaatt tgcccatatt tgaaataata attcagcttt ttgtaataca 660
 aaataacaaa ggattgagaa tcatggtgtc taatgtataa aagaccagg aaacataaat 720
 atatcaactg cataaatgta aaatgcatgt gacccaagaa ggccccaag tggcagacaa 780
 cattgtaccc attttccctt ccaaaatgtg agcggcgggc ctgctgcttt caaggctgtc 840
 acacgggatg tcag 854

<210> 355
 <211> 676
 <212> DNA
 <213> Homo sapien

<400> 355
 gaaattaagt atgagctaaa ttccctgtta aaacctctag ggggtgacaga tctcttcaac 60
 caggtcaaag ctgatctttc tggaatgtca ccaaccaagg gcctatatatt atcaaaaagcc 120
 atccacaagt catacctgga tgtcagcgaa gagggcacgg aggcagcagc agccactggg 180
 gacagcatcg ctgtaaaaag cctaccaatg agagctcagt tcaaggcgaa ccacccttc 240
 ctgttcttta taaggcacac tcataccaac acgatcctat tctgtggcaa gcttgctct 300
 ccctaatacag atgggggttga gtaaggetca gagttgcaga tgagggtgcag agacaatcct 360
 gtgactttcc cacggccaaa aagctgttca cacctcacgc acctctgtgc ctgagtttgc 420
 tcatctgcaa aataggtcta ggatttcttc caaccatttc atgagttgtg aagctaaggc 480
 ttgtttaatc atggaaaaag gtagacttat gcagaaaagc tttctggctt tcttatctgt 540
 ggtgtctcat ttgagtgtcg tccagtgaac tgatcaagtc aatgagtaaa attttaaggg 600
 attagatttt cttgacttgt atgtatctgt gagatcttga ataagtgacc tgacatctct 660
 gcttaaagaa aaccag 676

<210> 356

<211> 574
 <212> DNA
 <213> Homo sapien

<400> 356
 tttttttttt ttttttcagga aaacattctc ttacttttatt tgcattctcag caaaggttct 60
 catgtggcac ctgactggca tcaaaccaaa gtctgtaggc caacaaagat gggccactca 120
 caagcttccc attttagat ctgactgcct atgagtatct gacacctgtt cctctcttca 180
 gtctcttagg gaggtctaaa tctgtctcag gtgtgctaag agtgccagcc caaggkggtc 240
 aaaagtccac aaaactgcag tctttgctgg gatagtaagc caagcagtgc ctggacagca 300
 gagttctttt cttgggcaac agataaccag acaggactct aatcgtgctc ttattcaaca 360
 ttcttctgtc tctgcctaga ctggaataaa aagccaatct ctctcgtggc acaggggaagg 420
 agatacaagc tcggtttacat gtgatatagc taacaaaggc atctaccgaa gtctgggtctg 480
 gatagacggc acagggagct cttaggtcag cgtgctggtg tggaggacat tcctgagtc 540
 agctttgcag cctttgtgca acagtacttt ccca 574

<210> 357
 <211> 393
 <212> DNA
 <213> Homo sapien

<400> 357
 tttttttttt tttttttttt tttttttttt tacagaatat aratgcttta tcaactgkact 60
 taatatggkg kcttggtcac tatacttaaa aatgcaccac tcataaatat ttaattcagc 120
 aagccacaac caaracttga tttatcaac aaaaaccctt aaatataaac ggsaaaaaag 180
 atagatataa ttattccagt ttttttaaaa cttaaaarat attccattgc cgaattaara 240
 araarataag tgttatatgg aaagaagggc attcaagcac actaaaraaa cctgaggkaa 300
 gcataatctg taaaaaatta aactgtcctt tttggcattt taacaaattt gcaacgktct 360
 tttttttctt tttctgtttt tttttttttt tac 393

<210> 358
 <211> 630
 <212> DNA
 <213> Homo sapien

<400> 358
 acagggtaaa caggaggatc cttgctctca cggagcttac attctagcag gaggacaata 60
 ttaatgttta taggaaaatg atgagtttat gacaaaggaa gtagatagtg ttttacaaga 120
 gcatagagta gggaagctaa tccagcacag ggaggtcaca gagacatccc taaggaagtg 180
 gagtttaaac tgagagaagc aagtgtctaa actgaaggat gtgttgaaga agaagggaga 240
 gtagaacaat ttgggcagag ggaaccttat agaccctaag gtgggaaggt tcaaagaact 300
 gaaagagagc tagaacagct ggagccgttc tccggtgtaa agaggagtca aagagataag 360
 attaaagatg tgaagattaa gatcttggtg gcattcaggg attggcactt ctacaagaaa 420
 tcaactgaagg gagtaatgtg acattacttt tcacttcagg atggccattc taactccagg 480
 gggtagactg gactaggtaa gactggaggc aggtagacct cttctaaggc ctgcgatagt 540
 gaaagacaaa aataagtggg gaaattcagg ggatagttaa aatcagtagg acttaatgag 600
 caagccagag gttcctccac aacaaccagt 630

<210> 359
 <211> 620
 <212> DNA
 <213> Homo sapien

<400> 359
 acagcattcc aaaatataca tctagagact aarrgtaaat gctctatagt gaagaagtaa 60
 taattaaaaa atgctactaa tatagaaaat ttataatcag aaaaataaat attcagggag 120
 ctaccagaa gaataaagtg ctctgccagt tattaaagga ttactgctgg tgaattaaat 180
 atggcattcc ccaagggaaa tagagagatt cttctggatt atgttcaata tttatttcac 240

aggattaact gtttttaggaa cagatataaa gcttcgccac ggaagagatg gacaaagcac 300
aaagacaaca tgatacctta ggaagcaaca ctaccctttc aggcataaaa tttggagaaa 360
tgcaacatta tgcttcatga ataatatgta gaaagaaggt ctgatgaaaa tgacatcctt 420
aatgtaagat aactttataa gaattctggg tcaaataaaa ttctttgaag aaaacatcca 480
aatgtcattg acttatcaaa tactatcttg gcatataacc tatgaaggca aaactaaaca 540
aacaaaaagc tcacaccaa caaaaccatc aacttatttt gtattctata acatacgaga 600
ctgtaaagat gtgacagtgt 620

<210> 360

<211> 431

<212> DNA

<213> Homo sapien

<400> 360

aaaaaaaa agccagaaca acatgtgata gataatatga ttggctgcac acttcagac 60
tgatgaatga tgaacgtgat ggactattgt atggagcaca tcttcagcaa gagggggaaa 120
tactcatcat ttttggccag cagttgtttg atcaccaaac atcatgccag aatactcagc 180
aaaccttctt agctcttgag aagtcaaagt ccgggggaat ttattcctgg caattttaat 240
tggactcctt atgtgagagc agcggctacc cagctggggt ggtggagcga acccgtcact 300
agtggacatg cagtggcaga gctcctggta accacctaga ggaatacaca ggcacatgtg 360
tgatgccaag cgtgacacct gtagcactca aatttgtctt gtttttgtct ttcgggtgtg 420
agattcttag t 431

<210> 361

<211> 351

<212> DNA

<213> Homo sapien

<400> 361

acactgattt ccgatcaaaa gaatcatcat ctttaccttg acttttcagg gaattactga 60
actttcttct cagaagatag ggcacagcca ttgccttggc ctcaactgaa gggctctgcat 120
ttgggtcctc tgggtctctg ccaagtttcc cagccactcg agggagaaat atcgggaggt 180
ttgacttctt ccggggcttt cccgagggct tcaccgtgag cctgcccggc ctcagggctg 240
caatcctgga ttcaatgtct gaaacctcgc tctctgcctg ctggacttct gaggccgtca 300
ctgccactct gtccctccagc tctgacagct cctcatctgt ggtcctgttg t 351

<210> 362

<211> 463

<212> DNA

<213> Homo sapien

<400> 362

acttcatcag gccataatgg gtgcctcccg tgagaatcca agcacctttg gactgcgcga 60
tgtagatgag ccggctgaag atcttgcgca tgcgcggctt cagggcgaag ttcttggcgc 120
ccccggtcac agaaatgacc aggttgggtg ttttcagggt ccagtgtctg gtcagcagct 180
cgtaaaggat ttccgcgtcc gtgtcgcagg acagacgtat atacttccct ttcttcccca 240
gtgtctcaaa ctgaatatcc ccaaaggcgt cggtaggaaa ttcccttggtg tgtttcttgt 300
agttccattt ctcaactttg ttgatctggg tgccttccat gtgctggctc tgggcatagc 360
cacacttgca cacattctcc ctgataagca cgatggtgtg gacaggaagg aaggatttca 420
ttgagcctgc ttatggaaac tggattgtt agcttaataa gac 463

<210> 363

<211> 653

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(653)

<223> n = A,T,C or G

<400> 363

```

acccccgagt ncctgnetgg catactgnga acgaccaacg acacacccaa gctcggcctc      60
ctcttgngga ttctgggtga catcttcatg aatggcaacc gtgccagwga ggctgtcctc      120
tgggaggcac tacgcaagat gggactgcgt cctgggggtga gacatcctct ccttgagat      180
ctaacgaaac ttctcaccta tgagttgtaa agcagaaata cctgnactac agacgagtgc      240
ccaacagcaa cccccgggaa gtatgagttc ctctrgggcc tccgttccta ccatgagasc      300
tagcaagatg naagtgttga gantcattgc agaggttcag aaaagagacc cntcgtgact      360
ggtctgcaca gttcatggag gctgcagatg aggccttggg tgctctggat gctgctgcag      420
ctgaggccga agccccggct gaagcaagaa cccgcatggg aattggagat gaggctgtgt      480
ntgggccctg gagctgggat gacattgagt ttgagctgct gacctgggat gaggaaggag      540
atcttgagag tccntggtcc agaattccat ttaccttctg ggccagatac caccagaatg      600
cccgtccag attccctcag acctttgccg gtcccattat tggctstggt ggt              653

```

<210> 364

<211> 401

<212> DNA

<213> Homo sapien

<400> 364

```

actagaggaa agacgttaaa ccactctact accacttgtg gaactctcaa agggtaaatg      60
acaaagccaa tgaatgactc taaaaacaat atttacattt aatggtttgt agacaataaa      120
aaaacaaggt gtagatgctt agaattgtaa cattttaaga aaaccatagc atttgacaga      180
tgagaaagct caattataga tgcaaagtta taactaaact actatagtag taaagaaata      240
catttcacac cttcatata aattcactat cttggcttga ggcaactccat aaaatgtatc      300
acgtgcatag taaatcttta tatttgctat ggcgttgac tagaggactt ggactgcaac      360
aagtggatgc gcggaaaatg aaatcttctt caatagccca g              401

```

<210> 365

<211> 356

<212> DNA

<213> Homo sapien

<400> 365

```

ccagtgtcat atttgggctt aaaatttcaa gaagggcact tcaaattggct ttgcatttgc      60
atgtttcagt gctagagcgt aggaatagac cctggcgctc actgtgagat gttcttcagc      120
taccagagca tcaagtctct gcagcaggtc attcttgggt aaagaaatga cttccacaaa      180
ctctccatcc cctggctttg gcttcggcct tcgcttttcg gcatcatctc cgtaaatggt      240
gactgtcacg atgtgtatag tacagtttga caagcctggg tccatacaga ccgctggaga      300
acattcggca atgtcccctt tgtagccagt ttcttcttcg agctcccga gagcag      356

```

<210> 366

<211> 1851

<212> DNA

<213> Homo sapien

<400> 366

```

tcatacccat tgccagcagc ggcaccgtta gtcaggtttt ctgggaatcc cacatgagta      60
cttcggtgtt cttcattctt cttcaatagc cataaatctt ctagctctgg ctggctgttt      120
tacttctctt taagcctttg tgactcttcc totgatgtca gctttaagtc ttgttctgga      180
ttgtgttttt cagaagagat ttttaacatc tgtttttctt tgtagtcaga aagtaactgg      240
caaattacat gatgatgact agaaacagca tactctctgg ccgtctttcc agatcttgag      300
aagatacatc aacattttgc tcaagtagag ggctgactat acttgctgat ccacaacata      360
cagcaagtat gagagcagtt cttccatata tatccagcgc atttaaatcc gcttttttct      420
tgattaaaaa tttcaccact tgctgttttt gctcatgtat accaagtagc agtgggtgtga      480
ggccatgctt gttttttgat tcgatatcag caccgtataa gagcagtgct ttggccatta      540

```

atztatcttc	attgtagaca	gcatagtgtg	gagtgggtatt	tccatactca	tctggaatat	600
ttggatcagt	gccatgttcc	agcaacatta	acgcacattc	atcttctctg	cattgtacgg	660
cctttgtcag	agctgtcctc	ttttgttgt	caaggacatt	aagttgacat	cgctgtcca	720
gcacgagttt	tactacttct	gaattcccat	tggcagaggc	cagatgtaga	gcagtcctct	780
tttgcttgtc	cctcttggtc	acatccgtgt	ccctgagcat	gacgatgaga	tcctttctgg	840
ggactttacc	ccaccaggca	gctctgtgga	gcttgtccag	atcttctcca	tggacgtggt	900
acctggggtc	catgaaggcg	ctgtcatcgt	agtctcccca	agcgaccacg	ttgctcttgc	960
cgctccccctg	cagcagggga	agcagtggca	gcaccacttg	cacctcttgc	tcccaagcgt	1020
cttcacagag	gagtcgttgt	ggtctccaga	agtgtccacg	ttgctcttgc	cgctccccct	1080
gtccatccag	ggaggaagaa	atgcaggaaa	tgaagatgc	atgcacgatg	gtatactct	1140
cagccatcaa	acttctggac	agcaggtcac	ttccagcaag	gtggagaaag	ctgtccaccc	1200
acagaggatg	agatccagaa	accacaatat	ccattcacaa	acaaacactt	ttcagccaga	1260
cacaggtact	gaaatcatgt	catctgcggc	aacatggtgg	aacctaccca	atcacacatc	1320
aagagatgaa	gacactgcag	tatatctgca	caacgtaata	ctcttcatcc	ataacaaaat	1380
aataataattt	tcctctggag	ccatatggat	gaactatgaa	ggaagaactc	cccgaagaag	1440
ccagtcgcag	agaagccaca	ctgaagctct	gtcctcagcc	atcagcgcca	cggacaggag	1500
tgtgtttctt	ccccagtgat	gcagcctcaa	gttatcccgga	agctgccgca	gcacacgggtg	1560
gctcctgaga	aacaccccag	ctcttccggg	ctaacacagg	caagtcaata	aatgtgataa	1620
tcacataaac	agaattaaaa	gcaaagtcaac	ataagcatct	caacagacac	agaaaaggca	1680
tttgacaaaa	ttcagcatcc	ttgtatttat	tgttgcagtt	ctcagaggaa	atgcttctaa	1740
cttttcccca	tttagtatta	tgttggctgt	gggcttgctc	taggtggttt	ttattacttt	1800
aaggatgtc	ccttctatgc	ctgttttgct	gagggtttta	attctcgtgc	c	1851

<210> 367

<211> 668

<212> DNA

<213> Homo sapien

<400> 367

cttgagcttc	caaataygga	agactggccc	ttacacasgt	caatgttaaa	atgaatgcatt	60
ttcagtattt	tgaagataaa	atrrgtagat	ctataccttg	ttttttgatt	cgatatcagc	120
accrtataag	agcagtgcct	tggccattaa	tttatcttcc	atrrtagaca	gcrtagtgya	180
gagtgggtatt	tccatactca	tctggaatat	ttggatcagt	gccatgttcc	agcaacatta	240
acgcacattc	atcttctctg	cattgtacgg	cctgtcagta	ttagacccaa	aaacaaatta	300
catatcttag	gaattcaaaa	taacattcca	cagctttcac	caactagtta	tatttaaagg	360
agaaaaactca	tttttatgcc	atgtattgaa	atcaaaacca	cctcatgctg	atatagttgg	420
ctactgcata	cctttatcag	agctgtcctc	ttttgttgt	caaggacatt	aagttgacat	480
cytctgtcca	gcaggagttt	tactacttct	gaattcccat	tggcagaggc	cagatgtaga	540
gcagtcctat	gagagtgaga	agacttttta	ggaaattgta	gtgcactagc	tacagccata	600
gcaatgatcc	atgtaactgc	aaacactgaa	tagcctgcta	ttactctgcc	ttcaaaaaaa	660
aaaaaaa						668

<210> 368

<211> 1512

<212> DNA

<213> Homo sapien

<400> 368

gggtcgccca	ggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggctgggc	trgaatcccc	tgctgggggt	ggcaggtttt	ggctggggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagtgtgt	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tggtaaaagc	agatgggtgt	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtgaagaag	ccatttggct	tcaggagcaa	gatgggcaag	300
tgggtgctgcc	gttgcctccc	ctgctgcagg	gagagcgcca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtgggtgccg	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagt	600

gccttcatgg	agcccaggta	ccacgtccgt	ggagaagatc	tggacaagct	ccacagagct	660
gcctgggtggg	gtaaagtccc	cagaaaggat	ctcatcgtca	tgctcaggga	cactgacgtg	720
aacaagaagg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgctgt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	aggtatagat	ctactaattt	tatcttcaaa	atactgaaat	gcattcattt	1080
taacattgac	gtgtgtaagg	gccagtcttc	cgtatttggg	agctcaagca	taacttgaat	1140
gaaaatattt	tgaaatgacc	taattatctm	agactttatt	ttaaattattg	ttattttcaa	1200
agaagcatta	gaggggtacag	tttttttttt	ttaaattgcac	ttctggtaaa	tacttttggt	1260
gaaaacactg	aatttgtaaa	aggtaatact	tactattttt	caatttttcc	ctcctaggat	1320
ttttttcccc	taatgaatgt	aagatggcaa	aatttgcctt	gaaataggtt	ttacatgaaa	1380
actccaagaa	aagttaaaaca	tgtttcagtg	aatagagatc	ctgctccttt	ggcaagttcc	1440
taaaaaacag	taatagatac	gaggtgatgc	gcctgtcagt	ggcaaggttt	aagatatttc	1500
tgatctcgtg	cc					1512

<210> 369

<211> 1853

<212> DNA

<213> Homo sapien

<400> 369

gggtcgccca	ggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggtcgggc	trgaatcccc	tgtcgggggt	ggcaggtttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagttggt	gaaactgggt	ggtagacgcy	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaaagc	agatggtggt	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtgaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tggtgctgcc	gttgcctccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggt	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagy	600
gccttcatgg	akcccaggta	ccacgtccrt	ggagaagatc	tggacaagct	ccacagagct	660
gcctgggtggg	gtaaagtccc	cagaaaggat	ctcatcgtca	tgctcaggga	cackgaygtg	720
aacaagargg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgctgt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	agcatggcct	cacaccactg	ytacttggtg	tacatgagca	aaaacagcaa	1080
gtsgtgaaat	ttttaatyaa	gaaaaaagcg	aattttaaata	gcrcctggata	gatattggaag	1140
ractgctctc	atacttgctg	tatgttggtg	atcagcaagt	atagtcagcc	ytctacttga	1200
gcaaaaatrtt	gatgtatctt	ctcaagatct	ggaaagacgg	ccagagagta	tgctgtttct	1260
agtcacatc	atgtaatttg	ccagttactt	tctgactaca	aagaaaaaca	gatgttaaaa	1320
atctcttctg	aaaacagcaa	tccagaacaa	gacttaaagc	tgacatcaga	ggaagagtca	1380
caaaggctta	aagggaagtga	aaacagccag	ccagaggcat	ggaaactttt	aaatttaaac	1440
tttttggttta	atgttttttt	tttttgctt	aataatatta	gatagtccca	aatgaaatwa	1500
cctatgagac	taggctttga	gaatcaatag	attctttttt	taagaatctt	ttggctagga	1560
gcggtgtctc	acgcctgtaa	ttccagcacc	ttgagaggct	gaggtgggca	gatcacgaga	1620
tcaggagatc	gagaccatcc	tggctaacac	ggtgaaaccc	catctctact	aaaaatacaa	1680
aaacttagct	gggtgtggtg	gcgggtgcct	gtagtcccag	ctactcagga	rgctgaggca	1740
ggagaatggc	atgaaccg	gaggtggagg	ttgcagttag	ccgagatccg	ccactacact	1800
ccagcctggg	tgacagagca	agactctgtc	tcaaaaaaaaa	aaaaaaaaaaa	aaa	1853

<210> 370

<211> 2184

<212> DNA

<213> Homo sapien

<400> 370

```

ggcacgagaa ttaaaaccct cagcaaaaca ggcatagaag ggacatacct taaagtaata      60
aaaaccacct atgacaagcc cacagccaac ataatactaa atggggaaaa gttagaagca      120
tttctctga gaactgcaac aataaatata aggatgctgg attttgtcaa atgccttttc      180
tgtgtctgtt gagatgctta tgtgactttg cttttaattc tgtttatgtg attatcacat      240
ttattgactt gcctgtgtta gaccggaaga gctggggtgt ttctcaggag ccaccgtgtg      300
ctgcggcagc ttcgggataa cttgaggctg catcactggg gaagaaacac aytccgtgcc      360
gtggcgctga tggctgagga cagagcttca gtgtggcttc tctgcgactg gcttcttcgg      420
ggagtctctc cttcatagtt catccatatt gctccagagg aaaattatat tattttgtta      480
tggatgaaga gtattacgtt gtgcagatat actgcagtgt cttcatctct tgatgtgtga      540
ttgggtagggt tccaccatgt tgccgcagat gacatgattt cagtacctgt gtctggctga      600
aaagtgtttg tttgtgaatg gatattgtgg tttctggatc tcactcctctg tgggtggaca      660
gctttctcca ccttgctgga agtgacctgc tgtccagaag tttgatggct gaggagtata      720
ccatcggtgca tgcactcttc atttctctga tttcttctc cctggatgga cagggggagc      780
ggcaagagca acgtgggcac ttctggagac cacaacgact cctctgtgaa gacgcttggg      840
agcaagaggt gcaagtgggt ctgccactgc ttccctgct gcaggggagc ggcaagagca      900
acgtggtcgc ttggggagac tacgatgaca gcgccttcat ggatcccagg taccacgtcc      960
atgggaaga ctggacaag ctccacagag ctgcctgggt gggtaaagtc ccagaaagg      1020
atctcatcgt catgctcagg gacacggatg tgaacaagag ggacaagcaa aagaggactg      1080
ctctacatct ggctctgccc aatgggaatt cagaagtagt aaaactcgtg ctggacagac      1140
gatgtcaact taatgtcctt gacaacaaaa agaggacagc tctgacaaag gccgtacaat      1200
gccaggaaga tgaatgtgct ttaatgttgc tggacatagg cactgatcca aatattccag      1260
atgagtatgg aaataccact ctacactatg ctgtctacaa tgaagataaa ttaatggcca      1320
aagcactgct cttatacggg gctgatatcg aatcaaaaaa caagcatggc ctacaccac      1380
tgctacttgg tatacatgag caaaaacagc aagtgggtgaa atttttaatc aagaaaaaag      1440
cgaatttaaa tgcgtggat agatatggaa gaactgctct catacttgct gtatgttgtg      1500
gatcagcaag tatagtcagc cctctacttg agcaaaatgt tgatgtatct tctcaagatc      1560
tggaaagacg gccagagagt atgctgtttc tagtcatcat catgtaattt gccagtact      1620
ttctgactac aaagaaaaac agatgttaaa aatctcttct gaaaacagca atccagaaca      1680
agacttaag ctgacatcag aggaagagtc acaaaggctt aaaggaaagt aaaacagcca      1740
gcagaggca tggaaacttt taaatttaaa cttttggttt aatgtttttt tttttgcct      1800
taataatatt agatagtcct aaatgaaatw acctatgaga ctaggctttg agaatacaata      1860
gattcttttt ttaagaatct tttggctagg agcgggtgct cagcctgta attccagcac      1920
cttgagaggc tgaggtgggc agatcacgag atcaggagat cgagaccatc ctggctaaca      1980
cggtgaaacc ccatctctac taaaaatata aaaacttagc tgggtgtggt ggcggtgcc      2040
tgtagtccca gctactcagg argctgaggc aggagaatgg catgaaccgc ggaggtggag      2100
gttgcatgga gccgagatcc gccactacac tccagcctgg gtgacagagc aagactctgt      2160
ctcaaaaaaa aaaaaaaaaa aaaa

```

<210> 371

<211> 1855

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1855)

<223> n = A,T,C or G

<400> 371

```

tgacgcac gcagctgtc tgtgccacgt aactgacgc cccctgagat gtgcacgccg      60
cacgcgcacg ttgcacgcgc ggcagcggt tggctggctt gtaacggctt gcacgcgcac      120
gccgcccccg cataaccgtc agactggcct gtaacggctt gcagcgcac gccgcacgcg      180
cgtaacggct tggctgccct gtaacggctt gcacgtgcat gctgcacgcg cgtaacggc      240
ttggctggca tgtagccgct tggcttggct ttgcatttct tgcctggctk ggcttgkty      300
tcttggattg acgttctct cttggatkgc cgttctctcc ttggatkgac gtttcytyt      360

```

tcgcgttcc	ttgctggaact	tgacctttty	tctgctgggt	ttggcattcc	tttgggggtgg	420
gctgggtgtt	ttctccgggg	gggkkgccc	ttctgggggt	gggcgtgggk	cgccccagg	480
gggcgtgggc	tttcccggg	tggtgtggg	tttctctggg	gtgggggtggg	ctgtgctggg	540
atccccctgc	tgggggtggc	agggattgac	tttttcttc	aaacagattg	gaaacccgga	600
gtaacntgct	agttggtgaa	actggttgg	agacgcgac	tgctggtact	actgtttctc	660
ctggctgtta	aaagcagatg	gtggctgagg	ttgattcaat	gccggctgct	tcttctgtga	720
agaagccatt	tgggtctcagg	agcaagatgg	gcaagtgggt	cgccactgct	tccccgtctg	780
cagggggagc	ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	840
gacgcttggg	agcaagaggt	gcaagtgggt	ctgcccactg	cttccccctgc	tgaggggag	900
cggcaagagc	aacgtggkcg	cttggggaga	ctacgatgac	agcgccttca	tggakcccag	960
gtaccacgtc	crtggagaag	atctggacaa	gctccacaga	gctgcctggt	ggggtaaagt	1020
cccagaaaag	gatctcatcg	tcatgctcag	ggacactgay	gtgaacaaga	rggacaagca	1080
aaagaggact	gctctacatc	tggcctctgc	caatgggaat	tcagaagtag	taaaactcgt	1140
gctggacaga	cgatgtcaac	ttaatgtcct	tgacaacaaa	aagaggacag	ctctgacaaa	1200
ggcgtacaa	tgccaggaag	atgaatgtgc	gttaatgttg	ctggaacatg	gcactgatcc	1260
aaatattcca	gatgagtatg	gaaataccac	tctacactat	gctgtctaca	atgaagtata	1320
attaatggcc	aaagcactgc	tcttatacgg	tgctgatatc	gaatcaaaaa	acaaggtata	1380
gatctactaa	ttttatcttc	aaaatactga	aatgcattca	ttttaacatt	gacgtgtgta	1440
agggccagtc	ttccgtattt	ggaagctcaa	gcataacttg	aatgaaaata	ttttgaaatg	1500
acctaatat	ctaagacttt	attttaata	ttgtattttt	caaagaagca	ttagagggtta	1560
cagttttttt	tttttaaatg	cacttctggt	aaatactttt	gttgaaaaca	ctgaatttgt	1620
aaaaggtaat	acttactatt	tttcaatttt	tcctccttag	gatttttttc	ccctaataag	1680
tgtaagatgg	caaaatttgc	cctgaaatag	gttttacatg	aaaactccaa	gaaaagttaa	1740
acatgtttca	gtgaatagag	atcctgctcc	tttggcaagt	tcctaaaaaa	cagtaataga	1800
tacgagtgga	tgcgctgtc	agtggcaagg	tttaagatat	ttctgatctc	gtgcc	1855

<210> 372

<211> 1059

<212> DNA

<213> Homo sapien

<400> 372

gcaacgtggg	cacttctgga	gaccacaacg	actcctctgt	gaagacgctt	gggagcaaga	60
ggtgcaagtg	gtgctgcccc	ctgcttcccc	tgctgcaggg	gagcggcaag	agcaacgtgg	120
gcgcttgrgg	agactmcgat	gacagygcct	tcattggagcc	caggtaccac	gtccgtggag	180
aagatctgga	caagctccac	agagctgccc	tggtggggta	aagtccccag	aaaggatctc	240
atcgctcatgc	tcagggacac	tgaygtgaac	aagarggaca	agcaaaagag	gactgctcta	300
catctggcct	ctgccaatgg	gaattcagaa	gtagtaaaac	tcstgctgga	cagacgatgt	360
caacttaatg	tccttgacaa	caaaaagagg	acagctctga	yaaaggccgt	acaatgccag	420
gaagatgaat	gtgcgttaat	gttgctggaa	catggcactg	atccaaatat	tccagatgag	480
tatggaaata	ccactctrca	ctaygctrct	tayaatgaag	ataaattaat	ggccaaagca	540
ctgctcttat	aygggtgctga	tatcgaatca	aaaaacaagg	tatagatcta	ctaattttat	600
cttcaaaaata	ctgaaatgca	ttcattttta	cattgacgtg	tgtaagggcc	agtcttccgt	660
atttggaagc	tcaagcataa	cttgaatgaa	aatattttga	aatgacctaa	ttatctaaga	720
ctttattttta	aatattgtta	ttttcaaaga	agcattagag	ggtacagttt	ttttttttta	780
aatgcacttc	tggtaaatac	ttttgttgaa	aacactgaat	ttgtaaaagg	taatacttac	840
tatttttcaa	tttttccctc	ctaggatttt	tttcccctaa	tgaatgtaag	atggcaaaat	900
ttgccctgaa	ataggtttta	catgaaaact	ccaagaaaag	ttaaactatg	ttcagtgaat	960
agagatcctg	ctcctttggc	aagttcctaa	aaaacagtaa	tagatacgag	gtgatgcgcc	1020
tgctcagtgcc	aaggtttaag	atatttctga	tctcgtgcc			1059

<210> 373

<211> 1155

<212> DNA

<213> Homo sapien

<400> 373

atggtgggtg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttggtctc	60
------------	------------	------------	------------	------------	------------	----

aggagcaaga	tgggcaagt	gtgctgccgt	tgcttcccct	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcagg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctgggtgggt	aaagtcccca	gaaaggatct	catcgtcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgttaa	tggtgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatgggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtgta	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaaa	tgtctcaaga	1140
accagaaata	aataa					1155

<210> 374

<211> 2000

<212> DNA

<213> Homo sapien

<400> 374

atgggtggtt	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttggcttc	60
aggagcaaga	tgggcaagt	gtgctgccgt	tgcttcccct	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcagg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctgggtgggt	aaagtcccca	gaaaggatct	catcgtcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgttaa	tggtgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatgggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtgta	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaaag	1140
ctgacatcag	aggaagagtc	acaaagggttc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtgt	cactgctggc	1320
aatgggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaattt	1380
cctgacaacg	aaagtgaaga	gtatcacaga	atttgcgaat	tagtttctga	ctacaaagaa	1440
aaacagatgc	caaaatactc	ttctgaaaac	agcaaccag	aacaagactt	aaagctgaca	1500
tcagaggaag	agtcacaaag	gcttgagggc	agtgaanaatg	gccagccaga	gctagaaaat	1560
tttatggcta	tcgaagaaat	gaagaagcac	ggaagtactc	atgtcggatt	cccagaaaac	1620
ctgactaatg	gtgccactgc	tggcaatggt	gatgatggat	taattcctcc	aaggagagac	1680
agaacacctg	aaagccagca	atttcctgac	actgagaatg	aagagtatca	cagtgcagaa	1740
caaatgata	ctcagaagca	attttgtgaa	gaacagaaca	ctggaatatt	acacgatgag	1800
attctgatcc	atgaagaaaa	gcagatagaa	gtgggtgaaa	aaatgaattc	tgagctttct	1860
cttagttgta	agaaagaaaa	agacatcttg	catgaaaata	gtacgttgcg	ggaagaaatt	1920

gccatgctaa gactggagct agacacaatg aaacatcaga gccagctaaa aaaaaaaaaa 1980
 aaaaaaaaaa aaaaaaaaaa 2000

<210> 375
 <211> 2040
 <212> DNA
 <213> Homo sapien

<400> 375
 atggtggttg aggttgattc catgccggct gcctcttctg tgaagaagcc atttgggtctc 60
 aggagcaaga tgggcaagtg gtgctgccgt tgcttccctt gctgcaggga gagcggaag 120
 agcaacgtgg gcacttctgg agaccacgac gactctgcta tgaagacact caggagcaag 180
 atgggcaagt ggtgccgcca ctgcttcccc tgctgcaggg ggagtggcaa gagcaacgtg 240
 ggcgcttctg gagaccacga cgactctgct atgaagacac tcaggaacaa gatgggcaag 300
 tgggtgctgcc actgcttccc ctgctgcagg gggagcggca agagcaaggt gggcgcttgg 360
 ggagactacg atgacagtgc cttcatggag cccagggtacc acgtccgtgg agaagatctg 420
 gacaagctcc acagagctgc ctggtggggg aaagtcccca gaaaggatct catcgcatg 480
 ctgagggaca ctgacgtgaa caagaaggac aagcaaaaaga ggactgctct acatctggcc 540
 tctgccaatg ggaattcaga agtagtaaaa ctctgctggt acagacgatg tcaacttaat 600
 gtcccttgaca acaaaaagag gacagctctg ataaaggccg tacaatgccg ggaagatgaa 660
 tgtgcgttaa tgttgctgga acatggcact gatccaaata ttccagatga gtatggaaat 720
 accactctgc actacgctat ctataatgaa gataaattaa tggccaaagc actgctctta 780
 tatggtgctg atatcgaatc aaaaaacaag catggcctca caccactgtt acttgggtga 840
 catgagcaaa aacagcaagt cgtgaaatth ttaatcaaga aaaaagcgaa tttaaatgca 900
 ctggatagat atggaaggac tgctctcata cttgctgtat gttgtggatc agcaagtata 960
 gtcagccttc tacttgagca aaatattgat gtatcttctc aagatctatc tggacagacg 1020
 gccagagagt atgtgtttc tagtcatcat catgtaatth gccagtactt ttctgactac 1080
 aaagaaaaac agatgctaaa aatctcttct gaaaacagca atccagaaca agacttaaaag 1140
 ctgacatcag aggaagagtc acaaagggtc aaaggcagtg aaaatagcca gccagagaaa 1200
 atgtctcaag aaccagaaat aaataaggat ggtgatagag aggttgaaga agaaatgaag 1260
 aagcatgaaa gtaataatgt gggattacta gaaaacctga ctaatggtgt cactgctggc 1320
 aatggtgata atggattaat tcctcaaagg aagagcagaa cacctgaaaa tcagcaatth 1380
 cctgacaacg aaagtgaaga gtatcacaga atthgcgaat tagtttctga ctacaaagaa 1440
 aaacagatgc caaaatactc ttctgaaaac agcaaccagc aacaagactt aaagctgaca 1500
 tcagaggaag agtcacaaaag gcttgagggc agtgaaaatg gccagccaga gaaaagatct 1560
 caagaaccag aaataaataa ggatggtgat agagagctag aaaatthtat ggctatcgaa 1620
 gaaatgaaga agcacggaag tactcatgtc ggattcccag aaaacctgac taatgggtgcc 1680
 actgctggca atggtgatga tggattaatt cctccaagga agagcagaac acctgaaagc 1740
 cagcaatthc ctgacactga gaatgaagag tatcacagtg acgaacaaaa tgatactcag 1800
 aagcaattht gtgaagaaca gaacactgga atattacacg atgagattct gattcatgaa 1860
 gaaaagcaga tagaagtggg tgaaaaaatg aattctgagc ttctcttagg ttgtaagaaa 1920
 gaaaaagaca tcttgcataa aaatagtacg ttgcgggaag aaattgccat gctaagactg 1980
 gagctagaca caatgaaca tcagagccag ctaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040

<210> 376
 <211> 329
 <212> PRT
 <213> Homo sapien

<400> 376
 Met Asp Ile Val Val Ser Gly Ser His Pro Leu Trp Val Asp Ser Phe
 1 5 10 15
 Leu His Leu Ala Gly Ser Asp Leu Leu Ser Arg Ser Leu Met Ala Glu
 20 25 30
 Glu Tyr Thr Ile Val His Ala Ser Phe Ile Ser Cys Ile Ser Ser Ser
 35 40 45
 Leu Asp Gly Gln Gly Glu Arg Gln Glu Gln Arg Gly His Phe Trp Arg
 50 55 60

Pro Gln Arg Leu Leu Cys Glu Asp Ala Trp Glu Gln Glu Val Gln Val
 65 70 75 80
 Val Leu Pro Leu Leu Pro Leu Leu Gln Gly Ser Gly Lys Ser Asn Val
 85 90 95
 Val Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr
 100 105 110
 His Val His Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp
 115 120 125
 Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp
 130 135 140
 Val Asn Lys Arg Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser
 145 150 155 160
 Ala Asn Gly Asn Ser Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys
 165 170 175
 Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala
 180 185 190
 Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly
 195 200 205
 Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr
 210 215 220
 Ala Val Tyr Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr
 225 230 235 240
 Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu
 245 250 255
 Leu Gly Ile His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys
 260 265 270
 Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu
 275 280 285
 Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu
 290 295 300
 Glu Gln Asn Val Asp Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu
 305 310 315 320
 Ser Met Leu Phe Leu Val Ile Ile Met
 325

<210> 377

<211> 148

<212> PRT

<213> Homo sapien

<220>

<221> VARIANT

<222> (1)...(148)

<223> Xaa = Any Amino Acid

<400> 377

Met Thr Xaa Pro Ser Trp Ser Pro Gly Thr Thr Ser Val Glu Lys Ile
 1 5 10 15
 Trp Thr Ser Ser Thr Glu Leu Pro Trp Trp Gly Lys Val Pro Arg Lys
 20 25 30
 Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Xaa Asp Lys
 35 40 45
 Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu
 50 55 60
 Val Val Lys Leu Xaa Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp
 65 70 75 80
 Asn Lys Lys Arg Thr Ala Leu Xaa Lys Ala Val Gln Cys Gln Glu Asp
 85 90 95

Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro
 100 105 110
 Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Xaa Tyr Asn Glu Asp
 115 120 125
 Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser
 130 135 140
 Lys Asn Lys Val
 145

<210> 378
 <211> 1719
 <212> PRT
 <213> Homo sapien

<400> 378
 Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
 165 170 175
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val

	340		345		350
Ile Cys Gln	Leu Leu Ser Asp Tyr	Lys Glu Lys Gln Met	Leu Lys Ile		
355		360		365	
Ser Ser Glu	Asn Ser Asn Pro Glu	Asn Val Ser Arg Thr	Arg Asn Lys		
370		375		380	
Pro Arg Thr	His Met Val Val Glu	Val Asp Ser Met Pro	Ala Ala Ser		
385		390		395	400
Ser Val Lys	Lys Pro Phe Gly	Leu Arg Ser Lys	Met Gly Lys	Trp Cys	
	405		410		415
Cys Arg Cys	Phe Pro Cys Cys Arg	Glu Ser Gly Lys	Ser Asn Val	Gly	
	420		425		430
Thr Ser Gly	Asp His Asp Asp Ser	Ala Met Lys Thr	Leu Arg Ser	Lys	
	435		440		445
Met Gly Lys	Trp Cys Arg His Cys	Phe Pro Cys Cys	Arg Gly Ser	Gly	
	450		455		460
Lys Ser Asn	Val Gly Ala Ser Gly	Asp His Asp Asp	Ser Ala Met	Lys	
465		470		475	480
Thr Leu Arg	Asn Lys Met Gly	Lys Trp Cys Cys	His Cys Phe	Pro Cys	
	485		490		495
Cys Arg Gly	Ser Gly Lys Ser Lys	Val Gly Ala Trp	Gly Asp Tyr	Asp	
	500		505		510
Asp Ser Ala	Phe Met Glu Pro Arg	Tyr His Val Arg	Gly Glu Asp	Leu	
	515		520		525
Asp Lys Leu	His Arg Ala Ala Trp	Trp Gly Lys Val	Pro Arg Lys	Asp	
	530		535		540
Leu Ile Val	Met Leu Arg Asp Thr	Asp Val Asn Lys	Lys Asp Lys	Gln	
545		550		555	560
Lys Arg Thr	Ala Leu His Leu	Ala Ser Ala Asn	Gly Asn Ser	Glu Val	
	565		570		575
Val Lys Leu	Leu Leu Asp Arg Arg	Cys Gln Leu Asn	Val Leu Asp	Asn	
	580		585		590
Lys Lys Arg	Thr Ala Leu Ile Lys	Ala Val Gln Cys	Gln Glu Asp	Glu	
	595		600		605
Cys Ala Leu	Met Leu Leu Glu	His Gly Thr Asp	Pro Asn Ile	Pro Asp	
	610		615		620
Glu Tyr Gly	Asn Thr Thr Leu	His Tyr Ala Ile	Tyr Asn Glu	Asp Lys	
625		630		635	640
Leu Met Ala	Lys Ala Leu Leu	Leu Tyr Gly Ala	Asp Ile Glu	Ser Lys	
	645		650		655
Asn Lys His	Gly Leu Thr Pro Leu	Leu Leu Gly Val	His Glu Gln	Lys	
	660		665		670
Gln Gln Val	Val Lys Phe Leu Ile	Lys Lys Lys Ala	Asn Leu Asn	Ala	
	675		680		685
Leu Asp Arg	Tyr Gly Arg Thr	Ala Leu Ile Leu	Ala Val Cys	Cys Gly	
	690		695		700
Ser Ala Ser	Ile Val Ser Leu	Leu Leu Glu Gln	Asn Ile Asp	Val Ser	
705		710		715	720
Ser Gln Asp	Leu Ser Gly Gln	Thr Ala Arg Glu	Tyr Ala Val	Ser Ser	
	725		730		735
His His His	Val Ile Cys Gln	Leu Leu Ser Asp	Tyr Lys Glu	Lys Gln	
	740		745		750
Met Leu Lys	Ile Ser Ser Glu	Asn Ser Asn Pro	Glu Gln Asp	Leu Lys	
	755		760		765
Leu Thr Ser	Glu Glu Glu Ser	Gln Arg Phe Lys	Gly Ser Glu	Asn Ser	
	770		775		780
Gln Pro Glu	Lys Met Ser Gln	Glu Pro Glu Ile	Asn Lys Asp	Gly Asp	
785		790		795	800
Arg Glu Val	Glu Glu Glu Met	Lys Lys His Glu	Ser Asn Asn	Val Gly	

805 810 815
 Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn
 820 825 830
 Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe
 835 840 845
 Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser
 850 855 860
 Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn
 865 870 875 880
 Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu
 885 890 895
 Glu Gly Ser Glu Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile
 900 905 910
 Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn
 915 920 925
 Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro
 930 935 940
 Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu
 945 950 955 960
 Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe
 965 970 975
 Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His
 980 985 990
 Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser
 995 1000 1005
 Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu
 1010 1015 1020
 Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His
 1025 1030 1035 1040
 Gln Ser Gln Leu Pro Arg Thr His Met Val Val Glu Val Asp Ser Met
 1045 1050 1055
 Pro Ala Ala Ser Ser Val Lys Lys Pro Phe Gly Leu Arg Ser Lys Met
 1060 1065 1070
 Gly Lys Trp Cys Cys Arg Cys Phe Pro Cys Cys Arg Glu Ser Gly Lys
 1075 1080 1085
 Ser Asn Val Gly Thr Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr
 1090 1095 1100
 Leu Arg Ser Lys Met Gly Lys Trp Cys Arg His Cys Phe Pro Cys Cys
 1105 1110 1115 1120
 Arg Gly Ser Gly Lys Ser Asn Val Gly Ala Ser Gly Asp His Asp Asp
 1125 1130 1135
 Ser Ala Met Lys Thr Leu Arg Asn Lys Met Gly Lys Trp Cys Cys His
 1140 1145 1150
 Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Lys Val Gly Ala Trp
 1155 1160 1165
 Gly Asp Tyr Asp Asp Ser Ala Phe Met Glu Pro Arg Tyr His Val Arg
 1170 1175 1180
 Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val
 1185 1190 1195 1200
 Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys
 1205 1210 1215
 Lys Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly
 1220 1225 1230
 Asn Ser Glu Val Val Lys Leu Leu Asp Arg Arg Cys Gln Leu Asn
 1235 1240 1245
 Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Ile Lys Ala Val Gln Cys
 1250 1255 1260
 Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro

1265 1270 1275 1280
 Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr
 1285 1290 1295
 Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp
 1300 1305 1310
 Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu Gly Val
 1315 1320 1325
 His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala
 1330 1335 1340
 Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala
 1345 1350 1355 1360
 Val Cys Cys Gly Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn
 1365 1370 1375
 Ile Asp Val Ser Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr
 1380 1385 1390
 Ala Val Ser Ser His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr
 1395 1400 1405
 Lys Glu Lys Gln Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu
 1410 1415 1420
 Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly
 1425 1430 1435 1440
 Ser Glu Asn Ser Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn
 1445 1450 1455
 Lys Asp Gly Asp Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser
 1460 1465 1470
 Asn Asn Val Gly Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly
 1475 1480 1485
 Asn Gly Asp Asn Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu
 1490 1495 1500
 Asn Gln Gln Phe Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys
 1505 1510 1515 1520
 Glu Leu Val Ser Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser
 1525 1530 1535
 Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu
 1540 1545 1550
 Ser Gln Arg Leu Glu Gly Ser Glu Asn Gly Gln Pro Glu Lys Arg Ser
 1555 1560 1565
 Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Leu Glu Asn Phe
 1570 1575 1580
 Met Ala Ile Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe
 1585 1590 1595 1600
 Pro Glu Asn Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly
 1605 1610 1615
 Leu Ile Pro Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro
 1620 1625 1630
 Asp Thr Glu Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln
 1635 1640 1645
 Lys Gln Phe Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile
 1650 1655 1660
 Leu Ile His Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser
 1665 1670 1675 1680
 Glu Leu Ser Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn
 1685 1690 1695
 Ser Thr Leu Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr
 1700 1705 1710
 Met Lys His Gln Ser Gln Leu
 1715

<210> 379
 <211> 656
 <212> PRT
 <213> Homo sapien

<400> 379

```

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1           5           10           15
Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
      20           25           30
Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
      35           40           45
His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50           55           60
Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65           70           75           80
Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
      85           90           95
Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
      100           105           110
Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
      115           120           125
Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130           135           140
Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145           150           155           160
Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
      165           170           175
Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
      180           185           190
Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195           200           205
Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210           215           220
Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225           230           235           240
Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
      245           250           255
Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
      260           265           270
Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
      275           280           285
Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290           295           300
Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305           310           315           320
Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
      325           330           335
Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
      340           345           350
Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
      355           360           365
Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
 370           375           380
Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
 385           390           395           400
Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
      405           410           415

```

Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
 420 425 430
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
 435 440 445
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
 450 455 460
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
 465 470 475 480
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
 485 490 495
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu
 500 505 510
 Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys
 515 520 525
 Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly
 530 535 540
 Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser
 545 550 555 560
 Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr
 565 570 575
 His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln
 580 585 590
 Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln
 595 600 605
 Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys
 610 615 620
 Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile
 625 630 635 640
 Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu
 645 650 655

<210> 380

<211> 671

<212> PRT

<213> Homo sapien

<400> 380

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala

165 170 175
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
 340 345 350
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
 355 360 365
 Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
 370 375 380
 Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
 385 390 395 400
 Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
 405 410 415
 Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
 420 425 430
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
 435 440 445
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
 450 455 460
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
 465 470 475 480
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
 485 490 495
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu
 500 505 510
 Asn Gly Gln Pro Glu Lys Arg Ser Gln Glu Pro Glu Ile Asn Lys Asp
 515 520 525
 Gly Asp Arg Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys Lys
 530 535 540
 His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly Ala
 545 550 555 560
 Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser Arg
 565 570 575
 Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr His
 580 585 590
 Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln Asn
 595 600 605
 Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln Ile
 610 615 620
 Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys Lys

625		630		635		640
Glu Lys Asp Ile Leu	His Glu Asn Ser Thr	Leu Arg Glu Glu Ile Ala				
	645		650		655	
Met Leu Arg Leu Glu	Leu Asp Thr Met Lys His Gln Ser	Gln Leu				
	660		665		670	

<210> 381
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 381
 ggagaagcgt ctgctggggc aggaaggggt ttccctgccc tctcacctgt ccctcaccaa 60
 ggtaacatgc ttcccctaag ggtatcccaa cccagggggc tcaccatgac ctctgagggg 120
 ccaatatccc aggagaagca ttggggaggt gggggcaggt gaaggaccca ggactcacac 180
 atcctggggc tccaaggcag aggagaggggt cctcaagaag gtcaggagga aaatccgtaa 240
 caagcagtca g 251

<210> 382
 <211> 3279
 <212> DNA
 <213> Homo sapiens

<400> 382
 cttcctgcag cccccatgct ggtgaggggc acgggcagga acagtggacc caacatggaa 60
 atgctggagg gtgtcaggaa gtgatcgggc tctggggcag ggaggagggg tggggagtgt 120
 cactgggagg ggacatcctg cagaaggtag gagtgcagaa acaccgctg caggggaggg 180
 gagagccctg cggcacctgg gggagcagag ggagcagcac ctgcccaggc ctgggagggg 240
 gggcctggag ggcgtgagga ggagcgaggg ggctgcatgg ctggagttag ggatcagggg 300
 cagggcgcgga gatggcctca cacaggggaag agagggcccc tctgcaggg cctcacctgg 360
 gccacaggag gacactgctt ttcctctgag gagtcaggag ctgtggatgg tgctggacag 420
 aagaaggaca gggcctggct cagggtgtcca gaggtgtcgt ctggcttccc tttgggatca 480
 gactgcaggg agggagggcg gcagggttgt ggggggagtg acgatgagga tgacctgggg 540
 gtggctccag gccttgcccc tgccctggggc ctcaccagc ctccctcaca gtctcctggc 600
 cctcagtctc tccccctcac tccatcctcc atctggcctc agtgggtcat tctgatcact 660
 gaactgacca taccagccc tgcccacggc cctccatggc tccccaatgc cctggagagg 720
 ggacatctag tcagagagta gtccctgaaga ggtggcctct gcgatgtgcc tgtgggggca 780
 gcacctgca gatggtcccg gccctcatcc tgctgacctg tctgcaggga ctgtcctcct 840
 ggaccttgcc ccttgtagc gagctggacc ctgaagtccc ctccccatag gccaagactg 900
 gagccttggt cctctgtgtg gactccctgc ccatattctt gtgggagtgg gttctggaga 960
 catttctgtc tgttctctgag agctgggaat tgctctcagt catctgcctg cgcggttctg 1020
 agagatggag ttgcctaggc agttattggg gccaatcttt ctactgtgt ctctcctcct 1080
 ttacccttag ggtgattctg ggggtccact tgtctgtaat ggtgtgcttc aaggatcac 1140
 atcatggggc cctgagccat gtgcctgcc tgaaaagcct gctgtgtaca ccaaggtgg 1200
 gcattaccgg aagtggatca aggacaccat cgcagccaac ccctgagtgc ccctgtccca 1260
 cccctacctc tagtaaat ttagtccacct caggttctgg catcacttg cctttctgga 1320
 tgctggacac ctgaagcttg gaactcacct ggccgaagct cgagcctcct gactcctact 1380
 gacctgtgct ttctgggtgt gagtccaggg ctgctaggaa aaggaatggg cagacacagg 1440
 tgtatgccaa tgtttctgaa atgggtataa tttcgtcctc tccttcggaa cactggctgt 1500
 ctctgaagac ttctcgctca gtttcagtga ggacacacac aaagacgtgg gtgaccatgt 1560
 tgtttgtggg gtgcagagat gggaggggtg gggcccaccc tggaagagtg gacagtga 1620
 caagtgagac actctctaca gatcactgag gataagctgg agccacaatg catgaggcac 1680
 acacacagca aggttgacgc tgtaaacata gccacgctg tcctggggggc actgggaagc 1740
 ctagataagg cgtgagcag aaagaagggg aggatcctcc tatgttgttg aaggagggac 1800
 tagggggaga aactgaaagc tgattaatta caggaggttt gtccagggtc cccaaaccac 1860
 cgtcagattt gatgatttcc tagcaggact tacagaaata aagagctatc atgctgtgg 1920
 ttattatggt ttgttacatt gataggatac atactgaaat cagcaaaca aacagatgta 1980
 tagattagag tgtggagaaa acagagggaaa acttgcagtt acgaagactg gcaacttggc 2040

```

tttactaagt tttcagactg gcaggaagtc aaacctatta ggctgaggac cttgtggagt 2100
gtagctgatac cagctgatag aggaactagc caggtggggg cctttccctt tggatggggg 2160
gcatatccga cagttattct ctccaagtgg agacttacgg acagcatata attctccctg 2220
caaggatgta tgataatatg taaaaagtaa ttccaactga ggaagctcac ctgatacctta 2280
gtgtccaggg tttttactgg gggctctgtag gacgagtatg gagtacttga ataattgacc 2340
tgaagtccctc agacctgagg ttccctagag ttcaaacaga tacagcatgg tccagagtcc 2400
cagatgtaca aaaacaggga ttcatcaca atcccatctt tagcatgaag ggtctggcat 2460
ggcccaaggc cccaagtata tcaaggcact tgggcagaac atgccaagga atcaaatgtc 2520
atctcccagg agttattcaa gggtagagccc tttacttggg atgtacaggc tttgagcagt 2580
gcagggctgc tgagtcaacc ttttattgta caggggatga gggaaaggga gaggatgagg 2640
aagccccctt ggggatttgg tttggtcttg tgatcaggtg gtctatgggg ctatccctac 2700
aaagaagaat ccagaaatag gggcacattg aggaatgata ctgagcccaa agagcattca 2760
atcattgttt tatttgcctt cttttcacac cattggtgag ggagggatta ccaccctggg 2820
gttatgaaga tggttgaaca cccacacat agcaccggag atatgagatc aacagtttct 2880
tagccataga gattcacagc ccagagcagg aggacgctgc acaccatgca ggatgacatg 2940
ggggatgctc tcgggatttg tgtgaagaag caaggactgt tagaggcagg ctttatagta 3000
acaagacggt ggggcaaaact ctgatttccg tgggggaatg tcatggtctt gctttactaa 3060
gttttgagac tggcaggtag tgaactcat taggctgaga accttgtgga atgcagctga 3120
cccagctgat agaggaagta gccaggtggg agcctttccc agtgggtgtg ggacatatct 3180
ggcaagattt tgtggcactc ctggttacag atactggggc agcaaataaa actgaatctt 3240
gttttcagac cttaaaaaaa aaaaaaaaaa aaaagtttt 3279

```

<210> 383

<211> 154

<212> PRT

<213> Homo sapiens

<400> 383

```

Met Ala Gly Val Arg Asp Gln Gly Gln Gly Ala Arg Trp Pro His Thr
      5                      10                      15

Gly Lys Arg Gly Pro Leu Leu Gln Gly Leu Thr Trp Ala Thr Gly Gly
      20                      25                      30

His Cys Phe Ser Ser Glu Glu Ser Gly Ala Val Asp Gly Ala Gly Gln
      35                      40                      45

Lys Lys Asp Arg Ala Trp Leu Arg Cys Pro Glu Ala Val Ala Gly Phe
      50                      55                      60

Pro Leu Gly Ser Asp Cys Arg Glu Gly Gly Arg Gln Gly Cys Gly Gly
      65                      70                      75                      80

Ser Asp Asp Glu Asp Asp Leu Gly Val Ala Pro Gly Leu Ala Pro Ala
      85                      90                      95

Trp Ala Leu Thr Gln Pro Pro Ser Gln Ser Pro Gly Pro Gln Ser Leu
      100                     105                     110

Pro Ser Thr Pro Ser Ser Ile Trp Pro Gln Trp Val Ile Leu Ile Thr
      115                     120                     125

Glu Leu Thr Ile Pro Ser Pro Ala His Gly Pro Pro Trp Leu Pro Asn
      130                     135                     140

Ala Leu Glu Arg Gly His Leu Val Arg Glu
      145                     150

```

<210> 384
<211> 557
<212> DNA
<213> Homo sapiens

<400> 384
ggatcctcta gagcgccgc ctactactac taaattcgcg gccgcgtcga cgaagaagag 60
aaagatgtgt tttgttttgg actctctgtg gtcccttcca atgctgtggg ttccaacca 120
ggggaagggg cccttttgca ttgccaagt ccataacccat gagcactact ctaccatggt 180
tctgcctcct ggccaagcag gctggtttgc aagaatgaaa tgaatgattc tacagctagg 240
acttaacctt gaaatggaaa gtcttgcaat cccatttgca ggatccgtct gtgcacatgc 300
ctctgtagag agcagcattc ccaggaccc tggaaacagt tggcactgta aggtgcttgc 360
tccccagac acatcctaaa aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc 420
ccttcttatt tatgtgaaca actgtttgtc tttttttgta tcttttttaa actgtaaagt 480
tcaattgtga aaatgaatat catgcaaata aattatgcga ttttttttcc aaagtaaaaa 540
aaaaaaaaa aaaaaaa 557

<210> 385
<211> 337
<212> DNA
<213> Homo sapiens

<400> 385
ttcccagggt atgtgcgagg gaagacacat ttactatcct tgatggggct gattccttta 60
gtttctctag cagcagatgg gttaggagga agtgacccaa gtggttgact cctatgtgca 120
tctcaaagcc atctgtgtgc ttcgagtacg gacacatcat cactcctgca ttgttgatca 180
aaacgtggag gtgcttttcc tcagctaaga agcccttagc aaaagctcga atagacttag 240
tatcagacag gtccagtttc cgcaccaaca cctgctgggt ccctgtcgtg gtctggatct 300
ctttggccac caattccccc tttccacat cccggca 337

<210> 386
<211> 300
<212> DNA
<213> Homo sapiens

<400> 386
gggcccgtca cgggccagg cccgcctcgc cgagtcctcc tccccgggtg cctgcccga 60
gcccgtcgg cccagagggt gggcgcgagg gtgcctctac cggctggcgg ctgtaactca 120
gcgaccttg cccgaaggct ctagcaagga cccaccgacc ccagccgagg cggcggggc 180
gcggactttg cccgggtgtg ggggcggagc ggactgcgtg tccgcggagc ggcagcgaag 240
atgttagcct tcgctgccag gaccgtggac cgatcccagg gctgtggtgt aacctcagcc 300

<210> 387
<211> 537
<212> DNA
<213> Homo sapiens

<400> 387
gggcccagtc gggcaccaag ggactctttg caggcttcct tcctcggatc atcaaggctg 60
ccccctcctg tgccatcatg atcagcacct atgagttcgg caaaagcttc ttccagaggc 120
tgaaccagga cgggcttctg ggcggctgaa aggggcaagg aggcaaggac cccgtctctc 180
ccacggatgg ggagagggca ggaggagacc cagccaagt ccttttctc agcactgagg 240
gagggggctt gtttcccttc cctcccggcg acaagctcca gggcagggt gtccctctgg 300
gcggccagc acttcctcag acacaacttc ttctgtctgc tccagtctg gggatcatca 360
cttaccacc cccaagttc aagaccaaat cttccagctg ccccttcgt gtttccctgt 420
gtttgtgta gctgggcatg tctccaggaa ccaagaagcc ctcagcctgg ttagtctcc 480
ctgacccttg ttaattcctt aagtctaaag atgatgaact tcaaaaaaaaa aaaaaaa 537

<210> 388
<211> 520
<212> DNA
<213> Homo sapiens

<400> 388
aggataattt ttaaaccaat caaatgaaaa aaacaaacaa acaaaaaagg aaatgtcatg 60
tgagggttaa ccagtttgca ttcccctaag gtggaaaaag taagaggact actcagcact 120
gtttgaagat tgcctcttct acagcttctg agaattgtgt tatttcactt gccaaagtga 180
ggacccccctc cccaacatgc ccagcccac ccctaagcat ggcccctgt caccaggcaa 240
ccaggaaact gctacttgtg gacctcacca gagaccagga gggtttggt agctcacagg 300
acttccccca cccagaaga ttagcatccc atactagact cataactcaac tcaactaggc 360
tcatactcaa ttgatggta ttagacaatt ccatttcttt ctggttatta taaacagaaa 420
atctttctc ttctcattac cagtaaaggc tcttggatc tttctgttg aatgatctt 480
atgaacttgt cttattttaa tgggtgggtt ttttctctgt 520

<210> 389
<211> 365
<212> DNA
<213> Homo sapiens

<400> 389
cggtgcccc gtttgacaga aggaaaggcg gagcttattc aaagtctaga gggagtggag 60
gagttaaggc tggatttcag atctgcctgg ttccagccgc agtgtgccct ctgctcccc 120
aacgactttc caataatct caccagcgcc ttccagctca ggcgtcctag aagcgtcttg 180
aagcctatgg ccagctgtct ttgtgttccc tctcaccgc ctgtcctcac agctgagact 240
cccaggaaac cttcagacta cttcctctg cttcagcaa ggggcgttg ccacattctc 300
tgagggtcag tggaagaacc tagactccca ttgctagagg tagaaaggg aaggggtgctg 360
gggag 365

<210> 390
<211> 221
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(221)
<223> n = A,T,C or G

<400> 390
tgcttctcca tcttggcccc gacttctctg tcaggaaagt ggggatggac cccatctgca 60
tacacggnnt ctcattgggtg tggaacatct ctgcttgcgg ttccaggaag gcctctggct 120
gctctangag tctgannga ntcgttgccc cantntgaca naaggaaagg cggagcttat 180
tcaaagtcta gaggagtggt aggagttaag gctggatttc a 221

<210> 391
<211> 325
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(325)
<223> n = A,T,C or G

<400> 391

tggagcaggt cccgaggcct ccctagagcc tggggccgac tctgtgncga tgcangcttt 60
ctctcgcgcc cagcctggag ctgtcctctg catctacca caatcagncg aggcgagcag 120
tagccagggc actgctgcca acagccagtc cnnataccat catgtnaccc ggtgngctct 180
naantngat ntccanagcc ctacccatcn tagttctgct ctcccaccgg ntaccagccc 240
cactgcccag gaatcctaca gccagtaccc tgtcccgcag tctctaccta ccagtacgat 300
gagacctccg gctactacta tgacc 325

<210> 392

<211> 277

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(277)

<223> n = A,T,C or G

<400> 392

atattgttta actccttctt ttatatcttt taacattttc atggngaaa gttcacatct 60
agtctcactt nggcnagnn ctctacttg agtctcttcc cgggcctggn ccagtngnaa 120
antaccanga accgncatgn cttaanaacn ncctggtttn tgggttnntc aatgactgca 180
tgacgtgcac caccctgtcc actacgtgat gctgtaggat taaagtctca cagtgggcgg 240
ctgaggatac agcgccgcgt cctgtgttgc tggggaa 277

<210> 393

<211> 566

<212> DNA

<213> Homo sapiens

<400> 393

actagtccag tgtggtggaa ttgcgggccg cgtcgacgga caggtcagct gtctggctca 60
gtgatctaca ttctgaagtt gtctgaaaat gtcttcatga tttaaattcag cctaaacgtt 120
ttgccgggaa cactgcagag acaatgctgt gagtttccaa ccttagccca tctgcgggca 180
gagaaggtct agtttgtcca tcagcattat catgatata ggactgggta cttgggtaag 240
gaggggtcta ggagatctgt cctttttaga gacaccttac ttataatgaa gtatttggga 300
gggtgggttt caaaagtaga aatgtcctgt attccgatga tcatcctgta aacattttat 360
catttattaa tcatccctgc ctgtgtctat tattatattc atatctctac gctggaaact 420
ttctgectca atgtttactg tgcctttgtt tttgctagtt tgtgtgttg aaaaaaaaaa 480
cattctctgc ctgagtttta atttttgtcc aaagttattt taatctatac aattaaaagc 540
ttttgcctat caaaaaaaaa aaaaaa 566

<210> 394

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 394

gaacatacat gtcccgccac ctgagctgca gtctgacatc atcgccatca cgggcctcgc 60
tgcaaatng gaccgggcca aggctggact gctggagcgt gtgaaggagc tacaggccna 120
gcaggaggac cgggctttta ggagttttta gctgagtgct actgtagacc ccaaatacca 180
tccaagatt atcgggagaa agggggcagt aattacccaa atccgggttg agcatgacgt 240
gaacatccag ttctctgata aggacgatgg gaaccagccc caggaccaa ttaccatcac 300
agggtacgaa aagaacacag aagctgccag ggatgctata ctgagaattg tgggtgaact 360

tgagcagatg gtttctgagg acgt

384

<210> 395

<211> 399

<212> DNA

<213> Homo sapiens

<400> 395

```
ggcaaaactg tgtgacctca ataagacctc gcagatccaa ggtcaagtat cagaagtgac 60
tctgaccttg gactccaaga cctacatcaa cagcctggct atattagatg atgagccagt 120
tatcagagggt ttcattcattg cggaaattgt ggagtctaag gaaatcatgg cctctgaagt 180
attcacgtct ttccagtacc ctgagttctc tatagagttg cctaacacag gcagaattgg 240
ccagctactt gtctgcaatt gtatcttcaa gaataccctg gccatccctt tgactgacgt 300
caagttctct ttggaaagcc tgggcatctc ctactacag acctctgacc atgggacggg 360
gcagcctggg gagaccatcc aatcccaaata aaaatgcac 399
```

<210> 396

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(403)

<223> n = A,T,C or G

<400> 396

```
tggagttntc agtgcaaaca agccataaag cttcagtagc aaattactgt ctacagaaa 60
gacattttca acttctgctc cagctgctga taaaacaaat catgtgttta gcttgactcc 120
agacaaggac aacctgttcc ttcataactc tctagagaaa aaaaggagtt gttagtagat 180
actaaaaaaaa gtggatgaat aatctggata tttttcctaa aaagattcct tgaaacacat 240
taggaaaaatg gagggcctta tgatcagaat gctagaatta gtccattgtg ctgaagcagg 300
gttttagggga gggagtgagg gataaaaagaa ggaaaaaaag aagagtgaga aaacctattt 360
atcaaagcag gtgctatcac tcaatgttag gccctgctct ttt 403
```

<210> 397

<211> 100

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(100)

<223> n = A,T,C or G

<400> 397

```
actagtnacg tgtgggtggaa ttgcgggccg cgtcgacctc naanccatct ctatagcaaa 60
tccatccccg ctcttggttg gtnacagaat gactgacaaa 100
```

<210> 398

<211> 278

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(278)

<223> n = A,T,C or G

<400> 398
gcggccgcgt cgacagcagt tccgccagcg ctgcgccctg ggtggggatg tgctgcacgc 60
ccacctggac atctggaagt cagcggcctg gatgaaagag cggacttcac ctggggcgat 120
tcactactgt gcctcgacca gtgaggagag ctggaccgac agcgaggtgg actcatcatg 180
ctccggggcag cccatccacc tgtggcagtt cctcaaggag ttgctactca agccccacag 240
ctatggccgc ttcattangt ggctcaacaa ggagaagg 278

<210> 399
<211> 298
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(298)
<223> n = A,T,C or G

<400> 399
acggaggtgg aggaagcgnc cctgggatcg anaggatggg tcctgncatt gaccncctcn 60
gggtgcccng catggagcgc atgggcgcgg gcctgggcca cggcatggat cgcgtgggct 120
ccgagatcga gcgcatgggc ctggtcatgg accgcatggg ctccgtggag cgcgtgggct 180
ccggcattga gcgcatgggc ccgctgggccc tcgaccacat ggctccanc attgancgca 240
tgggccagac catggagcgc attggctctg gcgtggagcn catgggtgcc ggcatggg 298

<210> 400
<211> 548
<212> DNA
<213> Homo sapiens

<400> 400
acatcaacta ctctctcatt ttaaggatag gcagttccct tcatccctt ttctgcctt 60
gtacatgtac atgtatgaaa ttctcttctc ttaccgaact ctctccacac atcacaagg 120
caaagaacca cacgcttaga agggtaagag ggcaccctat gaaatgaaat ggtgatttct 180
tgagtctctt ttttccacgt ttaaggggcc atggcaggac ttagagttgc gagttaagac 240
tgcagagggc tagagaatta ttccatacag gctttgaggc caccatgtc acttatcccg 300
tataccctct caccatcccc ttgtctactc tgatgcccc aagatgcaac tgggcagcta 360
gttggcccca taattctggg cctttgttgt ttgttttaac tacttgggca tcccaggaag 420
ctttccagt atctctacc atgggcccc ctctgggat caagccctc ccaggccctg 480
tccccagccc ctctgcccc agcccaccg cttgccttgg tgctcagccc tcccattggg 540
agcaggtt 548

<210> 401
<211> 355
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(355)
<223> n = A,T,C or G

<400> 401
actgtttcca tggtatgttt ctacacattg ctacctcagt gtccttgga acttagcttt 60
tgatgtctcc aagtagtcca ccttcattta actctttgaa actgtatcat ctttgccaag 120
taagagtggg ggcctatttc agctgctttg acaaaatgac tggctcctga cttaacgttc 180
tataaatgaa tgtgctgaag caaagtgccc atgggtggcg cgaagaagan aaagatgtgt 240
ttgtttttg actctctgtg gtcccttcca atgctgnngg tttccaacca ggggaagggt 300

cccttttgca ttgccaagtg ccataacccat gagcactact ctaccatggn tctgc 355

<210> 402

<211> 407

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(407)

<223> n = A,T,C or G

<400> 402

atgggggcaag ctggataaag aaccaagacc cactggagta tgctgtcttc aagaaaccca 60
tctcacatgc ggtggcatac ataggctcaa aataaaggaa tggagaaaaa tatttcaagc 120
aaatggaaaa cagaaaaaag caggtgttgc actcctactt tctgacaaaa cagactatgc 180
gaataaagat aaaaaagaga aggacattac aaaggtgggc ctgacctttg ataaatctca 240
ttgcttgata ccaacctggg ctgttttaat tgcccaaacc aaaaggataa tttgctgagg 300
ttgtggagct tctcccctgc agagagtccc tgatctccca aaatttggtt gagatgtaag 360
gntgatatttg ctgacaactc cttttctgaa gttttactca tttccaa 407

<210> 403

<211> 303

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(303)

<223> n = A,T,C or G

<400> 403

cagtatttat agccnaactg aaaagctagt agcagggaag tctcaaattcc aggcacccaaa 60
tcctaagcaa gagccatggc atggtgaaaa tgcaaaagga gagtctggcc aatctacaaa 120
tagagaacaa gacctactca gtcataaaca aaaaggcaga caccaacatg gatctcatgg 180
gggattggat attgtaatta tagagcagga agatgacagt gatcgtcatt tggcacaaca 240
tcttaacaac gaccgaaacc cattatttac ataaacctcc attcggtaac catgttgaaa 300
gga 303

<210> 404

<211> 225

<212> DNA

<213> Homo sapiens

<400> 404

aagtgttaact tttaaaaatt tagtggattt tgaaaattct tagaggaaag taaaggaaaa 60
attgttaatg cactcattta cctttacatg gtgaaagtgc tctcttgatc ctacaaacag 120
acattttcca ctctgttttc catagtgtgt aagtgtatca gatgtgttgg gcatgtgaat 180
ctccaagtgc ctgtgtaata aataaagtat ctttatttca ttcatt 225

<210> 405

<211> 334

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(334)

<223> n = A,T,C or G

<400> 405

```
gagctgttat actgtgagtt ctactaggaa atcatcaaat ctgagggttg tctggaggac 60
ttcaatacac ctccccccat agtgaatcag ctccagggg gtccagtccc tctccttact 120
tcatccccat cccatgccaa aggaagacct tccctccttg gtcacagcc ttctctaggc 180
ttccagtgct ctccaggaca gagtgggtta tgttttcagc tccatccttg ctgtgagtgt 240
ctggtgcggt tgtgcctcca gcttctgctc agtgcttcat ggacagtgtc cagcccatgt 300
cactctccac tctctcanng tggatcccac ccct 334
```

<210> 406

<211> 216

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(216)

<223> n = A,T,C or G

<400> 406

```
tttcatacct aatgagggag ttganatnac atnnaaccag gaaatgcatg gatctcaang 60
gaaacaaaca cccaataaac tcggagtggc agactgacaa ctgtgagaca tgcacttgct 120
acnaaacaca aatttnatgt tgcacccttg tttctacacc tgtgggttat gacaaagaca 180
actgccaaag aatnttcaag aaggaggact gccant 216
```

<210> 407

<211> 413

<212> DNA

<213> Homo sapiens

<400> 407

```
gctgacttgc tagtatcatc tgcattcatt gaagcacaag aacttcatgc cttgactcat 60
gtaaatgcaa taggattaaa aaataaattt gatatcacat ggaaacagac aaaaaatatt 120
gtacaacatt gcaccagtg tcagattcta cacctggcca ctgaggaagc aagagttaat 180
cccagaggtc tatgtcctaa tgtgttatgg caaatggatg tcatgcacgt accttcattt 240
ggaaaattgt catttgtcca tgtgacagtt gatacttatt cacatttcat atgggcaacc 300
tgccagacag gagaaagtct tcccatgtta aaagacattt attatcttgt ttctctgtca 360
tgggagtcc agaaaaagtt aaaacagaca atgggccagg ttctgtagta aag 413
```

<210> 408

<211> 183

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(183)

<223> n = A,T,C or G

<400> 408

```
ggagctngcc ctcaattcct ccatntctat gttancatat ttaatgtctt ttgnnattaa 60
tncttaacta gttaatcctt aaagggctan ntaatcctta actagtcctt ccattgtgag 120
cattatcctt ccagtattcn ccttctnttt tatttactcc ttcttggtta cccatgtact 180
ntt 183
```

<210> 409

<211> 250

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(250)

<223> n = A,T,C or G

<400> 409

```
cccacgcatg ataagctctt tatttctgta agtcctgcta ggaaatcatc aaatctgacg 60
gtgggttggg ggacctgaac aaacctcctg taattaatca gctttcagtt tctcccccta 120
gtccctcctt caacaacata ggaggatcct ccccttcttt ctgctcacgg ccttatctag 180
gcttcccagt gcccccagga cagcgtgggc tatgtttaca gcgcntcctt gctggggggg 240
ggccttatgc                                     250
```

<210> 410

<211> 306

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(306)

<223> n = A,T,C or G

<400> 410

```
ggctggtttg caagaatgaa atgaatgatt ctacagctag gacttaacct tgaaatggaa 60
agtcttgcaa tcccatttgc aggatccgtc tgtgcacatg cctctgtaga gagcagcatt 120
cccagggaacc ttggaaacag ttggcactgt aagggtgctt ctccccaaga cacatcctaa 180
aagggtgttg aatggtgaaa accgcttcct tctttattgc cccttcttat ttatgtgaac 240
nactggttgg ctttttttgn atctttttta aactggaaag ttcaattgng aaaatgaata 300
tctnctgc                                     306
```

<210> 411

<211> 261

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(261)

<223> n = A,T,C or G

<400> 411

```
agagatattt cttaggtnaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaatgtc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa ggngaggcaa a                                     261
```

<210> 412

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 412

```
gttcaatggt acctgacatt tctacaacac cccactcacc gatgtattcg ttgcccagtg 60
ggaacatacc agcctgaatt tggaaaaaat aattgtgttt cttgcccagg aaatactacg 120
actgactttg atggctccac aaacataacc cagtgtaaaa acagaagatg tggaggggag 180
ctgggagatt tcaactggga cattgaattc ccaaactacc cangcaatta cccagccaac 240
a                                                                 241
```

<210> 413

<211> 231

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(231)

<223> n = A,T,C or G

<400> 413

```
aactcttaca atccaagtga ctcatctgtg tgcttgaate ctttccactg tctcatctcc 60
ctcatccaag tttctagtag ctctcttttg ttgtgaagga taatcaaact gaacaacaaa 120
aagtttactc tcctcatttg gaacctaaaa actctcttct tcctgggtct gagggctcca 180
agaatccttg aatcanttct cagatcattg gggacaccan atcaggaacc t 231
```

<210> 414

<211> 234

<212> DNA

<213> Homo sapiens

<400> 414

```
actgtccatg aagcactgag cagaagctgg aggcacaacg caccagacac tcacagcaag 60
gatggagctg aaaacataac ccactctgtc ctggaggcac tgggaagcct agagaaggct 120
gtgagccaag gagggagggt ctctcttttg catgggatgg ggatgaagta aggagaggga 180
ctggaccccc tggaagctga ttcaactatg ggggagggtg attgaagtcc tcca 234
```

<210> 415

<211> 217

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(217)

<223> n = A,T,C or G

<400> 415

```
gcataggatt aagactgagt atcttttcta cattctttta acttttctaag gggcacttct 60
caaaacacag accaggtagc aaatctccac tgctctaagg ntctcaccac cacttttcta 120
cacctagcaa tagtagaatt cagtcctact tctgaggcca gaagaatggt tcagaaaaat 180
antggattat aaaaaataac aattaagaaa aataatc 217
```

<210> 416

<211> 213

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature
 <222> (1)...(213)
 <223> n = A,T,C or G

<400> 416
 atgcataatnt aaagganact gcctcgcttt tagaagacat ctggncctgct ctctgcatga 60
 ggacacagcag taaagctctt tgattcccag aatcaagaac tctccccttc agactattac 120
 cgaatgcaag gtggttaatt gaaggccact aattgatgct caaatagaag gatattgact 180
 atattggaac agatggagtc tctactacaa aag 213

<210> 417
 <211> 303
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(303)
 <223> n = A,T,C or G

<400> 417
 nagtcttcag gcccatcagg gaagttcaca ctggagagaa gtcatacata tgtactgtat 60
 gtgggaaagg ctttactctg agttcaaadc ttcaagccca tcagagagtc cacactggag 120
 agaagccata caaatgcaat gagggtggga agagcttcag gagggtattcc cattatcaag 180
 ttcattctagt ggtccacaca ggagagaaaac cctataaatg tgagatatgt gggaagggct 240
 tcantcaaag ttcgtatctt caaatccatc ngaaggncca cagtatanan aaacctttta 300
 agt 303

<210> 418
 <211> 328
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(328)
 <223> n = A,T,C or G

<400> 418
 tttttggcgg tgggtggggca gggacgggac angagtctca ctctgttgcc caggctggag 60
 tgcacaggca tgatctcggc tcactacaac cctcgctccc catgtccaag cgattcttgt 120
 gcctcagcct tccctgtagc tagaattaca ggcacatgcc accacaccca gctagttttt 180
 gtatttttag tagagacagg gtttcacccat gttggccagg ctgggtctca actcctnacc 240
 tcagnngtca ggctgggtct aaactcctga cctcaagtga tctgcccacc tcagcctccc 300
 aaagtgctan gattacaggc cgtgagcc 328

<210> 419
 <211> 389
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(389)
 <223> n = A,T,C or G

<400> 419
 cctcctcaag acggcctgtg gtccgcctcc cggcaaccaa gaagcctgca gtgcatatg 60


```

acccttgagc catggactgg agcctgaaag gcagcgtaca ccctgctcct gatcttgctg 120
cttgtttcct ctctgtggct ccattcatag cacagttggt gcaactgaggc ttgtgcaggc 180
cgagcaaggc caagctggct caaagagcaa ccagtcaact ctgccacggt gtgccaggca 240
ccggttctcc agccaccaac ctcaactcgt cccgcaaagt gcacatcagt tcttctaccc 300
taaaggtagg accaaagggc atctgctttt ctgaagtcct ctgctctatc agccatcacg 360
tggcagccac tcnggctgtg tcgacgcgg                                     389

```

<210> 420

<211> 408

<212> DNA

<213> Homo sapiens

<400> 420

```

gttcctccta actcctgcc aaaacagctc tctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggtc tctgtttct gcttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagttt tgactttggt gtttcggcat ggagaccgaa 180
gtccattga cactttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat ggtcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg aagtgcctatg acaaacctgg caagccccg                                     408

```

<210> 421

<211> 352

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(352)

<223> n = A,T,C or G

<400> 421

```

gtcAAAAat ctttttactg atnggcattg ctacacaatc attgactatt acggaggcca 60
gaggagaatg aggcctggcc tgggagccct gtgcctacta naagcacatt agattatcca 120
ttcactgaca gaacaggtct tttttgggtc cttcttctcc accacnatat acttgagtc 180
ctccttcttg aagattcttt ggcagttgtc tttgtcataa cccacagggt tagaaacaag 240
ggtgcaacat gaaatttctg tttcgtagca agtgcattgc tcacaagttg gcangtctgc 300
cactccgagt ttattgggtg tttgtttcct ttgagatcca tgcatttctc gg                                     352

```

<210> 422

<211> 337

<212> DNA

<213> Homo sapiens

<400> 422

```

atgccaccat gctggcaatg cagcggggcg tcgaaggcct gcatatccag cccaagctgg 60
cgatgatcga cggcaaccgt tgcccgaagt tgccgatgcc agccgaagcg gtggtcaagg 120
gcgatagcaa ggtgccggcg atcggggcg cgtcaatcct ggccaaggtc agccgtgatc 180
gtgaaatggc agctgtcgaa ttgatctacc cgggttatgg catcggcggg cataagggtc 240
atccgacacc ggtgcacctg gaagccttgc agcggctggg gccgacgccg attcaccgac 300
gcttcttccg ccggtacggc tggcctatga aaattat                                     337

```

<210> 423

<211> 310

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature
<222> (1)...(310)
<223> n = A,T,C or G

<400> 423
gctcaaaaat ctttttactg atatggcatg gctacacaat cattgactat tagaggccag 60
aggagaatga ggcctggcct gggagccctg tgcctactan aagcncatta gattatccat 120
tcaactgacag aacagggtctt ttttgggtcc ttcttctcca ccacgatata cttgcagtc 180
tccttcttga agattctttg gcagttgtct ttgtcataac ccacagggtg anaaacaagg 240
gtgcaacatg aaatttctgt ttcgtagcaa gtgcatgtct cacagttgtc aagtctgccc 300
tccgagttta 310

<210> 424
<211> 370
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(370)
<223> n = A,T,C or G

<400> 424
gctcaaaaat ctttttactg ataggcatgg ctacacaatc attgactatt agaggccaga 60
ggagaatgag gcctggcctg ggagccctgt gcctactaga agcacattag attatccatt 120
cactgacaga acagggtctt tttgggtcct tcttctccac cacgatatac ttgcagtcct 180
ccttcttgaa gattcttttg cagttgtctt tgtcataacc cacagggtgta gaaacatcct 240
ggttgaatct cctggaactc cctcattagg tatgaaatag catgatgcat tgcataaagt 300
cacgaagggtg gcaaagatca caacgctgcc cagganaaca ttcattgtga taagcaggac 360
tccgtcgacg 370

<210> 425
<211> 216
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(216)
<223> n = A,T,C or G

<400> 425
aattgctatn ntttattttg ccactcaaaa taattaccaa aaaaaaaaaa tnttaaata 60
taacaacnca acatcaaggn aananaaca ggaatggntg actntgcata aatnggccga 120
anattatcca ttatnttaag gggtgacttc aggnacagc acacagacaa acatgccag 180
gaggntntca ggaccgctcg atgtntntg aggagg 216

<210> 426
<211> 596
<212> DNA
<213> Homo sapiens

<400> 426
cttccagtga ggataaccct gttgccccgg gccgagggtc tccattaggc tctgattgat 60
tggcagtcag tgatggaagg gtgttctgat cattccgact gcccgaagg tgcctggcca 120
gctctctgtt ttgctgagtt ggcagtagga cctaatttgt taattaagag tagatgggtga 180
gtgttccttg tattttgatt aacctaatgg ccttcccagc acgactcgga ttcagctgga 240
gacatcacgg caacttttaa tgaatgatt tgaagggcca ttaaggagg cttcccgtta 300

ttaggcagtt catctgcact gataacttct tggcagctga gctggtcgga gctgtggccc 360
aaacgcacac ttggcttttg gttttgagat acaactctta atcttttagt catgcttgag 420
gggtgatggc cttttcagct ttaacccaat ttgcactgcc ttggaagtgt agccaggaga 480
atacactcat atactcgtgg gcttagaggc cacagcagat gtcattggtc tactgcctga 540
gtcccgtggt tcccatccca ggaccttcca tcggcgagta cctgggagcc cgtgct 596

<210> 427

<211> 107

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(107)

<223> n = A,T,C or G

<400> 427

gaagaattca agttaggttt attcaaaggg cttacngaga atcctanacc caggncccag 60
cccgggagca gccttanaga gtcctgttt gactgcccgg ctcagng 107

<210> 428

<211> 38

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(38)

<223> n = A,T,C or G

<400> 428

gaacttcena anaangactt tattcactat tttacatt 38

<210> 429

<211> 544

<212> DNA

<213> Homo sapiens

<400> 429

ctttgctgga cggaataaaa gtggacgcaa gcatgacctc ctgatgaggg cgctgcattt 60
attgaagagc ggctgcagcc ctgcggttca gattaaaatc cgagaattgt atagacgccg 120
atatccacga actcttgaag gactttctga tttatccaca atcaaatcat cggttttcag 180
tttggtatggg ggctcatcac ctgtagaacc tgacttggcc gtggctggaa tccactcggt 240
gccttccact tcagttacac ctcaactcacc atcctctcct gttggttctg tgctgcttca 300
agataactaag cccacatttg agatgcagca gccatctccc ccaattcctc ctgtccatcc 360
tgatgtgcag ttaaaaaatc tgccctttta tgatgtcctt gatgttctca tcaagcccac 420
gagtttagtt caaagcagta ttcagcgatt tcaagagaag ttttttattt ttgctttgac 480
acctcaacaa gttagagaga tatgcatatc cagggatttt ttgccagggtg gtaggagaga 540
ttat 544

<210> 430

<211> 507

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(507)

<223> n = A,T,C or G

<400> 430

```

cttatcncaa tggggctccc aaacttggt gtgcagtga aactccggg gaattttgaa 60
gaacactgac acccatcttc cccccgaca ctctgattta attgggctgc agtgagaaca 120
gagcatcaat ttaaaaagct gcccagaatg ttntcctggg cagcgttggt atctttgccn 180
ccttcgtgac tttatgcaat gcatcatgct atttcatacc taatgaggga gttccaggag 240
attcaaccag gatgtttcta cncctgtggg ttatgacaaa gacaactgcc aaagaatntt 300
caagaaggag gactgcaagt atatcgtggt ggagaagaag gacccaaaaa agacctgttc 360
tgtcagtga tggataaatc aatgtgcttc tagtaggcac agggctccca ggccaggcct 420
cattctcttc tggcctctaa tagtcaatga ttgtgtagcc atgcctatca gtaaaaagat 480
ttttgagcaa aaaaaaaaaa aaaaaaa

```

507

<210> 431

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 431

```

gaaaattcag aatggataaa aacaaatgaa gtacaaaata tttcagattt acatagcgat 60
aaacaagaaa gcacttatca ggaggactta caaatggaag tacactctan aaccatcatc 120
tatcatggct aaatgtgaga ttagcacagc tgtattattt gtacattgca aacacctaga 180
aagagatggg aaacaaaatc ccaggagttt tgtgtgtgga gtcctggggt ttccaacaga 240
catcattcca gcattctgag attagggnga ttggggatca ttctggagtt ggaatgttca 300
acaaaagtga tgttgttagg taaaatgtac aacttctgga tctatgcaga cattgaaggt 360
gcaatgagtc tggcttttac tctgctgttt ct

```

392

<210> 432

<211> 387

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(387)

<223> n = A,T,C or G

<400> 432

```

ggtatcanta cataatcaaa tatagctgta gtacatgttt tcattggngt agattaccac 60
aatgcaagg caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg 120
ngtagtccaa gctctcgga gtccagccac tngaaacat gctcccttta gattaacctc 180
gtggacnctn ttgttgnatt gtctgaactg tagngccctg tattttgctt ctgtctgnga 240
attctgttgc ttctggggca tttccttgng atgcagagga ccaccacaca gatgacagca 300
atctgaattg ntccaatcac agctgcgatt aagacatact gaaatcgtac aggaccggga 360
acaacgtata gaacactgga gtccttt

```

387

<210> 433

<211> 281

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (281)

<223> n = A,T,C or G

<400> 433

```
ttcaactagc anagaanact gcttcagggn gtgtaaaatg aaaggcttcc acgcagttat 60
ctgattaaag aacactaaga gagggacaag gctagaagcc gcaggatgtc tacactatag 120
caggcnctat ttgggttggc tggaggagct gtggaaaaca tggagagatt ggcgctggag 180
atcgccgtgg ctattcctcn ttgntattac accagnagg ntctctgtnt gccactggg 240
tnnaaaaccg ntatacaata atgatagaat aggacacaca t 281
```

<210> 434

<211> 484

<212> DNA

<213> Homo sapiens

<400> 434

```
ttttaaaata agcatttagt gctcagtcct tactgagtac tctttctctc cctcctctg 60
aatttaattc tttcaacttg caatttgcaa ggattacaca tttcactgtg atgtatattg 120
tggtgcaaaa aaaaaaaagt gtctttgttt aaaattactt ggtttgtaga tccatcttgc 180
ttttccccc ttggaactag tcattaaccc atctctgaac tggtagaaaa acatctgaag 240
agctagtcta tcagcatctg acaggtgaat tggatgggtc tcagaacctt ttccccaga 300
cagcctgttt ctatcctgtt taataaatta gtttggttgc tctacatgca taacaaaccc 360
tgctccaatc tgtcacataa aagtctgtga cttgaagttt agtcagcacc cccaccaaac 420
tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataaag taccatgtc 480
ttta 484
```

<210> 435

<211> 424

<212> DNA

<213> Homo sapiens

<400> 435

```
gcgccgctca gagcaggtca ctttctgcct tccacgtcct ccttcaagga agccccatgt 60
gggtagcttt caatatcgca ggttcttact cctctgcctc tataagctca aaccaccaa 120
cgatcgggca agtaaaccct cctcctcgcc gacttcgga ctggcgagag ttcagcgag 180
atgggcctgt ggggaggggg caagatagat gagggggagc ggcattggtc ggggtgacct 240
cttgagaga ggaaaaagc cacaagagg gctgccacc ccactaacg agatggcct 300
ggtagagacc tttgggggtc tggaaacctt ggactccca tgetctaact cccacactct 360
gctatcagaa acttaaactt gaggattttc tctgtttttc actcgcaata aattcagagc 420
aac 424
```

<210> 436

<211> 667

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (667)

<223> n = A,T,C or G

<400> 436

```
accttgggaa nactctcaca atataaaggg tcgtagactt tactccaaat tccaaaaagg 60
tcttgcccat gtaatcctga aagttttccc aaggtagcta taaaatcctt ataaggtgc 120
agcctcttct ggaattcctc tgatttcaa gtctcactct caagttcttg aaaacgaggg 180
cagttcctga aaggcaggta tagcaactga tcttcagaaa gaggaactgt gtgcaccggg 240
atgggctgcc agagtaggat aggattccag atgctgacac cttctggggg aaacagggct 300
gccaggtttg tcatagcact catcaaagtc cggccaacgt ctgtgcttcg aatataaacc 360
```

```

tggttcattgtt tataggactc attcaagaat tttctatatc tctttcttat atactctcca 420
agttcataat gctgctccat gccagctgg gtgagttggc caaatccttg tggccatgag 480
gattccttta tggggtcagt gggaaagggt tcaatgggac ttcggtctcc atgccgaaac 540
accaaagtca caaacttcaa ctccttggct agtacacttc ggtctagcca gaaaaaaagc 600
agaaacaaga agccaaggct aaggcttgct gccctgccag gaggaggggt gcagctctca 660
tggtgag                                     667

```

<210> 437

<211> 693

<212> DNA

<213> Homo sapiens

<400> 437

```

ctacgtctca accctcattt ttaggtaagg aatcttaagt ccaaagatat taagtgactc 60
acacagccag gtaaggaaag ctggattggc aactaggac tctaccatac cgggttttgt 120
taaagctcag gttaggaggc tgataagctt ggaaggaaact tcagacagct ttttcagatc 180
ataaaagata attcttagcc catgttcttc tccagagcag acctgaaatg acagcacagc 240
aggactcct ctattttcac cctcttgct tctactctct ggcagtcaga cctgtgggag 300
gccatgggag aaagcagctc tctggatgtt tgtacagatc atggactatt ctctgtggac 360
catttctcca ggttaccta ggtgtcacta ttggggggac agccagcatc tttagctttc 420
atttgagttt ctgtctgtct tcagtagagg aaacttttgc tcttcacact tcacatctga 480
acacctaact gctgttgctc ctgaggtggt gaaagacaga tatagagctt acagtattta 540
tcctatttct aggcactgag ggctgtgggg taccttgttg tgccaaaaca gatcctgttt 600
taaggacatg ttgcttcaga gatgtctgta actatctggg ggctctgttg gctctttacc 660
ctgcatcatg tgctctcttg gctgaaaatg acc                                     693

```

<210> 438

<211> 360

<212> DNA

<213> Homo sapiens

<400> 438

```

ctgcttatca caatgaatgt tctcctgggc agcgttgtga tctttgccac ctctgtgact 60
ttatgcaatg catcatgcta tttcatacct aatgaggag ttccaggaga ttcaaccagg 120
atgtttctac acctgtgggt tatgacaaag acaactgcc aagaatcttc aagaaggagg 180
actgcaagta tatctggttg agaagaagga cccaaaaaag acctgttctg tcagtgaatg 240
gataatctaa tgtgcttcta gtaggcacag ggctcccagg ccaggcctca ttctcctctg 300
gcctctaata gtcaataatt gtgtagccat gcctatcagt aaaaagattt ttgagcaaac 360

```

<210> 439

<211> 431

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(431)

<223> n = A,T,C or G

<400> 439

```

gttcctnnta actcctgcc aaaacagctc tctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtcccattga cacctttccc actgacccca taaaggaaat ctcattggcca caaggatttg 240
gccaaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtccata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag t                                     431

```

<210> 440
<211> 523
<212> DNA
<213> Homo sapiens

<400> 440
agagataaag cttagggtcaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaatgtc tgaaatggaa cagattttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttacccat cagttccagc 240
cttctctcaa ggagaggcaa agaaaggaga tacagtggag acatctggaa agttttctcc 300
actggaaaac tgctactatc tgtttttata ttctgttaa aatatatgag gctacagaac 360
taaaaattaa aacctctttg tgtcccttgg tcctgggaaca tttatgttcc ttttaagaa 420
acaaaaatca aactttacag aaagatttga tgtatgtaac acatatagca gctcttgaag 480
tatatatatc atagcaaata agtcatctga tgagaacaag cta 523

<210> 441
<211> 430
<212> DNA
<213> Homo sapiens

<400> 441
gttcctccta actcctgcc aaaacagctc tcctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggtt tcttgtttct gcttttttcc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtcccattga cacccttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgctga cgcggccgcg 420
aatttagtag 430

<210> 442
<211> 362
<212> DNA
<213> Homo sapiens

<400> 442
ctaaggaatt agtagtggtc ccatcacttg tttggagtgt gctattctaa aagattttga 60
tttcttgga tgacaattat attttaactt tgggtgggga aagagttata ggaccacagt 120
cttcacttct gatacttgta aattaatctt ttattgcact tgttttgacc attaagctat 180
atgtttagaa atggtcattt tacggaaaaa ttagaaaaat tctgataata gtgcagaata 240
aatgaattaa tgttttactt aatttatatt gaactgtcaa tgacaaataa aaattctttt 300
tgattatttt ttgttttcat ttaccagaat aaaaactaag aattaaaagt ttgattacag 360
tc 362

<210> 443
<211> 624
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(624)
<223> n = A,T,C or G

<400> 443
tttttttttt gcaacacaat atacatcaca gtgaaatgtg taatccttgc aaattgcaag 60

```

ttgaaagaat taaattcaga ggaggggaga gaaagagtac tcagtaggga ctgagcacta 120
aatgcttatt ttaaaagaaa tgtaaagagc agaaagcaat tcaggctacc ctgccttttg 180
tgctggctag tactccggtc ggtgtcagca gcacgtggca ttgaacattg caatgtggag 240
cccaaaccac agaaaatggg gtgaaattgg ccaactttct attaacttgg ctctctgttt 300
tataaaatat tgtgaataat atcacctact tcaaagggca gttatgaggc ttaaatgaac 360
taacgcctac aaaacactta aacatagata acataggtgc aagtactatg tatctggtac 420
atggtaaaca tccttattat taaagtcaac gctaaaaatga atgtgtgtgc atatgctaata 480
agtacagaga gagggcactt aaaccaacta agggcctgga gggaagggtt cctggaaaaga 540
ngatgcttgt gctgggtcca aatcttggtc tactatgacc ttggccaaat tattttaaact 600
ttgtccctat ctgctaaaca gatc 624

```

```

<210> 444
<211> 425
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(425)
<223> n = A,T,C or G

```

```

<400> 444
gcacatcatt nntcttgcatt tctttgagaa taagaagatc agtaaatagt tcagaagtgg 60
gaagctttgt ccaggcctgt gtgtgaaccc aatgttttgc ttagaaatag aacaagtaag 120
ttcattgcta tagcataaca caaaatttgc ataagtgggtg gtcagcaaat ccttgaatgc 180
tgcttaattgt gagagggttg taaaatcctt tgtgcaacac tctaactccc tgaatgtttt 240
gctgtgctgg gacctgtgca tgccagacaa ggccaagctg gctgaaagag caaccagcca 300
cctctgcaat ctgccacctc ctgctggcag gatttgtttt tgcacctgt gaagagccaa 360
ggaggcacca gggcataagt gagtagactt atggtcgacg cggccgcgaa tttagtagta 420
gtaga 425

```

```

<210> 445
<211> 414
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(414)
<223> n = A,T,C or G

```

```

<400> 445
catgtttatg nttttggatt actttgggca cctagtgttt ctaaatcgtc tatcattctt 60
ttctgttttt caaaagcaga gatggccaga gtctcaacaa actgtatctt caagtctttg 120
tgaaattctt tgcattgtggc agattattgg atgtagtctt ctttaactag catataaatc 180
tgggtgtgtt cagataaatg aacagcaaaa tgtggtggaa ttaccatttg gaacattgtg 240
aatgaaaaat tgtgtctcta gattatgtaa caaataacta tttcctaacc attgatcttt 300
ggatttttat aatcctactc acaaagtact aggtctctcc tcttgatatt tgaagcagt 360
tgggtgctgg attgataaaa aaaaaaaaaa tgcacgcggc cgcaatttta gtag 414

```

```

<210> 446
<211> 631
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(631)

```


<223> n = A,T,C or G

<400> 446

```
acaaattaga anaaagtgcc agagaacacc acataccttg tccggaacat tacaatggct 60
tctgcatgca tgggaagtgt gagcattcta tcaatatgca ggagccatct tgcagggtgtg 120
atgctgggtta tactggacaa cactgtgaaa aaaaggacta cagtgttcta tacgttggtc 180
ccggtccctgt acgatttcag tatgtcttaa tgcgagctgt gattggaaca attcagattg 240
ctgtcatctg tgtggtggtc ctctgcatca caagggccaa actttaggta atagcattgg 300
actgagattt gtaaactttc caaccttcca ggaaatgccc cagaagcaac agaattcaca 360
gacagaagca aaatacaggg cactacagtt cagacaatac aacaagagcg tccacgaggt 420
taatctaaag ggagcatggt tcacagtggc tggactaccg agagcttgga ctacacaata 480
cagtattata gacaaaagaa taagacaaga gatctacaca tgttgccctg cattttgtgg 540
aatctacacc aatgaaaaca tgtactacag ctatatttga ttatgtatgg atatatttga 600
aatagtatac attgtcttga tgttttttct g 631
```

<210> 447

<211> 585

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(585)

<223> n = A,T,C or G

<400> 447

```
ccttgaggaaa antntcacaa tataaagggt cgtagacttt actccaaatt ccaaaaagggt 60
cctggccatg taatcctgaa agttttccca aggtagctat aaaatcctta taagggtgca 120
gcctcttctg gaattcctct gatttcaaag tctcactctc aagttcttga aaacgagggc 180
agttcctgaa aggcagggtat agcaactgat cttcagaaag aggaactgtg tgcaccggga 240
tgggctgcca gagtaggata ggattccaga tgctgacacc ttctggggga aacagggctg 300
ccaggtttgt catagcactc atcaaagtcc ggtcaacgtc tgtgcttcga atataaacct 360
gttcattgtt ataggactca ttcaagaatt ttctatatct ctttcttata tactctccaa 420
gttcataatg ctgctccatg cccagctggg tgagttggcc aaatccttgt ggccatgagg 480
attcctttat ggggtcagtg ggaaagggtg caatgggact tcgggtctcca tgccgaaaca 540
ccaaagtcac aaacttcaac tccttggtca gtacacttcg gtcta 585
```

<210> 448

<211> 93

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(93)

<223> n = A,T,C or G

<400> 448

```
tgctcgtggg tcattctgan nnccgaactg accntgccag ccctgccgan gggccnccat 60
ggctccctag tgccctggag agganggggc tag 93
```

<210> 449

<211> 706

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (706)

<223> n = A,T,C or G

<400> 449

```
ccaagtccat gctntgtgct ggacgctgga caggggggcaa aagcnnttgc tcgtgggtca 60
ttctgancac cgaactgacc atgccagccc tgccgatggt cctccatggc tccctagtgc 120
cctggagagg aggtgtctag tcagagagta gtcctggaag gtggcctctg ngaggagcca 180
cggggacagc atcctgcaga tggtcgggag cgtcccatc gccattcagg ctgcgcaact 240
gttgggaagg gcgatcggtg cgggcctctt cgtattacg ccagctggcg aaagggggat 300
gtgctgcaag gcgattaaat tgggtaacgc caggggtttc ccagtcncga cgttgtaaaa 360
cgacggccag tgaattgaat ttaggtgacn ctatagaaga gctatgacgt cgcatgcacg 420
cgtacgtaag cttggatcct cttagcgggc cgcctactac tactaaattc gcggccgcgt 480
cgacgtggga tccnactga gagagtggag agtgacatgt gctggacnct gtccatgaag 540
cactgagcag aagctggagg cacaacgcnc cagacactca cagctactca ggaggtgag 600
aacaggttga acctgggagg tggaggttgc aatgagctga gatcaggccn ctgcncccca 660
gcatggatga cagagtgaaa ctccatctta aaaaaaaaaa aaaaaa 706
```

<210> 450

<211> 493

<212> DNA

<213> Homo sapiens

<400> 450

```
gagacggagt gtcactctgt tgcccaggct ggagtgcagc aagacactgt ctaagaaaaa 60
acagttttaa aaggtaaaac aacataaaaa gaaatatcct atagtggaaa taagagagtc 120
aaatgaggct gagaacttta caaagggatc ttacagacat gtcgccaata tcaactgcatg 180
agcctaagta taagaacaac ctttggggag aaaccatcat ttgacagtga ggtacaattc 240
caagtcagggt agtgaaatgg gtggaattaa actcaaatta atcctgccag ctgaaacgca 300
agagacactg tcagagagtt aaaaagttag ttctatccat gaggtgattc cacagtcttc 360
tcaagtcaac acatctgtga actcacagac caagttctta aaccactgtt caaactctgc 420
tacacatcag aatcacctgg agagctttac aaactcccat tgccgagggt cgacgcggcc 480
gcgaatttag tag 493
```

<210> 451

<211> 501

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (501)

<223> n = A,T,C or G

<400> 451

```
gggcgcgtcc cattcgccat tcaggctgag caactgttgg gaagggcgat cgggtcgggc 60
ctcttcgcta ttacgccagc tggcgaaagg gggatgtgct gcaaggcgat taagttgggt 120
aacgccaggg ttttcccagt cncgacgttg taaaacgacg gccagtgaat tgaatttagg 180
tgacnctata gaagagctat gacgtcgcat gcacgcgtac gtaagcttgg atcctctaga 240
gcggccgcct actactacta aattcgcgcc cgcgtcgacg tgggatccnc actgagagag 300
tggagagtga catgtgctgg acnctgtcca tgaagcactg agcagaagct ggaggcacia 360
cgcncagac actcacagct actcaggagg ctgagaacag gttgaacctg ggaggtggag 420
gttgcaatga gctgagatca ggcenctgcn ccccgacatg gatgacagag tgaaactcca 480
tcttaaaaaa aaaaaaaaaa a 501
```

<210> 452

<211> 51

<212> DNA

<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(51)
<223> n = A,T,C or G

<400> 452
agacggtttc accnttacaa cnccttttag gatgggnntt ggggagcaag c 51

<210> 453
<211> 317
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(317)
<223> n = A,T,C or G

<400> 453
tacatcttgc tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa 60
acatctgaag agctagtcta tcagcatctg gcaagtgaat tggatgggtc tcagaaccat 120
ttcacccana cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca 180
taacaaaccc tgctccaatc tgtcacataa aagtctgtga cttgaagttt antcagcacc 240
cccaccaaac tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataagg 300
taccatgtc tttatta 317

<210> 454
<211> 231
<212> DNA
<213> Homo sapiens

<400> 454
ttcgaggtag aatcaactct cagagtgtag tttccttcta tagatgagtc agcattaata 60
taagccacgc cacgctcttg aaggagtctt gaattctcct ctgctcactc agtagaacca 120
agaagaccaa attcttctgc atcccagctt gcaaacaaaa ttgttcttct aggtctccac 180
ccttctttt tcagtgttcc aaagctctc acaatttcat gaacaacagc t 231

<210> 455
<211> 231
<212> DNA
<213> Homo sapiens

<400> 455
taccaaagag ggcataataa tcagtctcac agtaggggtc accatcctcc aagtgaaaaa 60
cattgttccg aatgggcttt ccacaggcta cacacacaaa acaggaaaca tgccaagttt 120
gtttcaacgc attgatgact tctccaagga tcttcttttg gcatcgacca cattcagggg 180
caaagaattt ctcatagcac agtcacaat acagggtctc tttctctct a 231

<210> 456
<211> 231
<212> DNA
<213> Homo sapiens

<400> 456
ttggcaggta cccttacaaa gaagacacca taccttatgc gttattaggt ggaataatca 60
ttccattcag tattatcggtt attattcttg gagaaaccct gtctgtttac tgtaaccttt 120
tgcaactcaa ttcctttatc aggaataact acatagccac tatttacaaa gccattggaa 180

cctttttatt tgggtgcagct gctagtcagt ccctgactga cattgccaaag t 231

<210> 457

<211> 231

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(231)

<223> n = A,T,C or G

<400> 457

cgaggtagcc aggggtctga aaatctctnn tttantagtc gatagcaaaa ttgttcatca 60
gcattcctta atatgatctt gctataatta gattttttctc cattagagtt catacagttt 120
tatttgattt tattagcaat ctctttcaga agacccttga gatcattaag ctttgtatcc 180
agttgtctaa atcgatgcct catttcctct gaggtgtcgc tggcctttgt g 231

<210> 458

<211> 231

<212> DNA

<213> Homo sapiens

<400> 458

aggtctgggt cccccactt ccaatccctt ctactctctc taggactggg ctgggccaaag 60
agaagagggg tggttagggg agccgttgag acctgaagcc ccacctcta ccttccttca 120
acaccctaac cttgggtaac agcatttgga attatcattt gggatgagta gaatttccaa 180
ggtcctgggt taggcatttt ggggggccag accccaggag aagaagatte t 231

<210> 459

<211> 231

<212> DNA

<213> Homo sapiens

<400> 459

ggtaccgagg ctgctgaca cagagaaacc ccaacgcgag gaaaggaatg gccagccaca 60
ccttcgcgaa acctgtggtg gcccaccagt cctaacggga caggacagag agacagagca 120
gccctgcact gttttccctc caccacagcc atcctgtccc tcattggctc tgtgctttcc 180
actatacaca gtcaccgtcc caatgagaaa caagaaggag caccctccac a 231

<210> 460

<211> 231

<212> DNA

<213> Homo sapiens

<400> 460

gcaggataaa catgtgcaa caacagatgt gactaggaac ggccggtgac atggggaggg 60
cctatcaccc tattcttggg ggctgcttct tcacagtgat catgaagcct agcagcaaat 120
cccacctccc cacacgcaca cgccagcct ggagcccaca gaagggtcct cctgcagcca 180
gtggagcttg gtccagcctc cagtccaccc ctaccaggct taaggataga a 231

<210> 461

<211> 231

<212> DNA

<213> Homo sapiens

<400> 461

cgaggtttga gaagctctaa tgtgcagggg agccgagaag caggcggcct agggaggggtc 60

gcgtgtgctc cagaagagtg tgtgcatgcc agaggggaaa caggcgctg tgtgtcctgg 120
gtgggggttca gtgaggagtg ggaaattggt tcagcagaac caagccgttg ggtgaataag 180
aggggggatc catggcactg atagagccct atagtttcag agctgggaat t 231

<210> 462

<211> 231

<212> DNA

<213> Homo sapiens

<400> 462

aggtaccctc attgtagcca tgggaaaatt gatgttcagt ggggatcagt gaattaaatg 60
gggtcatgca agtataaaaa ttaaaaaaaa aagacttcat gcccaatctc atatgatgtg 120
gaagaactgt tagagagacc aacagggtag tgggttagag atttccagag tcttacattt 180
tctagaggag gtatttaatt tcttctcact catccagtgt tgtatttagg a 231

<210> 463

<211> 231

<212> DNA

<213> Homo sapiens

<400> 463

tactccagcc tgggtgacaga gcgagaccct atcacccgcc cccacccac caaaaaaaaa 60
actgagtaga cagggtgtcct cttggcatgg taagtcttaa gtcccctccc agatctgtga 120
catttgacag gtgtcttttc ctctggacct cgggtgtccc atctgagtga gaaaaggcag 180
tggggagggtg gatcttccag tcgaagcggg atagaagccc gtgtgaaaag c 231

<210> 464

<211> 231

<212> DNA

<213> Homo sapiens

<400> 464

gtactctaag attttatcta agttgccttt tctgggtggg aaagtttaac cttagtgact 60
aaggacatca catatgaaga atgtttaagt tggaggtggc aacgtgaatt gcaaacaggg 120
cctgctcag tgactgtgtg cctgtagtcc cagctactcg ggagtctgtg tgaggccagg 180
gggtgccagcg caccagctag atgctctgta acttctaggc cccattttcc c 231

<210> 465

<211> 231

<212> DNA

<213> Homo sapiens

<400> 465

catgttggtg tagctgtggt aatgctggct gcctctcaga cagggttaac ttcagctcct 60
gtggcaaatt agcaacaaat tctgacatca tatttatggt ttctgtatct ttgttgatga 120
aggatggcac aatttttgcgt tgtgttcata atatactcag attagtccag ctccatcaga 180
taaaactggag acatgcagga cattagggtg gtgttgtagc tctggtaatg a 231

<210> 466

<211> 231

<212> DNA

<213> Homo sapiens

<400> 466

caggtaacct tttccattgg atactgtgct agcaagcatg ctctccgggg tttttttaat 60
ggccttcgaa cagaacttgc cacataacca ggtataatag tttctaacat ttgcccagga 120
cctgtgcgaat caaatattgt ggagaattcc ctagctggag aagtcacaaa gactataggc 180
aataatggag accagtccca caagatgaca accagtcggt gtgtgcgggt g 231

<210> 467
<211> 311
<212> DNA
<213> Homo sapiens

<400> 467
gtacaccctg gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg 60
tgggtggcttt tctccttttt catcaagact cctcagcagg gagcccagac cagcctgcac 120
tgtgccttaa cagaaggctct tgagattcta agtgggaatc atttcagtga ctgtcatgtg 180
gcatgggtct ctgcccgaagc tcgtaatgag actatagcaa ggcggctgtg ggacgtcagt 240
tgtgacctgc tgggcctccc aatagactaa caggcagtgc cagttggacc caagagaaga 300
ctgcagcaga c 311

<210> 468
<211> 3112
<212> DNA
<213> Homo sapiens

<400> 468
cattgtgttg ggagaaaaac agaggggaga tttgtgtggc tgcagccgag ggagaccagg 60
aagatctgca tgggtgggaag gacctgatga tacagagttt gataggagac aattaaaggc 120
tggaaggcac tggatgcctg atgatgaagt ggactttcaa actggggcac tactgaaacg 180
atgggatggc cagagacaca ggagatgagt tggagcaagc tcaataacaa agtggttcaa 240
cgaggacttg gaattgcatg gagctggagc tgaagtttag cccaattggt tactagttag 300
gtgaatgtgg atgattggat gatcatttct catctctgag cctcagggtc cccatccata 360
aaatgggata cacagtatga tctataaagt gggatatagt atgatctact tctctgggtt 420
atttgaaggga tgaattgaga taatttatct cagggtgcct gaacaatgcc cagattagta 480
catttgggtg aactgagaaa tggcataaca ccaaatttaa tatatgtcag atgttactat 540
gattatcatt caatctcata gttttgtcat ggcccaattt atcctcactt gtgctcaac 600
aaattgaaact gtttaacaaag gaatctcttg tcttgggtta tggctgagca cactgagca 660
tttccattcc agttggcttc ttgggtttgc tagctgcac actagtcac ttaaataaat 720
gaagttttaa cattctcca gtgatttttt tatctcacct ttgaagatac tatgttatgt 780
gattaaataa agaacttgag aagaacaggt ttcattaaac ataaaatcaa ttagagcga 840
aattttctgg atgggcaata cttatgttca caggaaatgc tttaaaatat gcagaagata 900
attaaatggc aatggacaaa gtgaaaaact tagacttttt tttttttttt ggaagtatct 960
ggatgttct tagtcactta aaggagaact gaaaaatagc agtgagtccc acataatcca 1020
acctgtgaga ttaaggctct ttgtggggaa ggacaaagat ctgtaaattt acagtttcct 1080
tccaaagcca acgtcgaatt ttgaaacata tcaaagctct tcttcaagac aaataatcta 1140
tagtacatct ttcttatggg atgcacttat gaaaaatggg ggctgtcaac atctagtcac 1200
tttagctctc aaaatggttc attttaagag aaagttttag aatctcatat ttattcctgt 1260
ggaaggacag cattgtggct tggactttat aaggctctta ttcaactaaa taggtgagaa 1320
ataagaaagg ctgctgactt taccatctga ggccacacat ctgctgaaat ggagataatt 1380
aacatcacta gaaacagcaa gatgacaata taatgtctaa gtagtgacat gtttttgcac 1440
atttctagcc cctttaaata tccacacaca caggagcac aaaaggaagc acagagatcc 1500
ctgggagaaa tgcccgcccg ccatcttggg tcatcgatga gcctcgccct gtgctggtc 1560
ccgcttgtga gggaggaca ttagaaaatg aattgatgtg ttctttaaag gatgggcagg 1620
aaaacagatc ctgttgtgga tatttatttg aacgggatta cagatttgaa atgaagtcac 1680
aaagttagca ttaccaatga gaggaataa gacgagaaa tcttgatggc ttcacaagac 1740
atgcaacaaa caaaatggaa tactgtgatg acatgaggca gccaaagctg ggaggagata 1800
accacggggc agagggtcag gattctggcc ctgctgccta aactgtgctg tcataaccaa 1860
atcatttcat atttctaacc ctcaaaacaa agctgttgta atatctgatc tctacggttc 1920
cttctggggc caacattctc catatatcca gccacactca tttttaatat ttagttccca 1980
gatctgtact gtgaccttct tacactgtag aataacatta ctcatcttgt tcaaagaccc 2040
ttcgtgttgc tgccataat gtagctgact gtttttctta aggagtgttc tggcccaggg 2100
gatctgtgaa caggctggga agcatctcaa gatctttcca gggttatact tactagcaca 2160
cagcatgatc attacggagt gaattatcta atcaacatca tctcagtggt ctttgcccat 2220
actgaaatcc atttcccact tttgtgcccc ttctcaagac ctcaaaatgt cattccatta 2280

```

atatcacagg attaacctttt ttttttaacc tggagaagaatt caatggttaca tgcagctatg 2340
ggaattttaat tacatatattt gttttccagt gcaaagatga ctaagtcctt tatccctccc 2400
ctttgttttga ttttttttcc agtataaagt taaaatgctt agccttgtag tgaggctgta 2460
tacagccaca gcctctccccc atccctccag ccttatctgt catcaccatc aaccctcccc 2520
atgcaccta acaaaatcta acttgaatt ccttgaacat gtcaggcata cattattcct 2580
tctgcctgag aagctcttcc ttgtctctta aatctagaat gatgtaaagt tttgaataag 2640
ttgactatct tacttcatgc aaagaaggga cacatatgag attcatcatc acatgagaca 2700
gcaaatacta aaagtgtaat ttgattataa gaggtttagat aaatatatga aatgcaagag 2760
ccacagaggg aatgtttatg gggcacgttt gtaagcctgg gatgtgaagc aaaggcaggg 2820
aacctcatag tatcttatat aatatacttc atttctctat ctctatcaca atatccaaca 2880
agcttttcac agaattcatg cagtgc aaat ccccaaagggt aacctttatc catttcatgg 2940
tgagtgcgct ttagaatttt ggcaaatcat actggctcact tatctcaact ttgagatgtg 3000
tttgccttg tagttaattg aaagaaatag ggcactcttg tgagccactt tagggttcac 3060
tcttggcaat aaagaattta caaagagcaa aaaaaaaaaa aaaaaaaaaa aa 3112

```

<210> 469

<211> 2229

<212> DNA

<213> Homo sapiens

<400> 469

```

agctctttgt aaattcttta ttgccaggag tgaaccctaa agtggctcac aagagtgtccc 60
tatttctttc aattaactac aaggacaaac acatctcaaa gttgagataa gtgaccagta 120
tgatttgcca aaattctaaa gcgcactcac catgaaatgg ataaagggtta cctttgggga 180
tttgactgac atgaattctg tgaagagctt gttggatatt gtgatagaga tagagaaatg 240
aagtatatta tataagatac tatgagggtc cctgcctttg cttcacatcc caggcttaca 300
aacgtgcccc ataaacattc cctctgtggc tcttgcattt catatattta tctaaactct 360
tataatcaaa tacactttta gtatttgcgt tctcatgtga tgatgaatct catatgtgtc 420
ccttctttgc atgaagtaag atagtcaact tattcaaaac tttacatcat tctagattta 480
agagacaagg aagagcttct caggcagaag gaataatgta tgcttgacat gttcaaggaa 540
ttacaagtta gattttgttt aggtgcatgg gagggggtga tgggtgatgac agataaggct 600
ggaggggatgg ggagaggctg tggtgtgata cagcctcagt acaaggctaa gcattttaac 660
tttatactgg aaaaaaaatc aaacaaaggg gagggataaa ggacttagtc atctttgcac 720
tggaatacaa aatatgtaat taaattccca tagctgcatt taacattgaa ttcttccagg 780
ttaaaaaaa agttaatcct gtgatattaa tggaaatgaca ttttgaggctc ttgagaattg 840
gcacaaaagt gggaaatgaa tttcagtatg ggcaagaca ctgaggatga tgttgattag 900
ataattcact cgtaatgat catgctgtgt gctagtaagt ataaccctgg aaagatcttg 960
agatgcttcc cagcctgttc acagatcccc tgggcccagaa cactccttag gaaaaacagt 1020
cagctacata ttaggcagca acacgaaggg tctttgaaca aaatgagtaa tgttattcta 1080
cagtgtagaa aggtcacagt acagatctgg gaactaaata ttaaaaatga gtgtggctgg 1140
atatatggag aatgttgggc ccagaaggaa ccgtagagat cagatattac aacagctttg 1200
ttttgagggt tagaaaatag aaatgatttg gttatgaacg cacagttag gcagcagggc 1260
cagaatcctg accctctgcc ccgtggttat ctcctcccca gcttggctgc ctcagtcat 1320
cacagtattc cattttgttt gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt 1380
tttctctca ttggtaatgc tcaattgtg acttcatttc aaatctgtaa tcccgttcaa 1440
ataaatatcc acaacaggat ctgttttctt gccatcctt taaggaaacac atcaattcat 1500
tttctaattg ccttccctca caagcgggac caggcacagg gcgaggctca tcatgaccc 1560
aagatggcgg ccgggcattt ctcccaggga tctctgtgct tctttttgtg cttctgtgt 1620
gtgtggatat ttaaggggc tggaaatgtg caaaaacatg tcaactacta gacattata 1680
tgtcatcttg ctgtttctag tgaattaat tatctccatt tcagcagatg tgtggcctca 1740
gatggtaaag tcagcagcct ttcttatttc tcacctggaa atacatacga ccatttgagg 1800
agacaaatgg caagtggtca gcataccctg aacttgagtt gagagctaca cacaatatta 1860
ttggtttccg agcatcaca acaccctctc tgtttcttca ctgggcacag aattttaata 1920
cttatttcag tggcgtgttg gcaggaacaa atgaagcaat ctacataaag tcactagtgc 1980
agtgcctgac acacaccatt ctcttgaggt cccctctaga gatcccacag gtcatatgac 2040
ttcttgggga gcagtggctc acacctgtaa cccagcact ttgggaggct gaggcaggtg 2100
ggtcacctga ggtcaggagt tcaagaccag cctggccaat atgggtgaaac cccatctcta 2160
ctaaaaatc aaaaatttagc tgggcgtgct ggtgcatgcc tgtaatccca gcccacac 2220

```

aatggaatt

2229

<210> 470

<211> 2426

<212> DNA

<213> Homo sapiens

<400> 470

```
gtaaattctt tattgccagg agtgaaccct aaagtggctc acaagagtgc cctatttctt 60
tcaattaact acaaggacaa acacatctca aagttgagat aagtgaccag tatgatttgc 120
caaaattcta aagcgactc accatgaaat ggataaagggt tacctttggg gatttgcact 180
gcatgaattc tgtgaaaagc ttgttgata ttgtgataga gatagagaaa tgaagtatat 240
tatataagat actatgaggt tccctgcctt tgcttcacat cccaggctta caaacgtgcc 300
ccataaacat tccctctgtg gctcttgcac ttcataatatt tatctaaact cttataatca 360
aattacactt ttagtatttg ctgtctcatg tgatgatgaa tctcatatgt gtcccttctt 420
tgcatgaagt aagatagtca acttattcaa aactttacat cattctagat ttaagagaca 480
aggaagagct tctcaggcag aaggaataat gtatgcctga catgttcaag gaattacaag 540
ttagattttg tttaggtgca tgggaggggt tgatggtgat gacagataag gctggaggga 600
tggggagagg ctgtggctgt atacagcctc agtacaaggc taagcatttt aactttatac 660
tggaaaaaaa atcaaacaaa ggggagggat aaaggactta gtcacttttg cactggaaaa 720
caaaatatgt aattaaattc ccatagctgc atgtaacatt gaattcttcc aggttaaaaa 780
aaaaagttaa tcctgtgata ttaatggaat gacattttga ggtcttgaga atgggcacaa 840
aagtgggaaa tgaatttcag tatgggcaaa gacactgagg atgatgttga ttagataatt 900
cactccgtaa tgatcatgct gtgtgctagt aagtataacc ctggaaagat cttgagatgc 960
ttcccagcct gttcacagat cccctgggcc agaacactcc ttaggaaaaa cagtcagcta 1020
catattaggt agcaacacga agggctcttg aacaaaatga gtaatgttat tctacagtgt 1080
agaaaggtca cagtacagat ctgggaacta aatattaaaa atgagtgtgg ctggatatat 1140
ggagaatgtt gggcccagaa ggaaccgtag agatcagata ttacaacagc tttgttttga 1200
gggttagaaa tatgaaatga tttggttatg aacgcacagt ttaggcagca gggccagaat 1260
cctgaccctc tgcccctgtg ttatctctc cccagcttgg ctgcctcatg tcatcacagt 1320
attccatttt gtttgttgca tgtcttgtga agccatcaag attttctcgt ctgttttctt 1380
ctcattggta atgctcactt tgtgacttca tttcaaactc gtaatcccgt tcaaataaat 1440
atccacaaca ggatctgttt tccctgcccac cctttaagga acacatcaat tcattttcta 1500
atgtccttcc ctcacaagcg ggaaccagga cagggcgagg ctcatcgatg acccaagatg 1560
gcgccggggc atttctccca gggatctctg tgettccctt tgtgcttccg gtgtgtgtgg 1620
atatttaaag gggctggaaa tgtgcaaaaa catgtcacta cttagacatt atattgtcat 1680
cttgctgttt ctagtgatgt taattatctc catttcagca gatgtgtggc ctcataggtt 1740
aaagtcagca gcctttctta tttctcacct ggaaatacat acgaccattt gaggagacaa 1800
atggcaaggt gtcagcatac cctgaacttg agttgagagc tacacacaat attattgggt 1860
tccgagcatc acaaacaccc tctctgtttc ttcactgggc acagaatttt aatacttatt 1920
tcagtgggct gttggcagga acaaatgaag caatctacat aaagtcacta gtgcagtgcc 1980
tgacacacac cattctcttg aggtccctc tagagatccc acaggtcata tgacttcttg 2040
gggagcagtg gctcacacct gtaatcccag cactttggga ggctgaggca ggtgggtcac 2100
ctgaggtcag gagttcaaga ccagcctggc caatatgggt aaaccccatc tctactaaaa 2160
atacaaaaat tagctgggcy tgctggtgca tgctgtaat cccagctact tgggaggtct 2220
aggcaggaga attgctggaa catgggaggt ggaggttgca gtgagctgta attgtgccat 2280
tgcactcgaa cctgggcyac agagtggaa tctgtttcca aaaaacaaac aaacaaaaaa 2340
ggcatagtca gatacaacgt ggggtgggat tgtaaataga agcaggatat aaagggcagt 2400
gggtgacggt tttgccaac acaatg
```

<210> 471

<211> 812

<212> DNA

<213> Homo sapiens

<400> 471

```
gaacaaaatg agtaatgtta ttctacagtg tagaaaggct acagtacaga tctgggaact 60
aaatattaaa aatgagtgtg gctggatata tggagaatgt tgggccccaga aggaaccgta 120
```



```

gagatcagat attacaacag ctttgttttg aggggttagaa atatgaaatg atttggttat 180
gaacgcacag tttaggcagc agggccagaa tcctgaccct ctgccccgtg gttatctcct 240
ccccagcttg gctgcctcat gtcacacag tattccattt tgtttggtgc atgtcttctg 300
aagccatcaa gattttctcg tctgttttcc tctcattggt aatgctcact ttgtgacttc 360
atttcaaadc tgtaatcccg ttcaataaaa tatccacaac aggatctggt ttcttgccca 420
tcctttaagg aacacatcaa ttcatTTTTt aatgtccttc cctcacaagc gggaccaggc 480
acagggcgag gctcatcgat gaccaagat ggcgccggg catttctccc agggatctct 540
gtgcttcttt ttgtgcttcc tgtgtgtgtg gatatttaaa ggggctggaa atgtgcaaaa 600
acatgtcact acttagacat tatattgtca tcttgctgtt tctagtgtg ttaattatct 660
ccatttcagc agatgtgtgg cctcagatgg taaagtcagc agcctttctt atttctcacc 720
tctgtatcat caggctcttc ccaccatgca gatcttctcg gtctccctcg gctgcagcca 780
cacaatctc cctctgtgtt ttctgatgcc ag

```

<210> 472

<211> 515

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (515)

<223> n = A,T,C or G

<400> 472

```

acggagactt attttctgat attgtctgca tatgtatgtt ttttaagagtc tggaaatagt 60
cttatgactt tcctatcatg cttattaata aataatacag ccagagaag atgaaaatgg 120
gttccagaat tattggtcct tgagcccg tgaatctcag caagaggaa caccaactga 180
caatcaggat attgaacctg gacaagagag agaaggaaca cctccgatcg aagaacgtaa 240
agtagaagg gattgccagg aaatggatct ggaaaagact cggagtgcgc gtggagatgg 300
ctctgatgta aaagagaaga ctccacctaa tcctaagcat gctaagacta aagaagcagg 360
agatgggcag ccataagtta aaaagaagac aagctgaagc tacacacatg gctgatgtca 420
cattgaaaat gtgactgaaa atttgaaaat tctctcaata aagtttgagt tttctctgaa 480
gaaaaaaaaa naaaaaaaaa aaanaaaan aaaaa

```

<210> 473

<211> 5829

<212> DNA

<213> Homo sapiens

<400> 473

```

cgcatgccgg ggaagcccaa gctggctcga agagccacca gccacctgtg caagggtggg 60
cctggaccag ttggaccagc caccaagctc acctactcaa ggaagcaggg atggccagg 120
tgcaacagcc tgagtggctg ccacctgata gctgatggag cagaggcctg aggaaaatca 180
gatggcacat ttagctcttt aatggatctt aagttaattt ttctataaag cacatggcac 240
cagtccatgc ctcagagctc gtatggcact gcgaccaca gcaggccgag ttcccaggat 300
tgccatccag gggggccttc tgtagccctg gccagacctt gcagagggtg ctgggtgtctc 360
tttgagcgag ctggcctcc ctggcatgca caggccccag gtactgacac gctgctctga 420
gtgagcttgt cctgccttgg ctgccaccta actgctgatg gagcagcggc cttaggaaaa 480
gcaaatggcg ctgtagccca actttagggt agaagaagat gtaccatgtc cggccgctag 540
ttggtgactg gtgcacctgc tcttggcgta cccttgcaga ggtgggtggg tgctctttgg 600
ccagcttggc cttgcctggc atgcacaagc ctcagtgcga caactgtcct acaaatggag 660
acacagagag gaaacaagca gcgggctcag gagcaggggtg tgtgtgcct ttggggctcc 720
agtccatgcc tcgggtcgta tggtaactgca ggcttcttgg ttgccaaag gcggaccaca 780
ggccttcttg aggaggactt tacgttcaag tgcagaaagc agccaaaatt accatccatg 840
agactaagcc ttctgtggcc ctggcgagac ttaaaatttg tgccaaggca ggacaagctc 900
actcggagca gctgtcagt agctggggcc tatgcatgcc gggcagggcc gggctgctg 960
aaggagcaac cagccacctc tgcaagggtg cgctagtgc aggcggagca tccaccacct 1020
caccgcctcg aggaagtggg gatggccagg ttcccacagc ctgagtgtct gccaccttat 1080

```

tgctgatgga	gcagaggcct	taagaaaagc	agatggcact	gtggccctac	ctttaggggtg	1140
gaagaagtga	tgtacatgtc	cggacgctaa	ttggtgactg	gtacaccggc	tccgtctaca	1200
cctttgcaga	ggtggctggt	tgctctttga	gccagcttgt	ccttgcccgg	catgcacaag	1260
tttcagtgca	acaactttgc	cacaaatgga	gccatataga	ggaaacaaga	agcaggttca	1320
ggagaagggt	gtacctgcc	tttggggctc	cagtccatgc	ctcaggtgtc	acatggcact	1380
gcgggcttct	tggttgccag	gaggcggacc	acaggccatc	ttggggagga	ctttgtgttc	1440
aagtgcagaa	agcagccagg	attgccatcc	agggggacct	tctatagccc	tggccaaaacc	1500
ttgcaggggt	gtctggttgc	tctttgagcc	ggcttggcct	ccctggcatg	cacgggcccc	1560
aggtgctggc	acgctgctcc	gagtgtgctt	gtcctgcctt	ggctgccacc	tctgcggggg	1620
tgcgtctgga	gggggtggac	cggccaccaa	ccttaccacg	tcaaggaagt	ggatggccat	1680
gttcccacag	cctgagtggc	tgccacctga	tgctgatgg	agcaaaggcc	ttaggaaaag	1740
cagatggccc	tggccctac	ctttttgtta	gaagaactga	tgttccatgt	cctgcagcga	1800
gtgaggttgg	tggctgtgcc	cccagctcct	gcgcgcctc	cgagagggtg	actggttgc	1860
ctttgggccc	tcttggcctt	gcccagcatg	cacaagcctc	agtgtacta	ctgtgctaca	1920
aatggagcca	tataggggaa	acgagcagcc	atctcaggag	caaggtgtat	gctgcctttg	1980
ggggctccag	tccctgcctc	aagggtctta	tgtcactgtg	ggcttcttgg	ttgtcaagag	2040
gcagaccata	ggcgtctctg	agagggactt	tatgttcaag	tgagaaaagc	agccaggatt	2100
gccacctctg	ggactctgcc	ttctgtggcc	ctggccaaac	ttagaatttg	gccgtagaca	2160
ggacaggctc	acttggagta	gcgtgtccgt	agctgggggtc	tgtgcatgcc	gggcaaggcc	2220
gggctgcctc	ggggagcaac	cagccacctc	tgcgggggtg	cgctggagc	aggtggagca	2280
gccaccagct	caccactctc	aggaagccgg	ggtagccagg	ttcccaaggc	ctgagtggtt	2340
gccacctaat	ggctgaagaa	acagaggcct	tgggaaaacc	agatggcact	gtggccctac	2400
ctttatggta	gaagagctga	tttagcctga	ctggcagcgt	gtgggggttg	tggctggtct	2460
gcctgctgct	ggcgcctccg	tgcaaggatg	gctggttgcc	ctttgagcca	gcttgccctt	2520
gcccggcatg	cgcaagcctc	agtgaaccaa	ctgtgctgca	aatggggcca	tatagaggaa	2580
aggagcagct	ggctctggag	catggtgtgc	actccctttg	ggccttcagt	ccatgtctca	2640
tgggtcgtat	gacactgcgg	gcttgttgg	tgccaaagag	cagaccacag	gtcatcttga	2700
ggaggacttt	atgttccagt	ccagaaagca	ccagtggtta	ccaccaggg	gacttgtgct	2760
tctgtgcccc	ggccagacgt	agaatttgac	aaagtcagga	cggtctcagt	cagagcggcg	2820
tgtcgttccc	cggggcctgt	gcatgccggg	cagggccggg	ctggcttggg	gagcaagcag	2880
ccacctctgt	taagggtgtg	cctggagcag	gtggagcagc	caccaacctc	acgcactgaa	2940
agaagcaggg	atggccagg	tccaacatcc	tgagtggctg	ccacctgatg	gctgatggag	3000
cagaggcctg	aggaaaagca	gatggcactg	ctttgtagt	ctgttctttg	tctctcttga	3060
tcttttccag	tcaatgtctg	ttttatcaga	gactaggatt	gcaaaccttg	ctcttttttg	3120
ctttccattt	gcttggtaaa	tattcctcca	tccctttatt	ttaagcctat	gtgtgtcttt	3180
gcacatgaga	tgggtctcct	gaatacagga	caacaatggg	tctttactct	ttatccaact	3240
tgccagtctg	tgtcttttaa	ctggggcatt	tagccattt	acatttaagt	ttagtattgt	3300
tacatgtgaa	atttatcctg	tcatgatgtt	gctagctttt	tatttttccc	attagtttgc	3360
agtttcttta	tagtgtcaat	ggtctttaca	attcgatatg	ttttttagt	ggctggtact	3420
ggttttctct	tctacgttt	agtgtctcct	tcaggagctc	ttgtaacaca	agaatgtgga	3480
tttatttctt	ttaaggtaaa	tatgtggatt	tatttcttgg	gactgtattc	tatggccttt	3540
accccaagaa	tcattacttt	ttaaaaatga	attcaaatga	gcataaaaca	tttacagcct	3600
atggaaaggc	ttgtggcatt	agaatcctta	tttataggat	tatttttgtg	ttttttgaga	3660
tatggtcttt	gtcatcgagg	cagaagtgcc	gtggtttgat	cataattcac	cacagccctg	3720
aactcttgag	tccaagccat	ccttttgcc	taatctccca	accagttgga	tctgcaggca	3780
taaggcatca	tgcgtggcta	attttttcac	gttttttttt	tttttttgtc	gagattatgg	3840
tgtcactgtg	ttgctctggc	tgatctcaaa	tgtttgacct	caagggatct	ttctgccacg	3900
gcctcctaaa	gtgctaggat	tatatgcatg	ataccaccatg	cctattgtag	agtattacat	3960
tatttttcaa	gtcttattgt	aagagccatt	tattgccttt	ggcctaaata	actcaatata	4020
atatctctga	aacttttttt	tgacaaattt	tggggcgtga	tgatgagaga	aggggggttt	4080
aaactttcta	ataagagtta	acttagagcc	atttaagaaa	ggaaaaaaca	caaattatca	4140
gaaaaacaac	agtaagatca	agtgcaaaag	ttctgtggca	aagatgatga	gagtaaaaga	4200
tatatgtttg	tgactcatgg	tggcttttac	tttgttcttg	aatttctgag	tacgggttaa	4260
catttaaaga	atctacatta	tagataacat	tttattgcaa	gtaaatgtat	ttcaaaattt	4320
gttattgggt	ttgatgaga	ttattctcag	cctacttcat	tatcaagcta	tattatttta	4380
ttaatgtctg	tctgatctct	tacagcaaat	ctgaaagctg	tatcttcaaa	atatgtctat	4440
ttgactaaaa	agttatttcaa	caggagttat	tatctataaa	aaaaatacaa	caggaatata	4500
aaaaacttga	ggataaaaag	atgttggaag	aagtaatat	aaatcttaaa	aaacatatgg	4560

```

aaactacaca atggtgaaga cacattggtg aagtacaaaa atataaattg gatctagaag 4620
aaagggcaat gcaggcaata gaaaaattag tagaaatccc tttaaagggt agtttgtaaa 4680
atcaggtaag tttatttata atttgctttc atttatttca ctgcaaatta tattttggtat 4740
atgtatatat attgtgcttc ctctgectgt cttacagcaa tttgccttgc agagttctag 4800
gaaaaagggt gcatgtgttt ttactttcaa aatattttaa tttccatcat tataacaaaa 4860
tcaatttttc agagtaataga ttctcactgt ggagtcattt gattattaag acccggtggc 4920
ataagattac atcctctgac tataaaaaatc ctggaagaaa acctaggaaa tattcgtctg 4980
gacattgcac ttggcaatga atttatgggt aacctactgat ccacttccag tcactatcca 5040
tgagttttta tttccagata catgaaatca tatgagttga aactttcttt tgattgagca 5100
gtttggaaac cgtctttttg tagaatctgc aagtggatat ttggaaccct ttgaggccta 5160
tgctgaaaaa agaaatatct tcaactacatg atgaccacca gcagcagctg gggaaaccag 5220
caccctgtgg aattccatac ggtgcataga atacatctc ccttcagctg gcttgggtca 5280
acttaggtca tgggccacct ggctgatagc agtttccaca gaaatgcttc aagatgaaag 5340
tggatgaccg ggccacctc caccactgcc ctgtaagacc atgggacaca caggccacca 5400
gttcttttca tgtggtcatc cctgttaga tgggagaaaa tacacctgcc tcatttttga 5460
accttctgtg tgaacattcc acggcagact gtcgctaaat gtggatgaag aattgaatga 5520
atgaatgaat atgagagaaa atgaataaat ggttcagatc ctgggctgga aggctgtgta 5580
tgaggatggt gggtagagga gggctctgtt ttcttgctt taagtcacta attgtcactt 5640
tggggcagga gcacaggctt tgaatgcaga ccgactggac ttttaattctg gctttactag 5700
ttgtgattgt gtgacctgtt gaaagtact taaacctct gtgcctgtt ctttatctgt 5760
aaaaatggaga taataagatg tcaaaggact gtgtaagaa ttaaattgctt taaaaaaaaa 5820
aaaaaaaaa

```

<210> 474

<211> 1594

<212> DNA

<213> Homo sapiens

<400> 474

```

atztatggat cattaatgcc tcttttagtag tttagagaaa acgtcaaaaag aaatggcccc 60
agaataagct tcttgatttg taaaattcta tgtcattggc tcaaatttgt atagtatctc 120
aaaatataaa tatatagaca tctcagataa tatatttgaa atagcaaatt cctgttagaa 180
aataatagta cttaactaga tgagaataac aggtcgccat tatttgaatt gtctcctatt 240
cgtttttcat ttgttgtgtt actcatgttt tacttatgag ggatatatat aacttccact 300
gttttcagaa ttattgtatg cagtcagtat gagaatgcaa ttttaagtttc cttgatgctt 360
tttcacactt ctattactag aaataagaat acagtaatat tggcaaagaa aattgaccag 420
ttcaataaaa ttttttagta aatctgattg aaaataaaca ttgcttatgg ctttcttaca 480
tcaatattgt tatgtcctag acaccttate tgaaattacg gcttcaaaat tctaattatg 540
tgcaaatgtg taaaatatca atactttatg ttcaagctgg ggctcttca ggcgtcctgg 600
gctgagagag aaagatgcta gctccgcaag ccggagaggg aacaccgcca cattgttaca 660
cggacacacc gccacgtgga cacatgacca gactcacatg tacagacaca cggagacatt 720
accacatgga gacaccgtca cacagtcaca cggacacact ggcatagtca catggacgga 780
cacacagaca tatggagaaa tcacatggac acaccaccac actatcacag ggacacagac 840
acacggagac atcaccacat ggacacactg tcacactacc acagggacac gagacatcac 900
actgtcacat ggacacacca tcacacacat gaacacaccg acacactgcc atatggacac 960
tggcacacac actgccacac tgtcacatgg acacacctcc acaccatcac accaccacac 1020
acactgcctg tggacacaag gacacacaga cactgtcaca cagatacaca aaacactgtc 1080
acacggagac atcaccatgc agatacacca ccactctggt gccgtctgaa ttacctgtct 1140
ggggggagag cagtggcata ctcatgccta agtgactggc tttcacccca gtagtatttg 1200
ccctccatca acactgcccc ccccaggttg gggctacccc agcccatctt taaaaaacag 1260
ggcaagggtga actaatggag tgggtggagg agttggaaga aatcccagcg tcagtcaccg 1320
ggatagaatt cccaaggaa cctctttttg gaggatgggt tccattttctg gaggcgatct 1380
gccgacaggg tgaatgcctt cttgcttgte ttctggggaa tcagagagag tccgttttgt 1440
ggtaggaaga gtgtgctgtg gtactttgaa ctctgtgaaa ttctctgact catgtccaca 1500
aaaccaacag ttttgtgaat gtgtctggag gcaagggaag ggccactcag gatctatgtt 1560
gaagggaaga ggcctggggc tggagtattc gctt

```

1594

<210> 475

<211> 2414
<212> DNA
<213> Homo sapiens

<220>
<221> unsure
<222> (33)
<223> n=A,T,C or G

<400> 475
cccaacacaa tggctttata agaatgcttc acntgtgaaa aacaaatata aaagtcttct 60
tgtagattat ttttaaggac aaatctttat tccatgttta atttatttag ctttccctgt 120
agctaattat tcatgctgaa cacattttaaa atgctgtaaa tgtagataat gtaattttatg 180
tatcattaat gcctcttttag tagtttagag aaaacgtcaa aagaaatggc cccagaataa 240
gcttcttgat ttgtaaaatt ctatgtcatt ggctcaaatt tgtatagtat ctcaaaatat 300
aaatatatag acatctcaga taatatattt gaaatagcaa attcctgtta gaaaataata 360
gtacttaact agatgagaat aacaggctgc cattatttga attgtctcct attcgttttt 420
catttggtgt gttactcatg ttttacttat ggggggatat atataacttc cgctgttttc 480
agaagtattg tatgcagtcg gtatgagaat gcaatttaag tttccttgat gctttttcac 540
acttctatta ctagaaataa gaatacagta atattggcaa agaaaattga ccagttcaat 600
aaaatttttt agtaaattctg attgaaaata aacattgctt atggctttct tacatcaata 660
ttgttatgtc ctagacacct tatctgaaat tacggcttca aaattctaat tatgtgccaa 720
tgtgtaaaat atcaatactt tatgttcaag ctggggcctc ttcaggcgtc ctgggctgag 780
agagaaagat gctagctccg caagccgggg agggaacacc gccacattgt tacatggaca 840
caccgccacg tggacacatg accagactca catgtacaga cacacggaga cattaccaca 900
tggagacacc gtcacacagt cacacgagca cactggcata gtcacatgga cggacacaca 960
gacatatgga gaaatcacac tgacacacca ccacactatc acagggacac agacacacgg 1020
agacatcacc acatggacac actgtcacac taccacaggg acacgagaca tcacactgtc 1080
acatggacac accatcacac acatgaacac accgacacac tgccatatgg acactgtccac 1140
acacactgcc acactgtcac atggacacac ctccatacca tcacaccacc acacacactg 1200
ccatgtggac acaaggacac acagacactg tcacacagat acacaaaaca ctgtcacacg 1260
gagacatcac catgcagata caccaccaca tggacatagc accagacact ctgccacaca 1320
gatacaccac cacacagaaa tgccggacaca ctgccacaca gacaccacca catcggttgc 1380
acactttcat gtgtcagctg gcggtgtggg cccacgact ctgggctcta atcgagaaat 1440
tacttggaca tatagtgaag gcaaaatttt tttttatttt ctgggtaacc aagcgcgact 1500
ctgtctcaaa aaaagaaaaa aaaagcaata tactgtgtaa tcgttgacag cataattcac 1560
tattatgtag atcggagagc agaggattct gaatgcatga acatatcatt aacatttcaa 1620
tacattactc ataattactg atgaactaaa gagaaaccaa gaaattatgg tgatagttat 1680
attgacctgg agaaatgtag acacaaaaga accgtaagat gagaaatgtg ttaacacagt 1740
ctataagggc atgcaagaat aaaaataggg gagaaaacag gagagttttt caagagcttt 1800
ctggctcatgt aagtcaactt gtatcgggtta atttttaaaa ggttttattta catgcaataa 1860
actgcacata cttcaattgt acattttggt aattcctggc attttagct ctataaaacc 1920
agcaacatat taaaatagca aacatatcca ttacctttac caccaaagtt ttcttgtgtt 1980
ttttctactc actttttcct gcctatcccc ccactctctc cacaggtaac cactgatcca 2040
cttcagtcg ctatccatga gtttttattt ccaaatacat gaaatcatat gaatttctgg 2100
tttttctgt tggagcccaa ggagcaaggg cagaatgagg aacatgatgt ttcttwccga 2160
cagttactca tgacgtctcc atccaggact gaggggggca tccttctcca tctaggactg 2220
ggggcatcct tctccatcca gtattggggg tcatecttct ccatecagta ttgggggtca 2280
tctcctcca tccaggacct gaggggtgtc cttttctgcg cttccttgga tggcagcttt 2340
tcccttcag ttatatagtra cttaccatta aatcactgtg ccgttttttc ctaaaataaa 2400
aaaaaaaaaa aaaa 2414

<210> 476
<211> 3434
<212> DNA
<213> Homo sapiens

<400> 476

```

ctgtgctgca aatggggcca tatagaggaa aggagcagct ggctctggag catgggtgtgc 60
actccctttg ggccttcagt ccatgtctca tgggtcgtat gacactgcgg gcttgttgggt 120
tgccaagagg cagaccacag gtcatcttga ggaggacttt atgttccagt ccagaaagca 180
gccagtggta ccaccacagg gacttgtgct tctgtggccc aggccagacg tagaatttga 240
caaaagtcagg acggtctcag tcagagcagc atgtcggtec ccggggcctg tgcatgccgg 300
gcagggccag tacatttaag ggagcaagca gccacctctg ttaggggtgt gcctggagca 360
ggtggagcag ccaccaacct cagcactga aagaagcagg gatggccagg ttccaacatc 420
ctgagtggct gccacctgat ggctgatgga gcagaggcct gaggaaaagc agatggcact 480
gctttgtagt gctgttcttt gtctctcttg atctttttca gttaatgtct gttttatcag 540
agactaggat tgcaaacctt gctctttttt gctttccatt tgcttggtaa atattcctcc 600
atccctttat ttaagccta tgtgtgtctt tgcacatgag atgggtctcc tgaatacagg 660
acaacaatgg gtctttactc tttatccaac ttgccagtct gtgtctttta actggggcat 720
ttagcccatg tacatttaag ttagtattt gttacatgtg aaatttatcc tgtcatgatg 780
ttgctagctt tttatttttc ccattagttt caggtttctt tatagtgtca atggtcttta 840
caattcgata tgtttttgta gtggtggta ctggtttttc ctttctacgt ttagtgtctc 900
cttcaggagc tcttgaata caagaatgtg gatttttttc ttgtaaggta aatatgtgga 960
tttattcttg gactgtattc tatggccttt accccaagaa tcattacttt ttaaaatgca 1020
attcaaatta gcataaaaca tttacagcct atggaaaggg ttgtggcatt agaataccta 1080
tttataggat ttttttgtgt ttttttgaga tatggtcttt gtcatcgagg cagaagtgcc 1140
gtggtttgat cataattcac cacagccctg aactcttgag tccaagccat ccttttgctt 1200
taatctccca accagttgga tctacaagca taaggcatca tgcgtggcta attttttcac 1260
gttttttttt tttttgtcga gattatggta tcactgtgtt gctctggctg atctcaaag 1320
tttgacctca agggatcttt ctgccacagc ctctaaagt gctaggatta tatgcatgat 1380
acaccatgcc tattgtagag tattacatta ttttcaaagt cttattgtaa gagccattta 1440
ttgccttttg cctaaataac tcaatataat atctctgaaa cttttttttg acaaattttg 1500
gggcgtgatg atgagagaag ggggtttgaa acttttctaat aagagttaac ttagagccat 1560
ttaagaaagg aaaaaacaca aattatcaga aaaacaacag taagatcaag tgcaaaagtt 1620
ctgtggcaaa gatgtgaga gtaagaata tatgtttgtg actcatgggt gcttttactt 1680
tgttcttgaa tttctgagta cgggttaaca tttaaagaat ctacattata gataacattt 1740
tattgcaagt aaatgtattt caaaatttgt tattgggttt gtatgagatt attctcagcc 1800
tacttcatta tcaagctata ttattttatt aatgtagttc gatgatctta cagcaaagct 1860
gaaagctgta tcttcaaaat atgtctattt gactaaaaag ttattcaaca ggagtatta 1920
tctataaaaa aatacaacag gaatataaaa aacttgagga taaaagatg ttggaaaaag 1980
taataataaa tcttaaaaaa catatggaaa ctacacaatg gtgaagacac attggtgaag 2040
tacaataaaa taaattggat ctagaagaaa gggcaatgca ggcaatagaa aaattagtag 2100
aaatcccttt aaaggttagt ttgtaaaatc aggtaagttt atttataatt tgctttcatt 2160
tatttcactg caaattatat tttggatatg tatatatatt gtgcttcctc tgctgtctt 2220
acagcaattt gccttgaga gttctaggaa aaagggtggc tgtgttttta ctttcaaaat 2280
atttaaattt ccattcattat aacaaaatca attttctaga gtaatgattc tcaactgtgga 2340
gtcatttgat tattaagacc cgttggcata agattacatc ctctgactat aaaaatcctg 2400
gaagaaaacc taggaaatat tctctggac attgcacttg gcaatgaatt tatgggcgct 2460
ttggaatcct gcagatataa taatgataat taaacaaaac actcagagaa actgccaacc 2520
ctaggatgaa gtatattgtt actgtgcttt gggattaaaa taagtaacta cagtttatag 2580
aacttttata ctgatacaca gacactaaaa agggaaaggg tttagatgag aagctctgct 2640
atgcaatcaa gaatctcagc cactcatttc ttaggggct gcaggagctc cctgtaaaga 2700
gaggttatgg agtctgtagc ttcaggtaag atacttaaaa cccttcagag tttctccatt 2760
ttttcccata gtttcccaa aaaggttatg acactttata agaatgcttc acttgtgaaa 2820
aacaatatc aaagtcttct ttagattat ttttaaggac aaatctttat tccatgttta 2880
atttatttag ctttccctgt agctaattat tcatgctgaa cacattttta atgctgtaa 2940
ttagataat gtaatttatg tatcattaat gcctctttag tagtttagag aaaacgtcaa 3000
aagaaatggc ccagaataa gcttcttgat ttgtaaaatt ctatgtcatt ggctcaaatt 3060
tgtatagtat ctcaaatat aaatatatag acatctcaga taatatattt gaaatagcaa 3120
attcctgtta gaaaataata gtacttaact agatgagaat aacaggctgc cattatttga 3180
attgtctcct attcgttttt catttgttgt gttactcatg ttttacttat ggggggatat 3240
atataacttc cgctgttttc agaagtattg tatgcagtca gtatgagaat gcaatttaag 3300
ttctcttgat gctttttcac acttctatta ctagaataa gaatacagta atattggcaa 3360
agaaaattga ccagttcaat aaaatttttt agtaaatctg attgaaaata aaaaaaaaaa 3420
aaaaaaaaaa aaaa
3434

```

<210> 477
 <211> 140
 <212> PRT
 <213> Homo sapiens

<400> 477
 Met Asp Gly His Thr Asp Ile Trp Arg Asn His Met Asp Thr Pro Pro
 5 10 15
 His Tyr His Arg Asp Thr Asp Thr Arg Arg His His His Met Asp Thr
 20 25 30
 Leu Ser His Tyr His Arg Asp Thr Arg His His Thr Val Thr Trp Thr
 35 40 45
 His His His Thr His Glu His Thr Asp Thr Leu Pro Tyr Gly His Trp
 50 55 60
 His Thr His Cys His Thr Val Thr Trp Thr His Leu His Thr Ile Thr
 65 70 75 80
 Pro Pro His Thr Leu Pro Val Asp Thr Arg Thr His Arg His Cys His
 85 90 95
 Thr Asp Thr Gln Asn Thr Val Thr Arg Arg His His His Ala Asp Thr
 100 105 110
 Pro Pro Leu Trp Cys Arg Leu Asn Tyr Pro Ala Gly Gly Thr Ala Val
 115 120 125
 Ala Tyr Ser Cys Leu Ser Asp Trp Leu Ser Pro Gln
 130 135 140

<210> 478
 <211> 143
 <212> PRT
 <213> Homo sapiens

<400> 478
 Met Tyr Arg His Thr Glu Thr Leu Pro His Gly Asp Thr Val Thr Gln
 5 10 15
 Ser His Gly His Thr Gly Ile Val Thr Trp Thr Asp Thr Gln Thr Tyr
 20 25 30
 Gly Glu Ile Thr Trp Thr His His His Thr Ile Thr Gly Thr Gln Thr
 35 40 45
 His Gly Asp Ile Thr Thr Trp Thr His Cys His Thr Thr Thr Gly Thr
 50 55 60
 Arg Asp Ile Thr Leu Ser His Gly His Thr Ile Thr His Met Asn Thr
 65 70 75 80
 Pro Thr His Cys His Met Asp Thr Gly Thr His Thr Ala Thr Leu Ser
 85 90 95

His Gly His Thr Ser Thr Pro Ser His His His Thr His Cys Leu Trp
 100 105 110

Thr Gln Gly His Thr Asp Thr Val Thr Gln Ile His Lys Thr Leu Ser
 115 120 125

His Gly Asp Ile Thr Met Gln Ile His His His Ser Gly Ala Val
 130 135 140

<210> 479

<211> 222

<212> PRT

<213> Homo sapiens

<400> 479

Met Tyr Arg His Thr Glu Thr Leu Pro His Gly Asp Thr Val Thr Gln
 5 10 15

Ser His Glu His Thr Gly Ile Val Thr Trp Thr Asp Thr Gln Thr Tyr
 20 25 30

Gly Glu Ile Thr Leu Thr His His His Thr Ile Thr Gly Thr Gln Thr
 35 40 45

His Gly Asp Ile Thr Thr Trp Thr His Cys His Thr Thr Thr Gly Thr
 50 55 60

Arg Asp Ile Thr Leu Ser His Gly His Thr Ile Thr His Met Asn Thr
 65 70 75 80

Pro Thr His Cys His Met Asp Thr Ala Thr His Thr Ala Thr Leu Ser
 85 90 95

His Gly His Thr Ser Ile Pro Ser His His His Thr His Cys His Val
 100 105 110

Asp Thr Arg Thr His Arg His Cys His Thr Asp Thr Gln Asn Thr Val
 115 120 125

Thr Arg Arg His His His Ala Asp Thr Pro Pro His Gly His Ser Thr
 130 135 140

Arg His Ser Ala Thr Gln Ile His His His Thr Glu Met Arg Thr His
 145 150 155 160

Cys His Thr Asp Thr Thr Thr Ser Leu Pro His Phe His Val Ser Ala
 165 170 175

Gly Gly Val Gly Pro Thr Thr Leu Gly Ser Asn Arg Glu Ile Thr Trp
 180 185 190

Thr Tyr Ser Glu Gly Lys Ile Phe Phe Tyr Phe Leu Gly Asn Gln Ala
 195 200 205

Arg Leu Cys Leu Lys Lys Arg Lys Lys Lys Gln Tyr Thr Val
 210 215 220

<210> 480

<211> 144

<212> PRT

<213> Homo sapiens

<400> 480

Met Glu Pro Tyr Arg Gly Asn Glu Gln Pro Ser Gln Glu Gln Gly Val
 5 10 15

Cys Cys Leu Trp Gly Leu Gln Ser Leu Pro Gln Gly Ser Tyr Val Thr
 20 25 30

Val Gly Phe Leu Val Val Lys Arg Gln Thr Ile Gly Arg Leu Glu Arg
 35 40 45

Asp Phe Met Phe Lys Cys Arg Lys Gln Pro Gly Leu Pro Pro Ser Gly
 50 55 60

Leu Cys Leu Leu Trp Pro Trp Pro Asn Leu Glu Phe Gly Arg Arg Gln
 65 70 75 80

Asp Arg Leu Thr Trp Ser Ser Val Ser Val Ala Gly Val Cys Ala Cys
 85 90 95

Arg Ala Arg Pro Gly Trp Leu Gly Glu Gln Pro Ala Thr Ser Ala Gly
 100 105 110

Val Arg Leu Glu Gln Val Glu Gln Pro Pro Ala His Pro Leu Gln Glu
 115 120 125

Ala Gly Val Ala Arg Phe Pro Arg Pro Glu Trp Val Pro Pro Asn Gly
 130 135 140

<210> 481

<211> 167

<212> PRT

<213> Homo sapiens

<400> 481

Met His Gly Pro Gln Val Leu Ala Arg Cys Ser Glu Cys Ala Cys Pro
 5 10 15

Ala Leu Ala Ala Thr Ser Ala Gly Val Arg Leu Glu Gly Val Asp Arg
 20 25 30

Pro Pro Thr Leu Pro Ser Gln Gly Ser Gly Trp Pro Cys Ser His Ser
 35 40 45

Leu Ser Gly Cys His Leu Met Ala Asp Gly Ala Lys Ala Leu Gly Lys
 50 55 60

Ala Asp Gly Pro Trp Pro Tyr Leu Phe Val Arg Arg Thr Asp Val Pro

65 70 75 80
 Cys Pro Ala Ala Ser Glu Val Gly Gly Cys Ala Pro Ser Ser Trp Arg
 85 90 95
 Ala Leu Ala Glu Val Thr Gly Cys Ser Leu Gly Pro Leu Gly Leu Ala
 100 105 110
 Gln His Ala Gln Ala Ser Val Leu Leu Leu Cys Tyr Lys Trp Ser His
 115 120 125
 Ile Gly Glu Thr Ser Ser His Leu Arg Ser Lys Val Tyr Ala Ala Phe
 130 135 140
 Gly Gly Ser Ser Pro Cys Leu Lys Gly Leu Met Ser Leu Trp Ala Ser
 145 150 155 160
 Trp Leu Ser Arg Gly Arg Pro
 165

<210> 482
 <211> 143
 <212> PRT
 <213> Homo sapiens

<400> 482
 Met Glu Pro Tyr Arg Gly Asn Lys Lys Gln Val Gln Glu Lys Gly Val
 5 10 15
 Pro Cys Leu Trp Gly Ser Ser Pro Cys Leu Arg Cys His Met Ala Leu
 20 25 30
 Arg Ala Ser Trp Leu Pro Gly Gly Gly Pro Gln Ala Ile Leu Gly Arg
 35 40 45
 Thr Leu Cys Ser Ser Ala Glu Ser Ser Gln Asp Cys His Pro Gly Gly
 50 55 60
 Pro Ser Ile Ala Leu Ala Lys Pro Cys Arg Gly Val Trp Leu Leu Phe
 65 70 75 80
 Glu Pro Ala Trp Pro Pro Trp His Ala Arg Ala Pro Gly Ala Gly Thr
 85 90 95
 Leu Leu Arg Val Cys Leu Ser Cys Leu Gly Cys His Leu Cys Gly Gly
 100 105 110
 Ala Ser Gly Gly Gly Gly Pro Ala Thr Asn Leu Thr Gln Ser Arg Lys
 115 120 125
 Trp Met Ala Met Phe Pro Gln Pro Glu Trp Leu Pro Pro Asp Gly
 130 135 140

<210> 483
 <211> 143
 <212> PRT

<213> Homo sapiens

<400> 483

```

Met Glu Thr Gln Arg Gly Asn Lys Gln Arg Ala Gln Glu Gln Gly Val
      5              10              15
Cys Cys Leu Trp Gly Ser Ser Pro Cys Leu Gly Ser Tyr Gly Thr Ala
      20              25              30
Gly Phe Leu Val Ala Lys Arg Arg Thr Thr Gly Leu Leu Glu Glu Asp
      35              40              45
Phe Thr Phe Lys Cys Arg Lys Gln Pro Lys Leu Pro Ser Met Arg Leu
      50              55              60
Ser Leu Leu Trp Pro Trp Arg Asp Leu Lys Phe Val Pro Arg Gln Asp
      65              70              75              80
Lys Leu Thr Arg Ser Ser Val Ser Val Ala Gly Ala Tyr Ala Cys Arg
      85              90              95
Ala Gly Pro Gly Trp Leu Lys Glu Gln Pro Ala Thr Ser Ala Arg Val
      100             105             110
Arg Leu Val Gln Ala Glu His Pro Pro Pro His Pro Leu Glu Glu Val
      115             120             125
Gly Met Ala Arg Phe Pro Gln Pro Glu Cys Leu Pro Pro Tyr Cys
      130             135             140

```

<210> 484

<211> 30

<212> PRT

<213> Homo Sapien

<400> 484

```

Thr Ala Ala Ser Asp Asn Phe Gln Leu Ser Gln Gly Gly Gln Gly Phe
  1      5              10              15
Ala Ile Pro Ile Gly Gln Ala Met Ala Ile Ala Gly Gln Ile
      20              25              30

```

<210> 485

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 485

gggaagctta tcacctatgt gccgcctctg c

31

<210> 486

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 486

gcgaattctc acgctgagta tttggcc

27

<210> 487

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 487

cccgaattct tagctgccca tccgaacgcc ttcac

36

<210> 488

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 488

gggaagcttc ttccccggct gcaccagctg tgc

33

<210> 489

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 489

Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg Ala Val Tyr Leu Ala
 1 5 10 15
 Ser Val Ala

<210> 490

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 490

Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala Thr Cys
 1 5 10 15
 Leu Ser His Ser
 20

<210> 491

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 491

Thr	Cys	Leu	Ser	His	Ser	Val	Ala	Val	Val	Thr	Ala	Ser	Ala	Ala	Leu
1				5					10					15	
Thr	Gly	Phe	Thr												
				20											

<210> 492

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 492

Ala	Leu	Thr	Gly	Phe	Thr	Phe	Ser	Ala	Leu	Gln	Ile	Leu	Pro	Tyr	Thr
1				5					10					15	
Leu	Ala	Ser	Leu												
				20											

<210> 493

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 493

Tyr	Thr	Leu	Ala	Ser	Leu	Tyr	His	Arg	Glu	Lys	Gln	Val	Phe	Leu	Pro
1				5					10					15	
Lys	Tyr	Arg	Gly												
				20											

<210> 494

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 494

Leu	Pro	Lys	Tyr	Arg	Gly	Asp	Thr	Gly	Gly	Ala	Ser	Ser	Glu	Asp	Ser
1				5					10					15	
Leu	Met	Ile	Ser												
				20											

<210> 495

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 495

Asp Ser Leu Met Thr Ser Phe Leu Pro Gly Pro Lys Pro Gly Ala Pro
1 5 10 15
Phe Pro Asn Gly
20

<210> 496

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 496

Ala Pro Phe Pro Asn Gly His Val Gly Ala Gly Gly Ser Gly Leu Leu
1 5 10 15
Pro Pro Pro Pro Ala
20

<210> 497

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 497

Leu Leu Pro Pro Pro Ala Leu Cys Gly Ala Ser Ala Cys Asp Val
1 5 10 15
Ser Val Arg Val
20

<210> 498

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 498

Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala Arg Val
1 5 10 15
Val Pro Gly Arg
20

<210> 499

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 499

Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp
 1 5 10 15
 Ser Ala Phe Leu
 20

<210> 500

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 500

Leu Asp Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met
 1 5 10 15
 Gly Ser Ile Val
 20

<210> 501

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 501

Phe Met Gly Ser Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met
 1 5 10 15
 Val Ser Ala Ala
 20

<210> 502

<211> 414

<212> DNA

<213> Homo Sapien

<220>

<221> misc_feature

<222> (1)...(414)

<223> n = A,T,C or G

<400> 502

caccatggag	acaggcctgc	gctggctttt	cctggtcgct	gtgctcaaag	gtgtccaatg	60
tcagtcggtg	gaggagtccg	ggggtcgct	ggtcacgcct	gggacacctt	tgacantcac	120
ctgtagagtt	tttggaatng	acctcagtag	caatgcaatg	agctgggtcc	gccaggctcc	180
aggggaagggg	ctggaatgga	tcggagccat	tgataattgt	ccacantacg	cgacctgggc	240
gaaaggccga	ttnatnattt	ccaaaacctn	gaccacggtg	gatttgaaaa	tgaccagtcc	300
gacaaccgag	gacacggcca	cctatttttg	tggcagaatg	aatactggta	atagtggttg	360
gaagaatatt	tggggccccag	gcaccctggt	caccgtntcc	tcagggaac	ctaa	414

<210> 503

<211> 379

<212> DNA

<213> Homo Sapiens

<220>

<221> misc_feature

<222> (1)...(379)

<223> n = A,T,C or G

<400> 503

atnecatggt	gcttgggtcaa	aggtgtccag	tgtcagtcgg	tggaggagtc	cgggggtcgc	60
ctggtcacgc	ctgggacacc	cctgacactc	acctgcaccg	tntctggatt	ngacatcagt	120
agctatggag	tgagctgggt	cgcacaggct	ccaggaagg	ggctgggnata	catcgatca	180
ttagtagtag	tggatcattt	tacgcgagct	gggcgaaagg	cggattcacc	atttccaaaa	240
cctngaccac	ggtggatttg	aaaatcacca	gtttgacaac	cgaggacacg	gccacctatt	300
tntgtgccag	aggggggttt	aattataaag	acatttgggg	cccaggcacc	ctggtcaccg	360
tntccttagg	gcaacctaa					379

<210> 504

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 504

Gly	Phe	Thr	Asn	Tyr	Thr	Asp	Phe	Glu	Asp	Ser	Pro	Tyr	Phe	Lys	Glu
1			5					10						15	
Asn	Ser	Ala													

<210> 505

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 505

Lys	Glu	Asn	Ser	Ala	Phe	Pro	Pro	Phe	Cys	Cys	Asn	Asp	Asn	Val	Thr
1			5					10						15	
Asn	Thr	Ala	Asn												
			20												

<210> 506

<211> 407

<212> DNA

<213> Homo Sapien

<400> 506

atggagacag	gcctgcgctg	gcttctcctg	gtcgtgcgc	tcaaagggtg	ccagtgtcag	60
tcgctggagg	agtcggggg	tcgcctggtc	acgcctggga	cacctctgac	actcacctgc	120
accgtctctg	gattctccct	cagtagcaat	gcaatgatct	gggtccgcca	ggctccaggg	180
aaggggctgg	aatacatcgg	atacattagt	tatggtggta	gcgcatacta	cgcgagctgg	240
gtgaaaggcc	gattcaccat	ctccaaaacc	tcgaccacgg	tggatctgag	aatgaccagt	300
ctgacaaccg	aggacacggc	cacctatttc	tgtgccagaa	atagtgattt	tagtggtatg	360
ttgtggggcc	caggcaccct	ggtcaccgtc	tcctcagggc	aacctaa		407

<210> 507
 <211> 422
 <212> DNA
 <213> Homo Sapien

<400> 507
 atggagacag gcctgcgctg gcttctcctg gtcgctgtgc tcaaagggtg ccagtgtcag 60
 tcgggtggagg agtccggggg tcgcctgggc acgcctggga caccctgac actcacctgt 120
 acagtctctg gattctccct cagcaactac gacctgaact gggtcgcca ggctccaggg 180
 aaggggctgg aatggatcgg gatcattaat tatgttggtg ggacggacta cgcgaactgg 240
 gcaaaaggcc ggttcaccat ctccaaaacc tcgaccaccg tggatctcaa gatcgccagt 300
 ccgacaaccg aggacacggc cacctatttc tgtgccagag ggtggaagtg cgatgagtct 360
 ggtccgtgct tgcgcctctg gggcccaggc accctgggtc ccgtctcctt agggcaacct 420
 aa 422

<210> 508
 <211> 411
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> misc_feature
 <222> (1)...(411)
 <223> n = A,T,C or G

<400> 508
 atggagacag gcctgcgctg cttctcctgg tcgctgtgct caaagggtgc cagtgtcagt 60
 cgggtggagga gtccgggggt cgcttggtca cgctggggac acccctgaca ctcacctgca 120
 cagtctctgg aatcgacctc agtagctact gcatgagctg ggtccgccag gctccaggga 180
 aggggctgga atggatcgga atcattggta ctcttggtga cacatactac gcgaggtggg 240
 cgaaaggccg attcaccatc tccaaaacct cgaccacggt gcatntgaaa atcnccagtc 300
 cgacaaccga ggacacggcc acctatttct gtgccagaga tcttcgggat ggtagtagta 360
 ctggttatta taaaatctgg ggcccaggca ccttggtcac cgtctccttg g 411

<210> 509
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 509
 Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 1 5 10 15

<210> 510
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 510
 Pro Glu Tyr Asn Arg Pro Leu Leu Ala Asn Asp Leu Met Leu Ile
 1 5 10 15

<210> 511
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 511

Tyr	His	Pro	Ser	Met	Phe	Cys	Ala	Gly	Gly	Gly	Gln	Asp	Gln	Lys
1				5				10					15	

<210> 512
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 512

Asp	Ser	Gly	Gly	Pro	Leu	Ile	Cys	Asn	Gly	Tyr	Leu	Gln	Gly	Leu
1				5				10					15	

<210> 513
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 513

Ala	Pro	Cys	Gly	Gln	Val	Gly	Val	Pro	Asx	Val	Tyr	Thr	Asn	Leu
1				5				10					15	

<210> 514
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 514

Leu	Cys	Lys	Phe	Thr	Glu	Trp	Ile	Glu	Lys	Thr	Val	Gln	Ala	Ser
1				5				10					15	

<210> 515
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 515

Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg
1 5 10 15

<210> 516

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 516

Val Ser Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln
1 5 10 15

<210> 517

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 517

Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met
1 5 10 15

<210> 518

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 518

Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly
1 5 10 15

<210> 519

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 519

Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg Asn Tyr Asp Glu Gly Cys
1 5 10 15
Gly

<210> 520

<211> 25

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 520

Val Gly Glu Gly Leu Tyr Gln Gly Val Pro Arg Ala Glu Pro Gly Thr
 1 5 10 15
 Glu Ala Arg Arg His Tyr Asp Glu Gly
 20 25

<210> 521

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 521

Ala Pro Phe Pro Asn Gly His Val Gly Ala Gly Gly Ser Gly Leu Leu
 1 5 10 15
 Pro Pro Pro Pro Ala
 20

<210> 522

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 522

Leu Leu Val Val Pro Ala Ile Lys Lys Asp Tyr Gly Ser Gln Glu Asp
 1 5 10 15
 Phe Thr Gln Val
 20

<210> 523

<211> 254

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<220>

<221> VARIANT

<222> (1)...(254)

<223> Xaa = any amino acid

<400> 523

Met Ala Thr Ala Gly Asn Pro Trp Gly Trp Phe Leu Gly Tyr Leu Ile
 1 5 10 15
 Leu Gly Val Ala Gly Ser Leu Val Ser Gly Ser Cys Ser Gln Ile Ile
 20 25 30
 Asn Gly Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu
 35 40 45

Val Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln
 50 55 60
 Trp Val Leu Ser Ala Thr His Cys Phe Gln Asn Ser Tyr Thr Ile Gly
 65 70 75 80
 Leu Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met
 85 90 95
 Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu
 100 105 110
 Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu
 115 120 125
 Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala
 130 135 140
 Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg
 145 150 155 160
 Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu
 165 170 175
 Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys
 180 185 190
 Ala Gly Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser Gly
 195 200 205
 Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly
 210 215 220
 Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu
 225 230 235 240
 Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 245 250

<210> 524

<211> 765

<212> DNA

<213> Homo sapien

<400> 524

atggccacag	caggaaatcc	ctggggctgg	ttctgggggt	acctcactcct	tggtgtcgca	524
ggatcgctcg	tctctggtag	ctgcagccaa	atcataaacg	gcgaggactg	cagcccgcac	120
tcgcagccct	ggcaggcggc	actggtcatg	gaaaacgaat	tggtctgctc	ggcgctcctg	180
gtgcatccgc	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggg	240
ctgggcctgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggt	ggaggccagc	300
ctctccgtac	ggcaccacaga	gtacaacaga	cccttgctcg	ctaacgacct	catgctcatc	360
aagttggacg	aatccgtgtc	cgagtctgac	accatccgga	gcacacagat	tgcttcgcag	420
tgccctaccg	cggggaactc	ttgcctcggt	tctggctggg	gtctgctggc	gaacggcaga	480
atgcctaccg	tgctgcagtg	cgatgaacgtg	tcggtgggtg	ctgaggaggt	ctgcagtaag	540
ctctatgacc	cgctgtacca	ccccagcatg	ttctgcgccg	gcggagggca	agaccagaag	600
gactcctgca	acggtgactc	tggggggccc	ctgatctgca	acgggtactt	gcagggcctt	660
gtgtctttcg	gaaaagcccc	gtgtggccaa	gttgccgtgc	caggtgtcta	caccaacctc	720
tgcaaatcca	ctgagtggat	agagaaaacc	gtccaggcca	gttaa		765

<210> 525

<211> 254

<212> PRT

<213> Homo sapien

<400> 525

Met Ala Thr Ala Gly Asn Pro Trp Gly Trp Phe Leu Gly Tyr Leu Ile
 1 5 10 15
 Leu Gly Val Ala Gly Ser Leu Val Ser Gly Ser Cys Ser Gln Ile Ile
 20 25 30
 Asn Gly Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu

```

      35              40              45
Val Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln
      50              55              60
Trp Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly
65              70              75              80
Leu Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met
      85              90              95
Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu
      100             105             110
Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu
      115             120             125
Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala
      130             135             140
Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg
145             150             155             160
Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu
      165             170             175
Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys
      180             185             190
Ala Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly
      195             200             205
Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly
      210             215             220
Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu
225             230             235             240
Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
      245             250

```

<210> 526

<211> 963

<212> DNA

<213> Homo sapiens

<400> 526

```

atgagttcct gcaacttcac acatgccacc tttgtgctta ttggtatccc aggattagag 60
aaagccatt tctgggttgg ctccccctc ctttccatgt atgtagtggc aatgtttgga 120
aactgcatcg tgggtcttcat cgtaaggacg gaacgcagcc tgcacgctcc gatgtacctc 180
tttctctgca tgcttgacgc cattgacctg gccttatcca catccaccat gcctaagatc 240
cttgcccttt tctggtttga ttcccgagag attagctttg aggcctgtct taccagatg 300
ttctttattc atgccctctc agccattgaa tccaccatcc tgctggccat ggcctttgac 360
cgttatgtgg ccatctgcca cccactgcgc catgctgcag tgctcaacaa tacagtaaca 420
gcccagattg gcatcgtggc tgtggtccgc ggatccctct tttttttccc actgcctctg 480
ctgatcaagc ggctggcctt ctgccactcc aatgtcctct cgcactccta ttgtgtccac 540
caggatgtaa tgaagtggc ctatgcagac actttgcca atgtggtata tggctttact 600
gccattctgc tggcatggg cgtggacgta atgttcatct ccttgtccta tttctgata 660
atacgaacgg ttctgcaact gccttccaag tcagagcggg ccaaggcctt tggaacctgt 720
gtgtcacaca ttggtgtggt actcgccttc tatgtgccac ttattggcct ctcagtgtga 780
caccgctttg gaaacagcct tcatccatt gtgcgtgttg tcatgggtga catctacctg 840
ctgctgcctc ctgtcatcaa tccatcatc tatggtgcca aaaccaaaca gatcagaaca 900
cgggtgctgg ctatgttcaa gatcagctgt gacaaggact tgcaggctgt gggaggcaag 960
tga

```

<210> 527

<211> 320

<212> PRT

<213> Homo sapiens

<400> 527

Met Ser Ser Cys Asn Phe Thr His Ala Thr Phe Val Leu Ile Gly Ile
 5 10 15
 Pro Gly Leu Glu Lys Ala His Phe Trp Val Gly Phe Pro Leu Leu Ser
 20 25 30
 Met Tyr Val Val Ala Met Phe Gly Asn Cys Ile Val Val Phe Ile Val
 35 40 45
 Arg Thr Glu Arg Ser Leu His Ala Pro Met Tyr Leu Phe Leu Cys Met
 50 55 60
 Leu Ala Ala Ile Asp Leu Ala Leu Ser Thr Ser Thr Met Pro Lys Ile
 65 70 75 80
 Leu Ala Leu Phe Trp Phe Asp Ser Arg Glu Ile Ser Phe Glu Ala Cys
 85 90 95
 Leu Thr Gln Met Phe Phe Ile His Ala Leu Ser Ala Ile Glu Ser Thr
 100 105 110
 Ile Leu Leu Ala Met Ala Phe Asp Arg Tyr Val Ala Ile Cys His Pro
 115 120 125
 Leu Arg His Ala Ala Val Leu Asn Asn Thr Val Thr Ala Gln Ile Gly
 130 135 140
 Ile Val Ala Val Val Arg Gly Ser Leu Phe Phe Phe Pro Leu Pro Leu
 145 150 155 160
 Leu Ile Lys Arg Leu Ala Phe Cys His Ser Asn Val Leu Ser His Ser
 165 170 175
 Tyr Cys Val His Gln Asp Val Met Lys Leu Ala Tyr Ala Asp Thr Leu
 180 185 190
 Pro Asn Val Val Tyr Gly Leu Thr Ala Ile Leu Leu Val Met Gly Val
 195 200 205
 Asp Val Met Phe Ile Ser Leu Ser Tyr Phe Leu Ile Ile Arg Thr Val
 210 215 220
 Leu Gln Leu Pro Ser Lys Ser Glu Arg Ala Lys Ala Phe Gly Thr Cys
 225 230 235 240
 Val Ser His Ile Gly Val Val Leu Ala Phe Tyr Val Pro Leu Ile Gly
 245 250 255
 Leu Ser Val Val His Arg Phe Gly Asn Ser Leu His Pro Ile Val Arg
 260 265 270
 Val Val Met Gly Asp Ile Tyr Leu Leu Leu Pro Pro Val Ile Asn Pro
 275 280 285
 Ile Ile Tyr Gly Ala Lys Thr Lys Gln Ile Arg Thr Arg Val Leu Ala
 290 295 300
 Met Phe Lys Ile Ser Cys Asp Lys Asp Leu Gln Ala Val Gly Gly Lys

305

310

315

320

<210> 528
<211> 20
<212> DNA
<213> Homo Sapien

<400> 528
actatgggtcc agaggctgtg

20

<210> 529
<211> 20
<212> DNA
<213> Homo Sapien

<400> 529
atcacctatg tgccgcctct

20

<210> 530
<211> 1852
<212> DNA
<213> Homo sapiens

<400> 530

ggcacgagaa ttaaaaccct cagcaaaaaca ggcatagaag ggacatacct taaagtaata 60
aaaaccacct atgacaagcc cacagccaac ataatactaa atgggggaaaa gttagaagca 120
tttctcttga gaactgcaac aataaataca aggatgctgg atttttgtcaa atgccttttc 180
tgtgtctgtt gagatgctta tgtgactttg cttttaattc tgtttatgtg attatcacat 240
ttattgactt gcctgtgtta gaccggaaga gctgggggtg ttctcaggag ccaccgtgtg 300
ctgcccgcagc ttccgggataa cttgaggctg catcactggg gaagaaacac aytccgtgtc 360
gtggcgctga tggctgagga cagagcttca gtgtggcttc tctgcgactg gcttcttcgg 420
ggagtctctc cttcatagt tcatccatag gctccagagg aaaattatat tattttgtta 480
tggatgaaga gtattacgtt gtgcagatat actgcagtgt cttcatctct tgatgtgtga 540
ttgggtaggt tccaccatgt tgccgcagat gacatgattt cagtacctgt gtctggctga 600
aaagtgtttg tttgtgaatg gatattgtgg tttctggatc tcatcctctg tgggtggaca 660
gctttctcca ccttgctgga agtgacctgc tgtccagaag tttgatggct gaggagtata 720
ccatcgtgca tgcactcttc atttctctgca tttcttcttc cctggatgga cagggggagc 780
ggcaagagca acgtgggcac ttctggagac cacaacgact cctctgtgaa gacgcttggg 840
agcaagaggt gcaagtgtg ctgccactgc tccccctgct gcagggggag cggcaagagc 900
aacgtggtcg cttggggaga ctacgatgac agcgccttca tggatcccag gtaccacgtc 960
catggagaag atctggacaa gctccacaga gctgcctggg ggggtaaagt cccagaaaag 1020
gatctcatcg tcatgctcag ggacacggat gtgaacaaga gggacaagca aaaggaggact 1080
gctctacatc tggcctctgc caatgggaat tcagaagtag taaaactcgt gctggacaga 1140
cgatgtcaac ttaatgtcct tgacaacaaa aagaggacag ctctgacaaa ggccgtacaa 1200
tgccaggaag atgaatgtgc gttaatgttg ctggaacatg gcaactgatcc aaatattcca 1260
gatgagtatg gaaataccac tctacactat gctgtctaca atgaagataa attaatggcc 1320
aaagcactgc tcttatacgg tgetgatatc gaatcaaaaa acaagcatgg cctcacacca 1380
ctgctacttg gtatacatga gcaaaaacag caagtgtgta aatttttaaa caagaaaaaa 1440
gcgaatttaa atgcgctgga tagatatgga agaactgctc tcataacttg tgtatgttgt 1500
ggatcagcaa gctatagtcag ccctctactt gagcaaaatg ttgatgtatc ttctcaagat 1560
ctggaaaagc ggccagagag tatgctgttt ctagtcatca tcatgttaatt tgccagttac 1620
tttctgacta caaagaaaaa cagatgttaa aaatctcttc tgaaaacagc aatccagaac 1680
aagacttaaa gctgacatca gaggaagagt cacaagggt taaaggaagt gaaaacagcc 1740
agccagagct agaagattta tggctattga agaagaatga agaacacgga agtactcatg 1800
tgggattccc agaaaacctg actaacgggt cgcgtgctgg caatggtgat ga 1852

<210> 531
<211> 879

<212> DNA

<213> Homo sapiens

<400> 531

```

atgcatcttt catttcctgc atttcttct ccttggatgg acagggggag cggcaagagc 60
aacgtgggca cttctggaga ccacaacgac tctctgtga agacgcttgg gagcaagagg 120
tgcaagtggg gctgccactg cttcccttgc tgcaggggga gcggcaagag caacgtgggc 180
gcttggggag actacgatga cagcgcttcc atggatccca ggtaccacgt ccatggagaa 240
gatctggaca agctccacag agctgcctgg tggggtaaag tccccagaaa ggatctcatc 300
gtcatgctca gggacacgga tgtgaacaag agggacaagc aaaagaggac tgctctacat 360
ctggcctctg ccaatgggaa ttcagaagta gtaaaactcg tgctggacag acgatgtcaa 420
cttaatgtcc ttgacaacaa aaagaggaca gctctgacaa aggccgtaca atgccaggaa 480
gatgaatgtg cgtaaatgtt gctggaacat ggcactgac caaatattcc agatgagtat 540
ggaaatacca ctctacacta tgctgtctac aatgaagata aattaatggc caaagcactg 600
ctcttatacg gtgtgatata cgaatcaaaa aacaagcatg gcctcacacc actgctactt 660
ggtatacatg agcaaaaaa gcaagtgggt aaatttttaa tcaagaaaaa agcgaattta 720
aatgcgctgg atagatatgg aagaactgct ctcatacttg ctgtatgttg tggatcagca 780
agtatagtca gccctctact tgagcaaaat gttgatgtat cttctcaaga tctggaaaga 840
cggccagaga gtatgctgtt tctagtcac atcatgtaa 879

```

<210> 532

<211> 292

<212> PRT

<213> Homo sapiens

<400> 532

```

Met His Leu Ser Phe Pro Ala Phe Leu Pro Pro Trp Met Asp Arg Gly
      5              10              15

Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp His Asn Asp Ser Ser
      20              25              30

Val Lys Thr Leu Gly Ser Lys Arg Cys Lys Trp Cys Cys His Cys Phe
      35              40              45

Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val Val Ala Trp Gly Asp
      50              55              60

Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr His Val His Gly Glu
      65              70              75              80

Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val Pro Arg
      85              90              95

Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Arg Asp
      100             105             110

Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser
      115             120             125

Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys Gln Leu Asn Val Leu
      130             135             140

Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala Val Gln Cys Gln Glu
      145             150             155             160

Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile
      165             170             175

```


Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Val Tyr Asn Glu
 180 185 190

Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu
 195 200 205

Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Ile His Glu
 210 215 220

Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu
 225 230 235 240

Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala Val Cys
 245 250 255

Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu Glu Gln Asn Val Asp
 260 265 270

Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu Ser Met Leu Phe Leu
 275 280 285

Val Ile Ile Met
 290

<210> 533
 <211> 801
 <212> DNA
 <213> Homo sapiens

<400> 533
 atgtacaagc ttcagtgc aaactgtgct acaaattggag ccacagagag gaaacaagca 60
 gcaggctcag gagcagggtta tgcgctgcct tcggctctcc aatccatgcc tcagggtctcc 120
 tatgccactg cagcattctt ggttgccaag aggccaaacca caggccatct tgagaaggag 180
 tttatgttcc actgcagaaa gcagccagga tcaccatcca ggggacttgg tcttctgtgg 240
 ccctggccag acatagaatt tgtgccaagg caggacaagc tcactcagag cagcgtgtta 300
 gtacctcaaa tctgtgcgtg ccagacaagg ccaaactggc tcaatgagca accagccacc 360
 tctgcagggg tgcgtctgga ggaggtggac cagccaccaa ccttaccag tcaaggaagt 420
 ggatggccat gttcccacag cctgagtggc tgccacctga tggctgatat agcaaaggcc 480
 ttaggaaaag cagatggccc ttggccctac ctttttgtta gaagaactga tgttccatgt 540
 cctgcagcga gtgaggttgg tggctgtgcc cccagctcct ggcacaccct cgcagaggtg 600
 actggttgct ctttgagccc tcttagcctt gccagcatg cacaagcctc agtgctacta 660
 ctgtgctaca aatggagcca tataggggaa acgagcagcc atctcaggag caaggtgtat 720
 gctgcctttg ggggctccag tccttgcttc aagggtctta tgtcactgtg ggcttcttgg 780
 ttgccaagag gcagaccata g 801

<210> 534
 <211> 266
 <212> PRT
 <213> Homo sapiens

<400> 534
 Met Tyr Lys Leu Gln Cys Asn Asn Cys Ala Thr Asn Gly Ala Thr Glu
 5 10 15

Arg Lys Gln Ala Ala Gly Ser Gly Ala Gly Tyr Ala Leu Pro Ser Ala
 20 25 30

cctccactat	tacagcttat	aggaaattac	aatccacttt	acaggcctca	aaggttcatt	60
ctggccgagc	ggacaggcgt	ggcggccgga	gccccagcat	ccctgcttga	ggtccaggag	120
cggagcccg	ggccactgcc	gacctgatcc	cgcgaccccg	gccccgcgcc	gccccgcgcc	180
gcaagatgct	gccccgtgtac	caggaggatga	agcccaacc	gctgcaggac	gcgaacctct	240
gctcacgcgt	gtctctctgg	tggctcaatc	ccctgtttta	aattggccat	aaacqqagat	300

tagaggaaga	tgatatgtat	tcagtgtctgc	cagaagaccg	ctcacagcac	cttggagagg	360
agttgcaagg	gttctgggat	aaagaagttt	taagagctga	gaatgacgca	cagaagcctt	420
ctttaacaag	agcaatcata	aagtgttact	ggaaatctta	tttagttttg	ggaattttta	480
cgtaattga	ggaaagtgcc	aaagtaatcc	agcccatatt	tttgggaaaa	attattaatt	540
attttgaaaa	ttatgatccc	atggattctg	tggctttgaa	cacagcgta	gcctatgcca	600
cgggtgtgac	tttttgacg	ctcatttttg	ctatactgca	tcacttatat	ttttatcacg	660
ttcagtgtgc	tgggatgagg	ttacgagtag	ccatgtgcca	tatgatttat	cggaaggcac	720
ttcgtcttag	taacatggcc	atggggaaga	caaccacagg	ccagatagtc	aatctgctgt	780
ccaatgatgt	gaacaagttt	gatcagggtga	cagtgttctt	acacttctctg	tgggcaggac	840
cactgcaggc	gatcgagtg	actgccctac	tctggatgga	gataggaata	tcgtgccttg	900
ctgggatggc	agttctaate	atttctctgc	ccttgcaaaag	ctgttttggg	aagttgttct	960
catcatagag	gagtaaaact	gcaactttca	cggatgccag	gatcaggacc	atgaatgaag	1020
ttataactgg	tataaggata	ataaaaatgt	acgcctggga	aaagtcattt	tcaaatctta	1080
ttaccaattt	gagaaagaag	gagattttcca	agatttctgag	aagttcctgc	ctcaggggga	1140
tgaatttggc	ttcgtttttc	agtgcagca	aaatcatcgt	gtttgtgacc	ttcaccacct	1200
acgtgtctct	cggcagtggt	atcacagcca	gcccgtgtt	cgtggcagtg	acgtgttatg	1260
gggtgtgtcg	gctgacggtt	accctcttct	tccctctcagc	cattgagagg	gtgtcagagg	1320
caatcgtcag	catccgaaga	atccagacct	ttttgtctact	tgatgagata	tcacagcgca	1380
accgtcagct	gcogtcagat	ggtaaaaaga	tggtgcagtg	gcaggatttt	actgcttttt	1440
gggataaggc	atcacagacc	ccaactctac	aaggcctttc	ctttactgtc	agacctggcg	1500
aattgttagc	tgtggtcggc	cccgtgggag	cagggaagtc	atcactgtta	agtgcctgtc	1560
tcggggaatt	ggccccaagt	cacgggctgg	tcagcgtgca	tggagaatt	gcctatgtgt	1620
ctcagcagcc	ctgggtgttc	tcgggaactc	tgaggagtaa	tattttattt	gggaagaaat	1680
acgaaaagga	acgatatgaa	aaagtcataa	aggcttgtgc	tctgaaaaag	gatttacagc	1740
tgttgaggga	tggtgatctg	actgtgatag	gagatcgggg	aaccacgctg	agtggagggc	1800
agaaagcacg	ggtaaacctt	gcaagagcag	tgtatcaaga	tgctgacatc	tatctcctgg	1860
acgatcctct	cagtcagta	gatgcggaag	ctagcagaca	cttggttcgaa	ctgtgtattt	1920
gtcaaatttt	gcatgagaag	atcacaattt	tagtgactca	tcagttgcag	tacctcaaag	1980
ctgcaagtca	gattctgata	ttgaaagatg	gtaaaatggg	gcagaagggg	acttacactg	2040
agttcctaaa	atctggtata	gattttggct	cccttttaaa	gaaggataat	gaggaaagtg	2100
aacaacctcc	agttccagga	actcccacac	taaggaatcg	taccttctca	gagtcttcgg	2160
tttgggtctca	acaatcttct	agacctcct	tgaagatgg	tgctctggag	agccaagata	2220
cagagatagt	cccagttaca	ctatcagagg	agaaccgttc	tgaaggaaaa	gttgggtttt	2280
aggcctataa	gattacttct	agagctgggt	ctactggat	tgtcttcatt	ttccttattc	2340
tcctaaacac	tgacgtcag	gttgccctatg	tgcttcaaga	ttggtggctt	tcatactggg	2400
caaacaaaca	aagtatgcta	aatgtcactg	taaatggagg	aggaaatgta	accgagaagc	2460
tagatcttaa	ctggtactta	ggaatttatt	cagggttaac	tgtagctacc	gttctttttg	2520
gcatagcaag	atctctattg	gtattctacg	tccttggtta	ctcttcacaa	actttgcaca	2580
acaaaatgtt	tgagtcaatt	ctgaaagctc	cggattattt	ctttgataga	aatccaatag	2640
gaagaatttt	aaatcgtttc	tccaaagaca	ttggacactt	ggatgatttg	ctgccgctga	2700
cgtttttaga	tttcatccag	acattgctac	aagtgggttg	tgtggtctct	gtggctgtgg	2760
ccgtgattcc	ttggatcgca	atacccttgg	ttcccttgg	aatcattttc	atttttcttc	2820
ggcgatattt	tttggaacg	tcaagagatg	tgaagcgctt	ggaatctaca	actcggagtc	2880
cagtgttttc	ccacttgta	tcttctctcc	aggggtctct	gaccatccgg	gcatacaaag	2940
cagaagagag	gtgtcaggaa	ctgtttgatg	cacaccagga	tttacattca	gaggcttggg	3000
tcttgttttt	gacaacgtcc	cgtggttctg	ccgtccgtct	ggatgccatc	tgtgccatgt	3060
ttgtcatcat	cgttgccctt	gggtccctga	ttctggcaaa	aactctggat	gccgggcagg	3120
ttggtttggc	actgtcctat	gccctcacgc	tcatggggat	gtttcagtgg	tgtgttctgac	3180
aaagtgtcga	agttgagaat	atgatgatct	cagtagaaaag	ggtcattgaa	tacacagacc	3240
ttgaaaaaga	agcaccttgg	gaatatcaga	aacgcccacc	accagcctgg	ccccatgaag	3300
gagtataaat	ctttgacaat	gtgaacttca	tgtacagtcc	aggtgggcct	ctggtactga	3360
agcatctgac	agcactcatt	aaatcacaa	aaaagggttg	cattgtggga	agaaccggag	3420
ctggaaaaag	ttccctcatc	tcagcccttt	ttagattgtc	agaacccgaa	ggtaaaattt	3480
ggattgataa	gatcttgaca	actgaaattg	gacttcacga	tttaagggaag	aaaatgtcaa	3540
tcatacctca	ggaacctgtt	ttgttctactg	gaacaatgag	gaaaaacctg	gatcccttta	3600
atgacacac	ggatgaggaa	ctgtggaatg	cttacaaga	ggtaacaact	aaagaaacca	3660
ttgaagatct	tcctggtaaa	atggatactg	aattagcaga	atcaggatcc	aatttttagtg	3720
ttggacaaaag	acaactgggtg	tgcccttgcca	gggcaattct	caggaaaaat	cagatattga	3780

```

ttattgatga agcgacggca aatgtggatc caagaactga tgagttaata caaaaaaat 3840
ccgggagaaaa tttgccact gcaccgtgct aaccattgca cacagattga acaccattat 3900
tgacagcgac aagataatgg ttttagattc aggaagactg aaagaatatg atgagccgta 3960
tgttttgctg caaaataaaag agagcctatt ttacaagatg gtgcaacaac tgggcaaggc 4020
agaagccgct gccctcactg aaacagcaaa acagggtatac ttcaaaagaa attatccaca 4080
tattggtcac actgaccaca tggttacaaa cacttccaat ggacagccct cgaccttaac 4140
tattttcgag acagcactgt gaatccaacc aaaatgtcaa gtccgttccg aaggcatttg 4200
ccactagttt ttggactatg taaaccacat tgtacttttt tttacttttg caacaaatat 4260
ttatacatat aagatgctag ttcatttgaa tattttctcc aacttatcca aggatctcca 4320
gctctaacaa aatggtttat ttttatttaa atgtcaatag ttgtttttta aaatccaaat 4380
cagagggtgca ggccaccagt taaatgccgt ctatcagggt ttgtgcctta agagactaca 4440
gagtcгаагс tcatttttaa aggagtagga cagagttgtc acaggttttt gttgttgttt 4500
ttattgcccc caaaattaca tgttaatttc cacttatatc agggattcta tttacttgaa 4560
gactgtgaag ttgccatttt gtctcattgt tttctttgac ataactagga tccattatat 4620
ccccgaagg cttcttgtaa gaaaatagta cagttacaac caataggaaac aacaaaaaga 4680
aaaagtttgt gacattgtag tagggagtgt gtaccctta ctcccatca aaaaaaaaaa 4740
tggaacatg gttaaaggat agaagggcaa tattttatca tatgttctaa aagagaagga 4800
agagaaaata ctactttctc aaaaagggaag cccttaaagg tgctttgata ctgaaggaca 4860
caaatgtgac cgtccatcct cctttagagt tgcattgact ggacacggta actgttgacg 4920
ttttagactc agcattgtga cacttcccaa gaaggccaaa cctctaaccg acattcctga 4980
aatacgtggc attattcttt tttggatttc tcatttatgg aaggctaacc ctctgttgac 5040
tgtaagcctt ttggtttggg ctgtattgaa atcctttcta aattgcatga ataggctctg 5100
ctaacgtgat gagacaaact gaaaattatt gcaagcattg actataatta tgcagtacgt 5160
tctcaggatg catccagggg ttcattttca tgagcctgtc cagggttagtt tactcctgac 5220
cactaatagc attgtcattt gggtctttctg ttgaatgaat caacaaacca caatacttcc 5280
tgggaccttt tgtactttat ttgaactatg agtctttaat ttttctgat gatgggtggc 5340
gtaatatgtt gagttcagtt tactaaagggt ttactatta tggtttgaag tggagtctca 5400
tgacctctca gaataagggt tcacctccct gaaattgcat atatgtatat agacatgcac 5460
acgtgtgcat ttgtttgtat acatatattt gtccttcgta tagcaagttt ttgtctcacc 5520
agcagagagc aacagatggt ttattgagtg aagccttaaa aagcacacac cacacacagc 5580
taactgccaa aatacattga ccgtagtagc tgttcaactc ctagtactta gaaatacacg 5640
tatggttaat gttcagttca acaaaccaca cacagtaaat gtttattaat agtcatgggt 5700
cgtatttttag gtgactgaaa ttgcaacagt gatcataatg aggtttgtta aaatgatagc 5760
tatattcaaa atgtctatat gtttatttgg acttttgagg ttaaagacag tcatataaac 5820
gtcctgtttc tgttttaatg ttatcataga attttttaat gaaactaaat tcaattgaaa 5880
taaatgatag ttttcatctc caaaaaaaaaa aaaaaaaagg gcggccgctc gagtctagag 5940
ggcccgttta aaccgctga tcagcctcga ctgtgccttc tagttgccag ccactctgtt 6000
tttgccctc ccccgctgct tccttgacct tgggaagggtgc cactccact gtcctttcct 6060
aataaaatga ggaaattgca tc
6082

```

<210> 536

<211> 6140

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (4535)

<223> n=A,T,C or G

<400> 536

```

cagtggcgca gtctcagctc actgcagcct ccacctcctg tgttcaagca gtctcctgc 60
ctcagccacc agactagcag gtctcccccg cctctttctt ggaaggacac ttgccattgg 120
atttaggacc cacttgata atccaggatg atgtcttcac tccaacatcc tcagtttaat 180
tccatgtgca aatacccttt tcccaataa cattcaattc tttaccagga aagggtggctc 240
aatcccttgt ttaaaattgg ccataaacgg agattagagg aagatgatat gtattcagtg 300
ctgccagaag accgctcaca gcacctgga gaggagttgc aagggttctg ggataaagaa 360
gttttaagag ctgagaatga cgcacagaag ccttctttaa caagagcaat cataaagtg 420

```

tactggaaat	cttattttagt	tttgggaatt	tttacgttaa	ttgaggaaag	tgccaaagta	480
atccagccca	tattttttggg	aaaaattatt	aattattttg	aaaattatga	tcccatggat	540
tctgtggctt	tgaacacagc	gtacgcctat	gccacgggtg	tgactttttg	cacgctcatt	600
ttggctatac	tgcatacactt	atattttttat	cacgttcagt	gtgctgggat	gaggttacga	660
gtagccatgt	gccatatgat	ttatcgggaag	gcacttcgtc	ttagtaacat	ggccatgggg	720
aagacaacca	caggccagat	agtcaatctg	ctgtccaatg	atgtgaacaa	gtttgatcag	780
gtgacagtgt	tcttacactt	cctgtgggca	ggaccactgc	aggcgatcgc	agtgactgcc	840
ctactctgga	tggagatagg	aatatcgtgc	cttgtctggga	tggcagttct	aatcattctc	900
ctgcccttgc	aaagctgttt	tgggaagttg	ttctcatcac	tgaggagtaa	aactgcaact	960
ttcacggatg	ccaggatcag	gaccatgaat	gaagttataa	ctggtataag	gataataaaa	1020
atgtacgcct	gggaaaagtc	attttcaa	cttattacca	atttgagaaa	gaaggagatt	1080
tccaagattc	tgagaagttc	ctgcctcagg	gggatgaatt	tggcttcgtt	tttcagtgc	1140
agcaaaatca	tcgtgtttgt	gaccttcacc	acctacgtgc	tcctcggcag	tgtgatcaca	1200
gccagccgcy	tgttcgtggc	agtgcgctg	tatggggctg	tgccgctgac	ggttaccctc	1260
ttcttccctt	cagccattga	gaggggtgtc	gaggcaatcg	tcagcatccg	aagaatccag	1320
acctttttgc	tacttgatga	gatatacacag	cgcaaccgtc	agctgcctgc	agatggtaaa	1380
aagatgggtg	atgtgcagga	ttttactgct	ttttgggata	aggcatcaga	gaccccaact	1440
ctacaaggcc	tttcctttac	tgtcagacct	ggcgaattgt	tagctgtggt	cggccccgtg	1500
ggagcagggg	agtcatacct	gttaagtgcc	gtgctcgggg	aattggcccc	aagtcacggg	1560
ctggtcagcg	tgcattgaag	aattgcctat	gtgtctcagc	agccctgggt	gttctcggga	1620
actctgagga	tgaatatttt	atttgggaag	aaatacgaaa	aggaacgata	tgaaaaagtc	1680
ataaaggctt	gtgctctgaa	aaaggattta	cagctgttgg	aggatggtga	tctgactgtg	1740
ataggagatc	ggggaaccac	gctgagtggg	gggcagaaaag	cacgggtaaa	ccttgcaaga	1800
gcagtgtatc	aagatgctga	catctatctc	ctggacgatc	ctctcagtgc	agtagatgcg	1860
gaagttagca	gacactgtgt	cgaactgtgt	atttgtcaaa	ttttgcatga	gaagatcaca	1920
attttagtga	ctcatcagtt	gcagtacctc	aaagctgcaa	gtcagattct	gatattgaaa	1980
gatggtaaaa	tgggtgcagaa	ggggacttac	actgagttcc	taaaatctgg	tatagatttt	2040
ggctcccttt	taaagaagga	taatgaggaa	agtgaacaac	ctccagttcc	aggaactccc	2100
acactaagga	atcgtacctt	ctcagagtct	tcggtttggg	ctcaacaatc	ttctagacct	2160
tccttgaaag	atgggtgctc	ggagagccaa	gatacagaga	atgtcccagt	tacactatca	2220
gaggagaacc	gttctgaagg	aaaagtgggt	tttcaggcct	ataagaatta	cttcagagct	2280
ggtgtcact	ggattgtctt	cattttcctt	attctcctaa	acactgcagc	tcagggttgc	2340
tatgtgcttc	aagattgggtg	gctttcatat	tgggcaaa	aacaaagtat	gctaaatgtc	2400
actgtaaatg	gaggaggaaa	tgtaacccag	aagctagatc	ttaactggta	cttaggaatt	2460
tattcagggt	ttaactgtagc	taccgttctt	tttggcatag	caagatctct	attgggtattc	2520
tacgtccttg	ttaactcttc	acaaactttg	cacaacaaaa	tgtttgagtc	aattctgaaa	2580
gtcccggtat	tattctttga	tagaaatcca	ataggaagaa	ttttaaatcg	tttctccaaa	2640
gacattggac	acttggatga	tttgctgccg	ctgacgtttt	tagatttcat	ccagacattg	2700
ctacaagtgg	ttggtgtggg	ctctgtggct	gtggccgtga	ttccttggat	cgcaataccc	2760
ttggttcccc	ttggaatcat	tttcattttt	cttcggcgat	attttttggg	aacgtcaaga	2820
gatgtgaagc	gcctggaaatc	tacaactcgg	agtcacgtgt	tttcccactt	gtcatcttct	2880
ctccaggggc	tctggaccat	ccgggcatac	aaagcagaag	agaggtgtca	ggaactgttt	2940
gatgcacacc	aggattttaca	ttcagaggct	tggttcttgt	ttttgacaac	gtcccgtgg	3000
ttcgccgtcc	gtctggatgc	catctgtgcc	atgtttgtca	tcacgttgc	ctttgggtcc	3060
ctgattcttg	caaaaactct	ggatgccggg	caggttgggt	tggcactgtc	ctatgccctc	3120
acgctcatgg	ggatgtttca	gtggtgtgtt	cgacaaagtg	ctgaagtga	gaatatgatg	3180
atctcagtag	aaagggtcat	tgaatacaca	gaccttgaaa	aagaagcacc	ttgggaatat	3240
cagaaacgcc	caccaccagc	ctggcccat	gaaggagtga	taatctttga	caatgtgaac	3300
ttcatgtaca	gtccaggtgg	gcctctggta	ctgaagcacc	tgacagcact	cattaaatca	3360
caagaaaagg	ttggcattgt	gggaagaacc	ggagctggaa	aaagtctcc	catctcagcc	3420
cttttttagat	tgtcagaacc	cgaaggtaaa	atttggattg	ataagatctt	gacaactgaa	3480
attggacttc	acgatttaag	gaagaaaatg	tcaatcatac	ctcaggaacc	tgttttgttc	3540
actggaacaa	tgaggaaaaa	cctggatccc	tttaatgagc	acacggatga	ggaactgtgg	3600
aatgccttac	aagagggtaca	acttaaagaa	accattgaag	atcttcctgg	taaaatggat	3660
actgaattag	cagaatcagg	atccaatttt	agtgttggac	aaagacaact	ggtgtgcctt	3720
gccagggcaa	ttctcaggaa	aaatcagata	ttgattattg	atgaagcgac	ggcaaatgtg	3780
gatccaagaa	ctgatgagtt	aatacaaaaa	aaaatccggg	agaaatttgc	ccactgcacc	3840
gtgctaacca	ttgcacacag	attgaacacc	attattgaca	gcgacaagat	aatgggtttta	3900

```

gattcaggaa gactgaaaga atatgatgag ccgtatgttt tgctgcaaaa taaagagagc 3960
ctatttttaca agatggtgca acaactgggc aaggcagaag ccgctgccct cactgaaaca 4020
gcaaaacaga gatgggggttt caccatgttg gccaggctgg tctcaaactc ctgacctcaa 4080
gtgatccacc tgccttggcc tcccaaactg ctgagattac aggtgtgagc caccacgccc 4140
agcctgagta tacttcaaaa gaaattatcc acatattggt cacactgacc acatggttac 4200
aaacacttcc aatggacagc cctcgacctt aactattttc gagacagcac tgtgaatcca 4260
accaaaatgt caagtcggtt ccgaaggcat ttgccactag tttttggact atgtaaacca 4320
cattgtactt ttttttactt tggcaacaaa tatttataca tacaagatgc tagttcattt 4380
gaatatttct cccaacttat ccaaggatct ccagctctaa caaaatggtt tattttttatt 4440
taaagtgtcaa tagtkgkttt ttaaaatcca aatcagaggt gcaggccacc agttaaagtc 4500
cgtctatcag gttttgtgcc ttaagagact acagnagtca gaagctcatt ttaaaggag 4560
taggacagag ttgtcacagg tttttgttgg tgtttktatt gccccaaaaa ttacatgtta 4620
atttccattt atatcagggg atttctattt ttgaagact gtgaagtgtc cattttgtct 4680
cattgttttc ttgacatam ctaggatcca ttatttcccc tgaaggcttc tgkgagaaaa 4740
tagtacagtt acaaccaata ggaactamca aaaagaaaaa gtttgtgaca ttgtagtagg 4800
gagtgtgtac cccttactcc ccatcaaaaa aaaaaatgga tacatgggta aaggatagaa 4860
gggcaatatt ttatcatatg ttctaaaaga gaaggaagag aaaatactac tttctcaaaa 4920
tggaagccct taaaggtgct ttgatactga aggacacaaa tgtgaccgtc catcctcctt 4980
tagagttgca tgacttggac acggttaactg ttgcagtttt agactcagca ttgtgacact 5040
tcccaagaag gccaaacctc taaccgacat tctgaaata cgtggcatta ttcttttttg 5100
gatttctcat tttaggaaggc taacctctg ttgamtgtam kccttttggg ttgggctgta 5160
ttgaaatcct ttctaaattg catgaatagg ctctgctaac cgtgatgaga caaactgaaa 5220
attattgcaa gcattgacta taattatgca gtacgttctc aggatgcac caggggttca 5280
ttttcatgag cctgtccagg ttagtttact cctgaccact aatagcattg tcatttgggc 5340
tttctgttga atgaatcaac aaaccacaat acttctctggg accttttgta ctttatttga 5400
actatgagtc ttttaattttt cctgatgatg gtggtgtgaa tatgttgagt tcagtttact 5460
aaaggtttta ctattatggt ttgaaggagg tctcatgacc tctcagaaaa ggtgcacctc 5520
cctgaaattg catatatgta tatagacatg cacacgtgtg catttgtttg tatacatata 5580
tttgtccttc gtatagcaag ttttttgtc atcagcagag agcaacagat gttttattga 5640
gtgaagcctt aaaaagcaca caccacacac agctaactgc caaaatacat tgaccgtagt 5700
agctgttcaa ctctagtac tttagaaatac acgtatgggt aatgttcagt ccaacaaacc 5760
acacacagta aatgtttatt aatagtcatg gttcgtattt taggtgactg aaattgcaac 5820
agtgatcata atgaggtttg ttaaaatgat agctatatctc aaaatgtcta tatgtttatt 5880
tggacttttg aggttaaaga cagtcataata aacgtcctgt ttctgtttta atgttatcat 5940
agaatttttt aatgaaacta aattcaattg aaataaatga tagttttcat ctccaaaaaa 6000
aaaaaaaaag ggcggcccg ctagtctag agggcccggt ttaaaccgcg tgatcagcct 6060
cgactgtgcc ttctagtgtc cagccatctg ttgtttggcc ctccccctg ccttcttga 6120
ccctggaagg ggccactccc
6140

```

<210> 537

<211> 1228

<212> PRT

<213> Homo sapiens

<400> 537

```

Met Leu Pro Val Tyr Gln Glu Val Lys Pro Asn Pro Leu Gln Asp Ala
          5                      10                      15

```

```

Asn Leu Cys Ser Arg Val Phe Phe Trp Trp Leu Asn Pro Leu Phe Lys
          20                      25                      30

```

```

Ile Gly His Lys Arg Arg Leu Glu Glu Asp Asp Met Tyr Ser Val Leu
          35                      40                      45

```

```

Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu Leu Gln Gly Phe Trp
          50                      55                      60

```

```

Asp Lys Glu Val Leu Arg Ala Glu Asn Asp Ala Gln Lys Pro Ser Leu

```

65	70	75	80
Thr Arg Ala Ile Ile Lys Cys Tyr Trp Lys Ser Tyr Leu Val Leu Gly	85	90	95
Ile Phe Thr Leu Ile Glu Glu Ser Ala Lys Val Ile Gln Pro Ile Phe	100	105	110
Leu Gly Lys Ile Ile Asn Tyr Phe Glu Asn Tyr Asp Pro Met Asp Ser	115	120	125
Val Ala Leu Asn Thr Ala Tyr Ala Tyr Ala Thr Val Leu Thr Phe Cys	130	135	140
Thr Leu Ile Leu Ala Ile Leu His His Leu Tyr Phe Tyr His Val Gln	145	150	155
Cys Ala Gly Met Arg Leu Arg Val Ala Met Cys His Met Ile Tyr Arg	165	170	175
Lys Ala Leu Arg Leu Ser Asn Met Ala Met Gly Lys Thr Thr Thr Gly	180	185	190
Gln Ile Val Asn Leu Leu Ser Asn Asp Val Asn Lys Phe Asp Gln Val	195	200	205
Thr Val Phe Leu His Phe Leu Trp Ala Gly Pro Leu Gln Ala Ile Ala	210	215	220
Val Thr Ala Leu Leu Trp Met Glu Ile Gly Ile Ser Cys Leu Ala Gly	225	230	235
Met Ala Val Leu Ile Ile Leu Leu Pro Leu Gln Ser Cys Phe Gly Lys	245	250	255
Leu Phe Ser Ser Leu Arg Ser Lys Thr Ala Thr Phe Thr Asp Ala Arg	260	265	270
Ile Arg Thr Met Asn Glu Val Ile Thr Gly Ile Arg Ile Ile Lys Met	275	280	285
Tyr Ala Trp Glu Lys Ser Phe Ser Asn Leu Ile Thr Asn Leu Arg Lys	290	295	300
Lys Glu Ile Ser Lys Ile Leu Arg Ser Ser Cys Leu Arg Gly Met Asn	305	310	315
Leu Ala Ser Phe Phe Ser Ala Ser Lys Ile Ile Val Phe Val Thr Phe	325	330	335
Thr Thr Tyr Val Leu Leu Gly Ser Val Ile Thr Ala Ser Arg Val Phe	340	345	350
Val Ala Val Thr Leu Tyr Gly Ala Val Arg Leu Thr Val Thr Leu Phe	355	360	365
Phe Pro Ser Ala Ile Glu Arg Val Ser Glu Ala Ile Val Ser Ile Arg	370	375	380

Arg Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile Ser Gln Arg Asn Arg
 385 390 395 400
 Gln Leu Pro Ser Asp Gly Lys Lys Met Val His Val Gln Asp Phe Thr
 405 410 415
 Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr Leu Gln Gly Leu Ser
 420 425 430
 Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val Val Gly Pro Val Gly
 435 440 445
 Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu Gly Glu Leu Ala Pro
 450 455 460
 Ser His Gly Leu Val Ser Val His Gly Arg Ile Ala Tyr Val Ser Gln
 465 470 475 480
 Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser Asn Ile Leu Phe Gly
 485 490 495
 Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val Ile Lys Ala Cys Ala
 500 505 510
 Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly Asp Leu Thr Val Ile
 515 520 525
 Gly Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln Lys Ala Arg Val Asn
 530 535 540
 Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile Tyr Leu Leu Asp Asp
 545 550 555 560
 Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg His Leu Phe Glu Leu
 565 570 575
 Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr Ile Leu Val Thr His
 580 585 590
 Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile Leu Ile Leu Lys Asp
 595 600 605
 Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu Phe Leu Lys Ser Gly
 610 615 620
 Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn Glu Glu Ser Glu Gln
 625 630 635 640
 Pro Pro Val Pro Gly Thr Pro Thr Leu Arg Asn Arg Thr Phe Ser Glu
 645 650 655
 Ser Ser Val Trp Ser Gln Gln Ser Ser Arg Pro Ser Leu Lys Asp Gly
 660 665 670
 Ala Leu Glu Ser Gln Asp Thr Glu Asn Val Pro Val Thr Leu Ser Glu
 675 680 685

Glu Asn Arg Ser Glu Gly Lys Val Gly Phe Gln Ala Tyr Lys Asn Tyr
 690 695 700
 Phe Arg Ala Gly Ala His Trp Ile Val Phe Ile Phe Leu Ile Leu Leu
 705 710 715 720
 Asn Thr Ala Ala Gln Val Ala Tyr Val Leu Gln Asp Trp Trp Leu Ser
 725 730 735
 Tyr Trp Ala Asn Lys Gln Ser Met Leu Asn Val Thr Val Asn Gly Gly
 740 745 750
 Gly Asn Val Thr Glu Lys Leu Asp Leu Asn Trp Tyr Leu Gly Ile Tyr
 755 760 765
 Ser Gly Leu Thr Val Ala Thr Val Leu Phe Gly Ile Ala Arg Ser Leu
 770 775 780
 Leu Val Phe Tyr Val Leu Val Asn Ser Ser Gln Thr Leu His Asn Lys
 785 790 795 800
 Met Phe Glu Ser Ile Leu Lys Ala Pro Val Leu Phe Phe Asp Arg Asn
 805 810 815
 Pro Ile Gly Arg Ile Leu Asn Arg Phe Ser Lys Asp Ile Gly His Leu
 820 825 830
 Asp Asp Leu Leu Pro Leu Thr Phe Leu Asp Phe Ile Gln Thr Leu Leu
 835 840 845
 Gln Val Val Gly Val Val Ser Val Ala Val Ala Val Ile Pro Trp Ile
 850 855 860
 Ala Ile Pro Leu Val Pro Leu Gly Ile Ile Phe Ile Phe Leu Arg Arg
 865 870 875 880
 Tyr Phe Leu Glu Thr Ser Arg Asp Val Lys Arg Leu Glu Ser Thr Thr
 885 890 895
 Arg Ser Pro Val Phe Ser His Leu Ser Ser Ser Leu Gln Gly Leu Trp
 900 905 910
 Thr Ile Arg Ala Tyr Lys Ala Glu Glu Arg Cys Gln Glu Leu Phe Asp
 915 920 925
 Ala His Gln Asp Leu His Ser Glu Ala Trp Phe Leu Phe Leu Thr Thr
 930 935 940
 Ser Arg Trp Phe Ala Val Arg Leu Asp Ala Ile Cys Ala Met Phe Val
 945 950 955 960
 Ile Ile Val Ala Phe Gly Ser Leu Ile Leu Ala Lys Thr Leu Asp Ala
 965 970 975
 Gly Gln Val Gly Leu Ala Leu Ser Tyr Ala Leu Thr Leu Met Gly Met
 980 985 990
 Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val Glu Asn Met Met Ile

995 1000 1005
 Ser Val Glu Arg Val Ile Glu Tyr Thr Asp Leu Glu Lys Glu Ala Pro
 1010 1015 1020
 Trp Glu Tyr Gln Lys Arg Pro Pro Pro Ala Trp Pro His Glu Gly Val
 1025 1030 1035 1040
 Ile Ile Phe Asp Asn Val Asn Phe Met Tyr Ser Pro Gly Gly Pro Leu
 1045 1050 1055
 Val Leu Lys His Leu Thr Ala Leu Ile Lys Ser Gln Glu Lys Val Gly
 1060 1065 1070
 Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ile Ser Ala Leu
 1075 1080 1085
 Phe Arg Leu Ser Glu Pro Glu Gly Lys Ile Trp Ile Asp Lys Ile Leu
 1090 1095 1100
 Thr Thr Glu Ile Gly Leu His Asp Leu Arg Lys Lys Met Ser Ile Ile
 1105 1110 1115 1120
 Pro Gln Glu Pro Val Leu Phe Thr Gly Thr Met Arg Lys Asn Leu Asp
 1125 1130 1135
 Pro Phe Asn Glu His Thr Asp Glu Glu Leu Trp Asn Ala Leu Gln Glu
 1140 1145 1150
 Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro Gly Lys Met Asp Thr
 1155 1160 1165
 Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val Gly Gln Arg Gln Leu
 1170 1175 1180
 Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn Gln Ile Leu Ile Ile
 1185 1190 1195 1200
 Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr Asp Glu Leu Ile Gln
 1205 1210 1215
 Lys Lys Ser Gly Arg Asn Leu Pro Thr Ala Pro Cys
 1220 1225

 <210> 538
 <211> 1261
 <212> PRT
 <213> Homo sapiens

 <400> 538
 Met Tyr Ser Val Leu Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu
 5 10 15
 Leu Gln Gly Phe Trp Asp Lys Glu Val Leu Arg Ala Glu Asn Asp Ala
 20 25 30
 Gln Lys Pro Ser Leu Thr Arg Ala Ile Ile Lys Cys Tyr Trp Lys Ser
 35 40 45

Tyr Leu Val Leu Gly Ile Phe Thr Leu Ile Glu Glu Ser Ala Lys Val
 50 55 60
 Ile Gln Pro Ile Phe Leu Gly Lys Ile Ile Asn Tyr Phe Glu Asn Tyr
 65 70 75 80
 Asp Pro Met Asp Ser Val Ala Leu Asn Thr Ala Tyr Ala Tyr Ala Thr
 85 90 95
 Val Leu Thr Phe Cys Thr Leu Ile Leu Ala Ile Leu His His Leu Tyr
 100 105 110
 Phe Tyr His Val Gln Cys Ala Gly Met Arg Leu Arg Val Ala Met Cys
 115 120 125
 His Met Ile Tyr Arg Lys Ala Leu Arg Leu Ser Asn Met Ala Met Gly
 130 135 140
 Lys Thr Thr Thr Gly Gln Ile Val Asn Leu Leu Ser Asn Asp Val Asn
 145 150 155 160
 Lys Phe Asp Gln Val Thr Val Phe Leu His Phe Leu Trp Ala Gly Pro
 165 170 175
 Leu Gln Ala Ile Ala Val Thr Ala Leu Leu Trp Met Glu Ile Gly Ile
 180 185 190
 Ser Cys Leu Ala Gly Met Ala Val Leu Ile Ile Leu Leu Pro Leu Gln
 195 200 205
 Ser Cys Phe Gly Lys Leu Phe Ser Ser Leu Arg Ser Lys Thr Ala Thr
 210 215 220
 Phe Thr Asp Ala Arg Ile Arg Thr Met Asn Glu Val Ile Thr Gly Ile
 225 230 235 240
 Arg Ile Ile Lys Met Tyr Ala Trp Glu Lys Ser Phe Ser Asn Leu Ile
 245 250 255
 Thr Asn Leu Arg Lys Lys Glu Ile Ser Lys Ile Leu Arg Ser Ser Cys
 260 265 270
 Leu Arg Gly Met Asn Leu Ala Ser Phe Phe Ser Ala Ser Lys Ile Ile
 275 280 285
 Val Phe Val Thr Phe Thr Thr Tyr Val Leu Leu Gly Ser Val Ile Thr
 290 295 300
 Ala Ser Arg Val Phe Val Ala Val Thr Leu Tyr Gly Ala Val Arg Leu
 305 310 315 320
 Thr Val Thr Leu Phe Phe Pro Ser Ala Ile Glu Arg Val Ser Glu Ala
 325 330 335
 Ile Val Ser Ile Arg Arg Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile
 340 345 350

Ser Gln Arg Asn Arg Gln Leu Pro Ser Asp Gly Lys Lys Met Val His
 355 360 365
 Val Gln Asp Phe Thr Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr
 370 375 380
 Leu Gln Gly Leu Ser Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val
 385 390 395 400
 Val Gly Pro Val Gly Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu
 405 410 415
 Gly Glu Leu Ala Pro Ser His Gly Leu Val Ser Val His Gly Arg Ile
 420 425 430
 Ala Tyr Val Ser Gln Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser
 435 440 445
 Asn Ile Leu Phe Gly Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val
 450 455 460
 Ile Lys Ala Cys Ala Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly
 465 470 475 480
 Asp Leu Thr Val Ile Gly Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln
 485 490 495
 Lys Ala Arg Val Asn Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile
 500 505 510
 Tyr Leu Leu Asp Asp Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg
 515 520 525
 His Leu Phe Glu Leu Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr
 530 535 540
 Ile Leu Val Thr His Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile
 545 550 555 560
 Leu Ile Leu Lys Asp Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu
 565 570 575
 Phe Leu Lys Ser Gly Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn
 580 585 590
 Glu Glu Ser Glu Gln Pro Pro Val Pro Gly Thr Pro Thr Leu Arg Asn
 595 600 605
 Arg Thr Phe Ser Glu Ser Ser Val Trp Ser Gln Gln Ser Ser Arg Pro
 610 615 620
 Ser Leu Lys Asp Gly Ala Leu Glu Ser Gln Asp Thr Glu Asn Val Pro
 625 630 635 640
 Val Thr Leu Ser Glu Glu Asn Arg Ser Glu Gly Lys Val Gly Phe Gln
 645 650 655
 Ala Tyr Lys Asn Tyr Phe Arg Ala Gly Ala His Trp Ile Val Phe Ile

660					665					670					
Phe	Leu	Ile	Leu	Leu	Asn	Thr	Ala	Ala	Gln	Val	Ala	Tyr	Val	Leu	Gln
	675						680					685			
Asp	Trp	Trp	Leu	Ser	Tyr	Trp	Ala	Asn	Lys	Gln	Ser	Met	Leu	Asn	Val
	690						695					700			
Thr	Val	Asn	Gly	Gly	Gly	Asn	Val	Thr	Glu	Lys	Leu	Asp	Leu	Asn	Trp
	705					710					715				720
Tyr	Leu	Gly	Ile	Tyr	Ser	Gly	Leu	Thr	Val	Ala	Thr	Val	Leu	Phe	Gly
				725					730					735	
Ile	Ala	Arg	Ser	Leu	Leu	Val	Phe	Tyr	Val	Leu	Val	Asn	Ser	Ser	Gln
			740					745					750		
Thr	Leu	His	Asn	Lys	Met	Phe	Glu	Ser	Ile	Leu	Lys	Ala	Pro	Val	Leu
		755					760					765			
Phe	Phe	Asp	Arg	Asn	Pro	Ile	Gly	Arg	Ile	Leu	Asn	Arg	Phe	Ser	Lys
	770					775					780				
Asp	Ile	Gly	His	Leu	Asp	Asp	Leu	Leu	Pro	Leu	Thr	Phe	Leu	Asp	Phe
	785					790					795				800
Ile	Gln	Thr	Leu	Leu	Gln	Val	Val	Gly	Val	Val	Ser	Val	Ala	Val	Ala
			805					810						815	
Val	Ile	Pro	Trp	Ile	Ala	Ile	Pro	Leu	Val	Pro	Leu	Gly	Ile	Ile	Phe
			820					825					830		
Ile	Phe	Leu	Arg	Arg	Tyr	Phe	Leu	Glu	Thr	Ser	Arg	Asp	Val	Lys	Arg
		835					840					845			
Leu	Glu	Ser	Thr	Thr	Arg	Ser	Pro	Val	Phe	Ser	His	Leu	Ser	Ser	Ser
	850					855					860				
Leu	Gln	Gly	Leu	Trp	Thr	Ile	Arg	Ala	Tyr	Lys	Ala	Glu	Glu	Arg	Cys
	865					870					875				880
Gln	Glu	Leu	Phe	Asp	Ala	His	Gln	Asp	Leu	His	Ser	Glu	Ala	Trp	Phe
			885					890						895	
Leu	Phe	Leu	Thr	Thr	Ser	Arg	Trp	Phe	Ala	Val	Arg	Leu	Asp	Ala	Ile
			900					905					910		
Cys	Ala	Met	Phe	Val	Ile	Ile	Val	Ala	Phe	Gly	Ser	Leu	Ile	Leu	Ala
		915					920					925			
Lys	Thr	Leu	Asp	Ala	Gly	Gln	Val	Gly	Leu	Ala	Leu	Ser	Tyr	Ala	Leu
	930					935					940				
Thr	Leu	Met	Gly	Met	Phe	Gln	Trp	Cys	Val	Arg	Gln	Ser	Ala	Glu	Val
	945					950					955			960	
Glu	Asn	Met	Met	Ile	Ser	Val	Glu	Arg	Val	Ile	Glu	Tyr	Thr	Asp	Leu
			965					970						975	

Glu Lys Glu Ala Pro Trp Glu Tyr Gln Lys Arg Pro Pro Pro Ala Trp
 980 985 990

Pro His Glu Gly Val Ile Ile Phe Asp Asn Val Asn Phe Met Tyr Ser
 995 1000 1005

Pro Gly Gly Pro Leu Val Leu Lys His Leu Thr Ala Leu Ile Lys Ser
 1010 1015 1020

Gln Glu Lys Val Gly Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser
 1025 1030 1035 1040

Leu Ile Ser Ala Leu Phe Arg Leu Ser Glu Pro Glu Gly Lys Ile Trp
 1045 1050 1055

Ile Asp Lys Ile Leu Thr Thr Glu Ile Gly Leu His Asp Leu Arg Lys
 1060 1065 1070

Lys Met Ser Ile Ile Pro Gln Glu Pro Val Leu Phe Thr Gly Thr Met
 1075 1080 1085

Arg Lys Asn Leu Asp Pro Phe Asn Glu His Thr Asp Glu Glu Leu Trp
 1090 1095 1100

Asn Ala Leu Gln Glu Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro
 1105 1110 1115 1120

Gly Lys Met Asp Thr Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val
 1125 1130 1135

Gly Gln Arg Gln Leu Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn
 1140 1145 1150

Gln Ile Leu Ile Ile Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr
 1155 1160 1165

Asp Glu Leu Ile Gln Lys Lys Ile Arg Glu Lys Phe Ala His Cys Thr
 1170 1175 1180

Val Leu Thr Ile Ala His Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys
 1185 1190 1195 1200

Ile Met Val Leu Asp Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr
 1205 1210 1215

Val Leu Leu Gln Asn Lys Glu Ser Leu Phe Tyr Lys Met Val Gln Gln
 1220 1225 1230

Leu Gly Lys Ala Glu Ala Ala Ala Leu Thr Glu Thr Ala Lys Gln Arg
 1235 1240 1245

Trp Gly Phe Thr Met Leu Ala Arg Leu Val Ser Asn Ser
 1250 1255 1260

<210> 539

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 539

Cys Leu Ser His Ser Val Ala Val Val Thr
1 5 10

<210> 540

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 540

Ala Val Val Thr Ala Ser Ala Ala Leu
1 5

<210> 541

<211> 14

<212> PRT

<213> Homo sapiens

<400> 541

Leu Ala Gly Leu Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu
5 10

<210> 542

<211> 15

<212> PRT

<213> Homo sapiens

<400> 542

Thr Gln Val Val Phe Asp Lys Ser Asp Leu Ala Lys Tyr Ser Ala
5 10 15

<210> 543

<211> 12

<212> PRT

<213> Homo sapiens

<400> 543

Phe Met Gly Ser Ile Val Gln Leu Ser Gln Ser Val
5 10

<210> 544

<211> 18

<212> PRT

<213> Homo sapiens

<400> 544

Thr Tyr Val Pro Pro Leu Leu Leu Glu Val Gly Val Glu Glu Lys Phe

5

10

15

Met Thr

<210> 545

<211> 18

<212> PRT

<213> Homo sapiens

<400> 545

Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg Ala Val Tyr Leu Ala
 5 10 15

Ser Val

<210> 546

<211> 29

<212> PRT

<213> Homo sapiens

<400> 546

Phe Val Gly Glu Gly Leu Tyr Gln Gly Val Pro Arg Ala Glu Pro Gly
 5 10 15

Thr Glu Ala Arg Arg His Tyr Asp Glu Gly Val Arg Met
 20 25

<210> 547

<211> 58

<212> PRT

<213> Homo sapiens

<400> 547

Val Ala Glu Glu Ala Ala Leu Gly Pro Thr Glu Pro Ala Glu Gly Leu
 5 10 15

Ser Ala Pro Ser Leu Ser Pro His Cys Cys Pro Cys Arg Ala Arg Leu
 20 25 30

Ala Phe Arg Asn Leu Gly Ala Leu Leu Pro Arg Leu His Gln Leu Cys
 35 40 45

Cys Arg Met Pro Arg Thr Leu Arg Arg Leu
 50 55

<210> 548

<211> 18

<212> PRT

<213> Homo sapiens

<400> 548

Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu Gly Thr Gln Glu

200

5

10

15

Glu Cys

<210> 549

<211> 18

<212> PRT

<213> Homo sapiens

<400> 549

Leu Glu Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg
5 10 15

Gln Ala

<210> 550

<211> 14

<212> PRT

<213> Homo sapiens

<400> 550

Ser Asp His Trp Arg Gly Arg Tyr Gly Arg Arg Arg Pro Phe
5 10

<210> 551

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 551

Phe Asp Lys Ser Asp Leu Ala Lys Tyr Ser Ala
1 5 10